

# **EXPERIENCE** it to BELIEVE it.

The QUICKIE® QM-7 Series power wheelchairs combine function and luxury for a unique driving experience. Make your day-to-day a thrill with the QM-7 Series' SpiderTrac™ Suspension, reliable 4-pole motors, PG Drives electronics, and our most inspired portfolio of power seating options ever.





LIVE WITH OUT LIMITS



### DESIGNED FOR PERFORMANCE







Switch-It Micro Pilot



Alternative Drive Control Videos



Switch-It Dual Pro™ Proportional Head Array

# POWER BASE PERFORMANCE

- Intuitive mid-wheel drive handling
- Linix 5 mph, 6 mph, or 8 mph, 4-pole motor packages
- SpiderTrac™ Suspension for superior traction and handling across multiple terrains
  - Gas dampening system for smooth, stable transitions
  - 3" curb climbing capability
  - 22° transition angle helps prevent high centering on curb cuts

# ELECTRONICS OPTIONS FOR INTUITIVE DRIVING

#### R-net Expandable and Non-Expandable Controls

- Standard PM120 Controller offers 30% more power and improved drive algorithm
- Simple to use non-expandable controls feature 4-way toggle switch for operation of tilt and power legrests
- Expandable controls feature assignable buttons for control of common functions and 8 programmable profiles for transitions between environments

#### **Alternative Drive Controls**

- Alternative drive controls available on-chair and will ship complete with ΩM-7 Series wheelchairs
- 28 Switch-It and ASL® proportional and non-proportional (switch) input control options available
- NEW Switch-It Dual Pro<sup>TM</sup> proportional head array offers fine-tuned adjustments and customization to provide an easy-to-learn, precise, and intuitive driving experience

### NFW

OPTIONS FOR ENHANCED USER



### Power Centermount Footrest

- Length of articulation increased to 7.5"
- 3" to 19" of independent lower leg length adjustment
- Footplate extends to the floor for easier transfers



Puch Rutton



### Ctrl+5 Buttons and Toggles

- Convenient access to seating functions
- USB port charges mobile phones and other devices
- May be mounted in various locations

#### ASAP II SEAT FRAME

- In-field width, depth, armrest, legrest, and back height adjustability
- Wide range of seat sizes
- Manual reclining backrest for increased function and sitting tolerance
- Optional fold down backrest for easy transport

# 3.7 RECLINE SEAT FRAME

- Ultra low seat-to-floor heights as low as 16" when combined with tilt and elevate!
- Integrated JAY® J3<sup>TM</sup> back for seamless functionality with power recline and shear reduction system
- Low profile electronics enclosure shell for a clean look and compatibility with accessories

## POWER SEATING OPTIONS

- 3.7 Power Recline with Power Shear Reduction
- 50° of Power Tilt to optimize positioning
- 12" Power Seat Elevate for increased access to cabinets and eye-to-eye interaction with peers
- Power Elevating Legrests with Articulation
  - Swing-Away
  - NEW centermount with 7.5" of articulation



#### PG Drives Color Joystick

- 3.5" color display
- Paddle switches conveniently control on/off function and chair speed
- Speaker for increased horn volume
- Programmable shortcuts for custom control of other functions



#### Retractable Joystick Mount

- Adjusts from -135° to 135°
- Provides comfortable position for users whose hands turn inward/outward
- Retracts inward to clear tight spaces
- Retracts outward to access desks/tables

### Comfort Reclining Armpads

- Softer armpad
- Cloanor et
- 2" width option
- 4" width option





### QM-7 SERIES SPECIFICATIONS

SPECIFICATIONS	QM-710 BC	QIVI-710 SC	QM-710 MPC	QM-715 HD BC	QM-715 HD SC	QM-715 HD MPC	QM-720 BD	QM-720 SD	QM-720 MPD
HCPCS Code	K0848	K0856	K0861	K0850	K0858	K0862	K0868	K0877	K0884
Drive Wheel Position	Mid	Mid	Mid	Mid	Mid	Mid	Mid	Mid	Mid
Speed	6.0 mph	6.0 mph	6.0 mph	5.0 mph	5.0 mph	5.0 mph	8.0 mph	8.0 mph	8.0 mph
Overall Weight	310 lbs.	350 lbs.	375 lbs.	310 lbs.	350 lbs.	375 lbs.	310 lbs.	350 lbs.	375 lbs.
Overall Width	25"	25"	25"	25"	25"	25"	25"	25"	25"
Overall Length	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests	36" w/o footrests
User Weight Capacity	300 lbs.	300 lbs.	300 lbs.	400 lbs.	Tilt: 400 lbs. Recline: 350 lbs	350 lbs.	300 lbs.	300 lbs.	300 lbs.
Seat Widths	12" to 22"	12" to 22"	14" to 22"	16" to 24"	16" to 24"	16" to 22"	12" to 22"	12" to 22"	14" to 22"
Seat Depths	12" to 22"	12" to 22"	16" to 22"	16" to 22"	16" to 22"	16" to 22"	12" to 22"	12" to 22"	16" to 22"
Seat To Floor Height	16.3" to 21"	16.1" to 20.6"	16" to 19.3"	16.3" to 20.3"	16.1" to 20.8"	16.6" to 19.6"	16.3" to 21"	16.2" to 20.6"	16" to 19.3"
Seat Frame Options	ASAP II	ASAP II or 3.7 Recline	3.7 Recline	ASAP II	ASAP II or 3.7 Recline	3.7 Recline	ASAP II	ASAP II or 3.7 Recline	3.7 Recline
Power Seating Options	Power ELRs, Elevate	Tilt or Recline, Power ELRs, Elevate	Tilt & Recline, Power ELRs, Elevate	Power ELRs, Elevate	Tilt or Recline	Tilt & Recline	Power ELRs, Elevate	Tilt or Recline, Power ELRs, Elevate	Tilt & Recline, Power ELRs, Elevate

#### **CONVENIENCE OPTIONS**

- RAM® Phone and Tablet Mounts allow mobile phones and/or tablets to be connected and disconnected for easy viewing.
- RAM® Mounts Self-Leveling Cup Holder keeps drinks level during travel or when stopped on inclines.
- Active Controls ReCharge™ with Socket eliminates the challenges of connecting and disconnecting the battery charger by providing an easy-to-reach adapter.
- Bluetooth for controlling Apple and PC-Android devices.





Phone Mount

**Tablet Mount** 

ReCharge™





