

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Zero Gel Polish Colour Coat
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cosmetic Preparation
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

The Manicure Company Unit 656 IDA Northern Extension X91W622 Waterford City Ireland

- · Further information obtainable from: product safety department
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

benzyl methacrylate propylidynetrimethyl trimethacrylate exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylmethacrylate ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

*P264* Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

*P272 Contaminated work clothing should not be allowed out of the workplace.* 

*P273* Avoid release to the environment.

*P280* Wear protective gloves / eye protection / face protection.

*P302+P352 IF ON SKIN: Wash with plenty of water.* 

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 2495-37-6	benzyl methacrylate	≥10-≤25%
	💠 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 3290-92-4	propylidynetrimethyl trimethacrylate	10%
EINECS: 221-950-4	🕸 Aquatic Chronic 2, H411; 🕩 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 7534-94-3	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylmethacrylate	10%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 13463-67-7	titanium dioxide	2.5-10%
EINECS: 236-675-5	🗞 Carc. 2, H351, EUH211	
CAS: 84434-11-7	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	2.5-10%
	🕸 Aquatic Chronic 2, H411; 아 Skin Sens. 1B, H317	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

- G

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 2)

## SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 3)

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class (TRGS): 10
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingre	dients with limit values that require monitoring at the workplace:
13463	3-67-7 titanium dioxide
WEL	Long-term value: 10* 4** mg/m³
	*total inhalable **respirable

#### · PNECs

### 3290-92-4 propylidynetrimethyl trimethacrylate

PNEC short term, fresh water	0.002 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0002 mg/l (Aquatic organisms)
PNEC short term, sewage plant	10 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.3588 mg/kg (Aquatic organisms)
PNEC short term soil	0.7056 mg/kg (teresstric organisms)
PNEC short term sea water sediment	0.0359 mg/kg (Aquatic organisms)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Blue

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined. Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: >93 °C
 Decomposition temperature: Not determined.

Decomposition temperature: Not determined.

pH Not determined.

· Viscosity:

Kinematic viscosity at 40 °C 6,600-7,400 mm<sup>2</sup>/s

Viscosity at 100°C:

· Dynamic: Not determined.

· Solubility

• water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value) Not determined. • Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Density (@15°C)
 Vapour density
 1.13 g/cm³
 Not determined.
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

 $\cdot \textit{Important information on protection of health and}$ 

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 0.00 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void

(Contd. on page 6)

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

		(Contd. of page
Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values relev	vant for classification:
Dermal	LD50	>3,000 mg/kg
3290-92-4	propylidyn	etrimethyl trimethacrylate
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
13463-67-	7 titanium d	dioxide
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
	, ,	>6.82 mg/l (rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eve damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · STOT-single exposure May cause respiratory irritation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GE

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 6)

# SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
3290-92-4 propylid	ynetrimethyl trimethacrylate
, , ,	2 mg/ltr (rainbow trout)
EL50 (48h)	>9.22 mg/l (daphnia)
EC50 (96h) mg/ltr	4.43 mg/ltr (Pseudokirchneriella subcapitata) (OECD 201)
NOEC	0.177 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number		
· ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name		
· ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	not regulated	
· 14.4 Packing group		
· ADR, IMDĞ, İATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 7)

• 14.6 Special precautions for user Not applicable.

 $\cdot$  14.7 Maritime transport in bulk according to IMO

*instruments* Not applicable.

· UN "Model Regulation": not regulated

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · **VOC (EU)** 0.0 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

### Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or
- · Department issuing SDS: Quality Management department
- · Contact: MSDS authorized Person
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)

Printing date 15.09.2023 Version number 1.0 Revision: 12.09.2023

Trade name: Zero Gel Polish Colour Coat

(Contd. of page 8)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* \* Data compared to the previous version altered.