

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Zero Primer
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cosmetic Preparation
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

The Manicure Company

Unit 656 IDA Northern Extension

X91W622 Waterford City

Ireland

- · Further information obtainable from: product safety department
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



011507

- · Signal word Warning
- · Hazard-determining components of labelling:

ethyl acetate

· Hazard statements

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 1)

P264 Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 141-78-6	ethyl acetate	≥50-≤100%
EINECS: 205-500-4	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119475103-46-XXXX	H336, EUH066	
CAS: 27216-37-1	Sucrose acetate isobutyrate	≥10-<25%
	🕸 Aquatic Chronic 2, H411; ၺ Eye Irrit. 2, H319	
. Additional information: For the w	ording of the listed hazard physics refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class (TRGS): 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

_	ts with limit values that require monitoring at t	he workplace:
141-78-6 e	ethyl acetate	
WEL Shor	t-term value: 1468 mg/m³, 400 ppm	
Long	g-term value: 734 mg/m³, 200 ppm	
· DNELs		
141-78-6 e	ethyl acetate	
Oral	DNEL Long-term - oral, systemic effects	4.5 mg/kg_bw/day (rat)
Dermal	DNEL Long-term – dermal, systemic effects	37 mg/kg_bw/d (rat)
Inhalative	DNEL long-term - inhalation local effects	734 mg/m³ (rat)

Dermal	DNEL Long-term – dermal, systemic effects	37 mg/kg_bw/d (rat)
Inhalative	DNEL long-term - inhalation local effects	$734 \text{ mg/m}^3 \text{ (rat)}$
	DNEL Long-term – inhalation, systemic effects	734 $mg/m^3/d$ (rat)
	DNEL Acute - inhalation, local effects	$1,468 \text{ mg/m}^3 \text{ (rat)}$
	DNEL Acute inhalation systemic effects	$1,468 \text{ mg/m}^3 \text{ (rat)}$

· PNECs

141-78-6 ethyl acetate	
PNEC short term, sea water	0.026 mg/l (Aquatic or

PNEC short term, sea water 0.026 mg/l (Aquatic organisms)
PNEC short term, sewage plant 650 mg/l (Aquatic organisms)

(Contd. on page 4)

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 3)

PNEC short term fresh water sediment	1.25 mg/kg (Aquatic organisms)
PNEC short term soil	0.24 mg/kg (teresstric organisms)
PNEC short term sea water sediment	0.125 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	1.65 mg/l (Aquatic organisms)
PNEC secondary poisoning	200 mg/kg KG/d (Aquatic organisms)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: colourless to yellowish

• Odour: Characteristic
• Odour threshold: Not determined.

(Contd. on page 5)

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

	(Contd. of page
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>93 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Viscosity at 100°C:	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.92 g/cm^3
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not determined.
	d
	d
environment, and on safety.	
environment, and on safety. Ignition temperature:	Product is not selfigniting.
environment, and on safety. Ignition temperature: Explosive properties:	
environment, and on safety. Ignition temperature: Explosive properties: Solvent content:	Product is not selfigniting. Product does not present an explosion hazard.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC)	Product is not selfigniting.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition	Product is not selfigniting. Product does not present an explosion hazard. 0.00 %
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition	Product is not selfigniting. Product does not present an explosion hazard.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void Void Void Voi
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void Void Void Voi
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void Void Void Voi
Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classes. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void Void Void Voi
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined. s Void Void Void Void Void Void Void Voi
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Substances and mixtures Oxidising liquids	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.
environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard classe. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Product is not selfigniting. Product does not present an explosion hazard. 0.00 % Not determined.

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 5)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

values relev	ant for classification:
LD50	>3,000 mg/kg
thyl acetate	,
LD50	5,600 mg/kg (rat)
	5,620 mg/kg (rabbit)
LD50	18,000 mg/kg (rat)
LC50 (4h)	154 mg/l (daphnia)
	1,600 mg/l (rat)
1 Sucrose a	cetate isobutyrate
LD50	>5,000 mg/kg (rat)
	LD50 thyl acetate LD50 LD50 LC50 (4h) 1 Sucrose a

- · Serious eye damage/irritation Causes serious eye irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:	
141-78-6 ethyl acet	tate
LC50 (96h) mg/ltr.	230 mg/ltr (rainbow trout)
EC50 (48h)	717 mg/l (daphnia)
EC50 (96h) mg/ltr	2,500 mg/ltr (Fish)
NOEC	2.4 mg/l /21d (Daphnia magna)
	75.6 mg/l /32d (Fish, minnows)
	1.28 mg/l (rat)

· 12.2 Persistence and degradability

141-78-6 ethyl acetate 100 %

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 6)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

1/1170		
14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
	noi reguialea	
14.2 UN proper shipping name		
ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDĞ, İATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

Printing date 15.09.2023 Version number 1.0 Revision: 15.09.2023

Trade name: Zero Primer

(Contd. of page 7)

- · National regulations:
- · **VOC (EU)** 0.0 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Quality Management department

· Contact: MSDS authorized Person

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.