

TEST REPORT

Page 1 of 9

REPORT NUMBER: TURA150040370

APPLICANT NAME: Fiber Sanal Mağ.ve İnt.Hiz.Dış Tic.Ltd.Şti.

Süleyman Demirel Bulvarı Haskop-İş Modern San.Sit. K:3 F Blok No:39 Başakşehir ADDRESS:

İstanbul / TURKEY TEL:0532 552 82 25

Attention: Timur Sağır (timur@goby.com.tr)

SAMPLE DESCRIPTION: One sample of Beige shoes

Part 1 Beige outer main part

Part 2 Beige outer main part with red print

Part 3 Multicolor thread Part 4 Beige elastic Part 5 Beige inner lining

Part 6 Beige insole with silver print

Part 7 White insole foam Part 8 Pink insole liner Part 9 White inner foam Part 10 White inner toe cap

Part 11 White inner back reinforcement patch

Part 12 Grey insole part Part 13 White outsole

DATE IN: 12 March ,2015 (9:27)

DATE OUT: 18 March ,2015 **BUYER'S REGION: EUROPE MODEL/STYLE NO:** VN 4000

END USE: LADIES & MEN'S & CHILDREN SHOES

Neslihan Sözer


Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55 e-mail: intertekcg.turkiye@intertek.com









TEST REPORT

REPORT : TURA150040370 Page 2 of 9

| | | | PA | RT | | |
|--|---|---|----|----|----|---|
| TEST | 1 | 2 | 3 | 4 | 5 | 6 |
| Phthalate Content (Footwear) | Р | Р | NA | Р | NA | Р |
| Detection of Amines Derived From Azocolourants and Azodyes | Р | Р | NA | Р | Р | Р |

| | | | PA | RT | | |
|--|----|----|----|----|----|----|
| TEST | 7 | 8 | 9 | 10 | 11 | 12 |
| Phthalate Content (Footwear) | Р | NA | Р | Р | Р | Р |
| Detection of Amines Derived From Azocolourants and Azodyes | NA | Р | NA | NA | NA | NA |

| | PART |
|--|------|
| TEST | 13 |
| Phthalate Content (Footwear) | Р |
| Detection of Amines Derived From Azocolourants and Azodyes | |

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES /X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked ¤ in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.







REPORT :TURA150040370

Page 3 of 9 18 March ,2015

Test Method Results Requirements

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 1

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg / kg

= Less Than * =EXCEEDED LIMIT ND : Not Detected

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 2

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg / kg

= Less Than * =EXCEEDED LIMIT ND : Not Detected

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)



e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com



REPORT: TURA150040370

Page 4 of 9 18 March ,2015

Test Method Results Requirements

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 4

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

=mg/kg ppm (part per million)

=Less Than **=EXCEEDED LIMIT ND: Not Detected**

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 6

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg/kg

=EXCEEDED LIMIT ND: Not Detected =Less Than

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)



http://www.intertek-turkey.com



REPORT: TURA150040370

Page 5 of 9 18 March ,2015

Test Method Results Requirements

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 7

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

=mg/kg ppm (part per million)

=EXCEEDED LIMIT =Less Than **ND: Not Detected**

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 9

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg/kg

=EXCEEDED LIMIT ND: Not Detected =Less Than

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)



http://www.intertek-turkey.com



R E S U L T S Page 6 of 9
REPORT :TURA150040370 18 March ,2015

Test Method Results Requirements

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 10

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg / kg

=Less Than * =EXCEEDED LIMIT ND : Not Detected

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 11

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg / kg

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)



e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com



REPORT: TURA150040370

Page 7 of 9 18 March ,2015

Test Method Results Requirements

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 12

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

=mg/kg ppm (part per million)

=EXCEEDED LIMIT =Less Than **ND: Not Detected**

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3: 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Method By Gas Chromatography - Mass Spectrometry (GC-MS) Analysis

Part 13

| | RESULT (%, w/w) |
|--------------------------------|-----------------------|
| DIBUTYL PHTHALATE (DBP) | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND |
| DI-ISO-NONYL PHTHALATE (DINP) | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND |
| SUM OF SIX PHTHALATES | ND |
| LIMIT (MAX.) | TOTAL 0,1% (1000 ppm) |

ppm (part per million) =mg/kg

=EXCEEDED LIMIT ND: Not Detected =Less Than

Detection Limit: 60 ppm

Estimated Total Uncertainity=(±5%)



e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com



REPORT :TURA150040370

Page 8 of 9 18 March ,2015

Test Method Results Requirements

Detection of Amines Derived From Azocolourants and Azodyes

BS EN 14362 - 1 : 2012

Determination of Certain aromatic Amines derived from azo colorants followed by GC- MS Analysis Part: 1&2&4&5&6&8

1) Composite sample of Beige elastic, beige inner lining/insole, pink insole liner (combined method)

<30 ppm

- 2) Red print (without extraction)
- 3) Beige outer main part (with extraction)

| | | <u>RESULTS</u> | | |
|---|----------|----------------|----------|----------|
| FORBIDDEN AMINE | CAS NO | <u>1</u> | <u>2</u> | <u>3</u> |
| 4-AMINOBIPHENYL | 92-67-1 | N | N | Ν |
| BENZIDINE | 92-87-5 | N | Ν | Ν |
| CHLORO-O-4-CHLOR-O-TOLUIDINE | 95-69-2 | N | N | Ν |
| 2-NAPHTHYLAMINE | 91-59-8 | N | N | Ν |
| *O-AMINOAZOTOLUENE | 97-56-3 | N | Ν | Ν |
| *2-AMINO-4-NITROTOLUENE | 99-55-8 | N | Ν | Ν |
| P-CHLOROANILINE | 106-47-8 | N | N | Ν |
| 2,4-DIAMINOANISOLE | 615-05-4 | Ν | Ν | Ν |
| 4,4'-DIAMINOBIPHENYLMETHANE | 101-77-9 | N | N | N |
| 3,3'-DICHLOROBENZIDINE | 91-94-1 | N | N | Ν |
| 3,3'-DIMETHOXYBENZIDINE | 119-90-4 | N | N | N |
| 3,3'-DIMETHYLBENZIDINE | 119-93-7 | N | N | N |
| 3,3'-DİMETHYL-4,4' DIAMINOBIPHENYLMETHANE | 838-88-0 | N | N | N |
| P-CRESIDINE | 120-71-8 | N | N | N |
| 4,4'-METHYLENE-BIS-(2 CHLOROANILINE) | 101-14-4 | N | N | N |
| 4,4'-OXYDIANILINE | 101-80-4 | N | N | N |
| 4,4'-THIODIANILINE | 139-65-1 | N | N | N |
| O-TOLUIDINE | 95-53-4 | N | Ν | Ν |
| 2,4-TOLUYLENDIAMINE | 95-80-7 | N | Ν | Ν |
| 2,4,5-TRIMETHYLANILINE | 137-17-7 | N | N | N |
| O-ANISIDINE | 90-04-0 | N | N | N |
| **P-AMINOAZOBENZENE | 60-09-3 | N | N | Ν |

Note:

1)The amines o-amino-azotoluene and 2-amino-4-nitrotoluene are detected by its splitted product o-toluidine and 2,4- toluylenediamine.

2)Azo colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4- phenylendiamine. The presence of these colorants can not be reliably ascertained without additional information, e.g. chemical structure of the colorant used.

3)According to EN 14362-1:2012, separate test is suggested to ascertain the compliance for result of mixed test in the range between 5 ppm and 30 ppm.

4)Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 & Amendment No. 552/2009 and 126/2013 (Formerly Known As Directive 2002/61/EC

ppm: part per million (mg/kg) Detection Limit: 5 ppm < = Less Than N: Not Detected NC: No Comment

Estimated Total Uncertainity=(±9%)





RESULTS

REPORT :TURA150040370

Page 9 of 9 18 March ,2015



END OF TEST REPORT

