



TPC-E300 3" Mobile Receipt Printer

Feature

- Ultra light, compact and portable
- Rugged design passed 1.5m drop test
- Bluetooth 3.0/BLE Dual Mode
- Multiple wireless interfaces, support iOS, Android, WinCE
- USB charging at your convenience
- Long-lasting battery life (5 days stand-by)
- Support various of 1D & 2D barcode printing
- OLED display
- MSR for option

Technical Feature

Printing	
Printing Method	Direct Thermal Line Printing
Resolution	203dpi (8dots/mm)
Printing Speed	Max. 70mm/s
Printing Width	72mm
Interface	USB, Bluetooth
Memory	
RAM	4 MB
Flash	8 MB
Resident Fonts	
Font	FONT A 12X24;FONTB 9X17; CHN 24X24;16X16;
Alphanumeric	95
Codepage	42
Barcode	
1D	UPC-A, UPC-E, JAN/EAN8, JAN/EAN13, CODE39, ITF, CODEBAR, CODE128, CODE93
2D	QR code, PDF417
Graphics	
Graphics	Support bitmap printing with different density and user defined bitmap printing
Detection	
Sensors	Paper out/Black mark/Gap label sensor, Cover open switch
LED indicator	
Power Indicator	Green
Error Indicator	RED
Paper	
Paper Type	Continuous paper, black mark paper, linerless label, gap label
Paper Width	80mm
Paper Thickness	0.053~0.13mm
Diameter	50mm
Paper Loading	Easy paper loading
Power	
Sleep Mode	Yes
Input	AC 100 -240V
Output	DC 5V/1A
Battery	2300mAh/7.4V rechargeable Li-ion battery
Physical Characteristics	
Working Condition	-5°C~50°C , 25%~85%RH
Storage Condition	-30°C~60°C, 5%~95%RH
Dimension	138.8(L)*106.3(W)*61.2(H)mm
Weight	475.8g (Without paper roll)
Warranty	
Warranty	1 Year carry in Warranty (Onsite Optional)

