## **SAFETY DATA SHEET**

### **SECTION 1: IDENTIFICATION**

1.1 PRODUCT NAME Omni Lash Adhesive

## 1.2 RECOMMENDED USE

Apply to false extension fibres to adhere to the natural lashes. Do not apply to the skin.

**1.3 RESTRICTIONS ON USE** Off-label use is restricted.

#### 1.4 CANADIAN SUPPLIER THE LASH SHOP, 84 Wingold Avenue, North York, Ontario, M6B 1P5, Canada

1.5 EMERGENCY CONTACT N/A

### **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE

Flammable liquids; serious eye damage/eye irritation. Skin corrosion/irritation; skin sensitization. Specific target organ system toxicity-single exposure.

Hazard Statements: H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation

Combustible liquid; May cause allergic skin reaction. May cause respiratory irritation or may cause drowsiness and dizziness.

Keep away from heat, sparks, open flames and hot surfaces. No smoking. Avoid breathing mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use appropriate extinction.

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.2 GHS LABEL ELEMENTS

Signal Word: Warning.

2.3 HAZARD NOT OTHERWISE CLASSIFIED OR COVERED BY GHS N/A

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 CHEMICAL CHARACTERIZATION

### 3.2 COMPOSITION

CAS NUMBER	CHEMICAL NAME	COMPOSITION
21982-43-4	ETHOXYETHYL CYANOACRYLATE	10% ≤
7085-85-0	ETHYL CYANOACRYLATE	79%
9011-14-7	PMMA	7-10%
1333-86-4	PIGMENT	1% ≤

\*Ethoxyethyl Cyanoacrylate is a different name for Akoxy2-Cyanoacrylate\*

## **SECTION 4: FIRST-AID MEASURES**

#### 4.1 DESCRIPTION OF FIRST-AID MEASURES

In the event of contact with eyes: hold eyelid open and rinse thoroughly but gently with only water for 15 minutes and GET MEDICAL ATTENTION. Do not use any solvents to flush the eye and its surroundings. Liquid glue will sting the eye temporarily. Solidified glue may irritate the eyes like a grain of sand and should be treated by an eye doctor.

In the event of contact with skin: if skin bonding occurs, soak in nail polish remover or acetone and carefully peel or roll skin apart (do not pull).

In the event of ingestion: dilute by drinking large quantities of water. Immediately contact the Poison Control Center or hospital emergency room for any other additional treatment directions.

In the event of inhalation: remove the victim to fresh air. If the victim is not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1 EXTINGUISHING MEDIA

Water spray, dry chemical, foam or CO2. Use water to keep fire-exposed containers cool.

- 5.2 SPECIAL HAZARDS ARISING FROM SUBSTANCE N/A
- 5.3 ADVICE FOR FIREFIGHTERS Wear full protective gear.
- 5.4 FURTHER INFORMATION N/A

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, EMERGENCY PROCEDURES Isolate area. Keep unnecessary personnel away.

## 6.2 ENVIRONMENTAL PRECAUTIONS

Prevent entry into natural bodies of water.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Stop the flow of material, if this is without risk. Eliminate all ignition sources. Soak up with absorbent material and remove to a chemical disposal area.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin, and clothing. Wash thoroughly before handling.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES

Keep away from amines. Store in a cool, dry area away from sun and heat. Keep containers tightly closed. Exposure to small amounts of moisture, even moisture in the air, causes polymerization and renders the product unusable. Keep away from heat, sparks, flame and other ignition sources.

Incompatible with water, alcohols, amines, bases and direct UV.

#### 7.3 SPECIFIED END USE(S)

N/A

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

N/A

#### 8.2 EXPOSURE CONTROLS

#### **Ethyl Cyanoacrylate**

ACGIH: 0.2 ppm TWA Austria: 2 ppm TWA (TMW); 9 mg/m3 TWA (TWM) Belgium: 0.2 ppm TWA; 1.04 mg/m3 TWA Denmark: 2 ppm TWA; 10 mg/m3 TWA Spain: 0.2 ppm TWA (VLE-ED) Sweden: 2 ppm LLV; 10 mg/m3 LLV; 4 ppm STV; 20 mg/m3 STV

#### Polymethylmethacrylate

None.

**Carbon Black** AIHA: 3.5 mg/m3 TWA

#### **Engineering Measures**

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

#### Personal Protective Equipment: Respiratory

If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

**Personal Protective Equipment: Hands** Wear appointed chemical resistant gloves.

**Personal Protective Equipment: Eyes** Use goggles if contact is likely.

**Personal Protective Equipment: Skin and Body** Wear appropriate chemical resistant clothing.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 PRECAUTIONS FOR SAFE HANDLING

A)	APPEARANCE	LIQUID, BLACK
B)	ODOUR	IRRITATING
C)	ODOUR THRESHOLD	N/A
D)	рН	N/A
E)	MELTING/FREEZING POINT	N/A
F)	INITIAL BOILING POINT AND BOILING	195°C
	RANGE	
G)	FLASH POINT	75-85°C
H)	EVAPORATION RATE	<1
I)	FLAMMABILITY	N/A
J)	UPPER/LOWER FLAMMABILITY OR	N/A
	EXPLOSIVE LIMITS	
К)	VAPOUR PRESSURE	0.13mmHg @ 20°C
L)	VAPOUR DENSITY	>1
M)	RELATIVE DENSITY	N/A
N)	WATER SOLUBILITY	INSOLUABLE
O)	PARTITION COEFFICIENT	N/A
P)	DECOMPOSITION TEMPERATURE	N/A
Q)	VISCOSITY	100 cps @ 25°C
R)	EXPLOSIVE PROPERTIES	N/A
S)	OXIDIZING PROPERTIES	N/A

#### 9.2 OTHER SAFETY INFORMATION

N/A

## SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

N/A

- **10.2 CHEMICAL STABILITY** Normally stable, but may become unstable at high temperatures or may react with water.
- **10.3 POSSIBILITY OF HAZARDOUS REACTIONS** Will not occur.
- **10.4 CONDITIONS TO AVOID** Exposure to heat, flame and incompatibles.
- **10.5 INCOMPATIBLE MATERIALS** Water, alcohols, amines, bases and direct UV.
- **10.6 HAZARDOUS DECOMPOSITION PRODUCTS** Oxides of carbon.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1 ACUTE TOXICITY**

None anticipated under normal product use conditions.

#### Component Analysis - LD50/LC50

Ethyl Cyanoacrylate (7085-85-0), Oral LD50 Rat > 5 mL/kg

- **11.2 EXPOSURE CONTROLS** N/A
- **11.3 SERIOUS EYE DAMAGE/EYE IRRITATION** Bonds eyelids instantly. Causes irritation.
- **11.4 RESPIRATORY OR SKIN SENSITIZATION** Bonds skin instantly. Causes irritation. No skin sensitization effects have been reported.

#### 11.5 GERM CELL MUTAGENICITY

This product is not reported to have any mutagenic effects.

#### **11.6 CARCINOGENICITY**

No information available for the product.

Page 6 of 9

#### **Component Carcinogenicity:**

Methyl Methacrylate Polymer (9011-14-7) IARC: Supplement 7 (1987); Monograph 19 (1979) (Group 3 (not classifiable))

#### **11.7 REPRODUCTIVE TOXICITY**

This product is not reported to have any reproductive toxicity effects.

#### 11.8 SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

This product is not reported to have any specified target organ single exposure effects.

**11.9** SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE This product is not reported to have any specified target organ repeated exposure effects.

#### **11.10 ASPIRATION HAZARD**

This product is not reported to have any aspiration hazards.

#### **11.11 ADDITIONAL INFORMATION**

**Potential Health Effects: Ingestion** This product is not reported to have any ingestion hazards.

#### Potential Health Effects: Inhalation

May be harmful if inhaled. Vapour may cause irritation of nose, throat and lungs.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 TOXICITY

No information available for the product.

- **12.2 PERSISTENCE AND DEGRADABILITY** No information available for the product.
- **12.3 BIOACCUMULATIVE POTENTIAL** No information available for the product.

#### 12.4 MOBILITY IN SOIL

No information available for the product.

12.5 OTHER ADVERSE EFFECTS N/A

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1 WASTE TREATMENT METHODS**

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

#### DOT (US)

Proper Shipping Name: Unrestricted (not more than 450 litres) Combustible Liquids n.o.s.: (Cyanoacrylate ester), (more than 450 litres) Hazard Class or Division: Unrestricted (not more than 450 litres) Combustible Liquids: More than 450 litres Identification Number: None (not more than 450 litres) NA1993: More than 450 litres Marine Pollutant: None.

#### IMDG

Shipping Name: Not Regulated

#### IATA

Proper Shipping Name: Unrestricted Class or Division: Unrestricted UN or ID number: None

#### ICAO

Shipping Name: Not Regulated

### **SECTION 15: REGULATORY INFORMATION**

Hazard Labels: Xi irritant.

R-phrases: R36/38 Irritating to eyes and skin. R43 May cause sensitization by skin contact.

**S-phrases:** S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact with skin, wash immediately with plenty of water and soap. S37/39 wear suitable gloves and eye/face protection.

#### CA Proportion 65:

No California proposition 65 chemicals are known to be present.

## **SECTION 16: OTHER INFORMATION**

Estimated NFPA Code:

\*NFPA is a registered trademark of the National Fire Protection Assn. Health Hazard: 2 / Fire Hazard: 2 / Reactivity Hazard: 1 / Specific Hazard: Does not apply.

Estimated HMIS Code: \*HMIS is a registered trademark of the National Paint and Coatings Assn. Health Hazard: 2 / Flammability Hazard: 2

The above-mentioned indications are based on current knowledge and are no assurance of characteristics. It relates only to specific material designated herein, and does not relate to use in combination with any other material or process. Existing laws and regulations are to be considered by the recipient of our product at his/her/own responsibility.

PRINT DATE: JANUARY 1, 2024 REVISION DATE: