

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

### 1 Identification

- **Product Identifier**
- **Trade name: KEY TO SILICA**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information
- **Product Description** Dry, Ground Natural Zeolite Soil Amendment
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Green Life, LLC/DBA: KEY TO LIFE  
10900 W. 120th Ave, Unit C  
Broomfield, CO 80021  
855-695-3986  
www.keytolifegarden.com
- **Emergency telephone number:** 970-818-6445

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- **Label elements:**
- **GHS label elements** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
2.1 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = 0     |
| FIRE       | 0 | Fire = 0       |
| REACTIVITY | 0 | Reactivity = 0 |

- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Description:** Mixture of substances listed below with non-hazardous additions.

#### Dangerous Components:

|                   |                 |   |
|-------------------|-----------------|---|
| CAS: 12173-10-3   | Silicon Dioxide | ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335     |
|                   | Trade Secret    | ⚠ Flam. Sol. 2, H228; ⚠ Acute Tox. 4, H302; Eye Irrit. 2B, H320 |
| RTECS: EV 8040000 | Trade Secret    | ⚠ Water-react. 2, H261  |

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

**Trade name: KEY TO SILICA**

· **Additional information:**

Trade Secret made in accordance with paragraph (i) of 1910.1200 of 29 CFR 1910.1200, the OSHA Communication Standard

### 4 First-Aid Measures

· **Description of first aid measures:**

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

· **Extinguishing media:**

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture:** Contains a water reactive solid
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Do not flush with water or aqueous cleansing agents  
Pick up mechanically.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

· **Handling**

- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool, dry place.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

Trade name: **KEY TO SILICA**

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### Trade Secret

|     |   |
|-----|---|
| PEL | Long-term value: 15* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction |
| REL | Long-term value: 10* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction |
| TLV | TLV withdrawn   |

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:** No special measures required.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not required.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not required.

### \* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form: Zeolite Granular Powder
  - Color: White, off-white granules & powders with specs
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**
  - Melting point/Melting range: Not determined.
  - Boiling point/Boiling range: Not determined.
- **Flash point:** None
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower: Not determined.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

Trade name: **KEY TO SILICA**

- **Upper:** Not determined.
- **Vapor pressure:** Not applicable.
- **Density @ 20 °C (68 °F):** 2.2-2.4 g/cm<sup>3</sup> (18.359-20.02 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not applicable.
- **Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with:**
- Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
- Dynamic:** Not applicable.
- Kinematic:** Not applicable.
- **Solvent content:**
- Organic solvents:** 0.0 %
- Solids content:** 100 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Avoid strong oxidizers.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Trade Secret

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 3160 mg/kg (rat) |
|------|------|------------------|

· **Primary irritant effect:**

- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

**Trade name: KEY TO SILICA****· OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- **Waste treatment methods:**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport Information**

- **UN-Number:**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

**· Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

(Contd. on page 6)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

**Trade name: KEY TO SILICA**

|  |    |
|--|----|
| <b>· TSCA (Toxic Substances Control Act):</b>  |    |
| Trade Secret   |    |
| Trade Secret   |    |
| <b>· California Proposition 65:</b>  |    |
| <b>· Chemicals known to cause cancer:</b>  |    |
| None of the ingredients are listed.  |    |
| <b>· Chemicals known to cause reproductive toxicity for females:</b>   |    |
| None of the ingredients are listed.  |    |
| <b>· Chemicals known to cause reproductive toxicity for males:</b>   |    |
| None of the ingredients are listed.  |    |
| <b>· Chemicals known to cause developmental toxicity:</b>  |    |
| None of the ingredients are listed.  |    |
| <b>· New Jersey Right-to-Know List:</b>  |    |
| Trade Secret   |    |
| Trade Secret   |    |
| <b>· New Jersey Special Hazardous Substance List:</b>  |    |
| Trade Secret   | F3 |
| Trade Secret   | R2 |
| <b>· Pennsylvania Right-to-Know List:</b>  |    |
| Trade Secret   |    |
| Trade Secret   |    |
| <b>· Pennsylvania Special Hazardous Substance List:</b>  |    |
| None of the ingredients are listed.  |    |
| <b>· Carcinogenic categories:</b>  |    |
| <b>· EPA (Environmental Protection Agency):</b>  |    |
| None of the ingredients are listed.  |    |
| <b>· TLV (Threshold Limit Value established by ACGIH):</b>   |    |
| None of the ingredients are listed.  |    |
| <b>· NIOSH-Ca (National Institute for Occupational Safety and Health):</b>   |    |
| None of the ingredients are listed.  |    |
| <ul style="list-style-type: none"> <li>· <b>GHS label elements</b> Non-Regulated Material</li> <li>· <b>Hazard pictograms:</b> Non-Regulated Material</li> <li>· <b>Signal word:</b> Non-Regulated Material</li> <li>· <b>Hazard statements:</b> Non-Regulated Material</li> </ul> |    |
| <b>· National regulations:</b>   |    |
| The product is subject to be classified according with the latest version of the regulations on hazardous substances.  |    |
| <b>· Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.  |    |

**16 Other Information**

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/04/2016

Reviewed on 05/04/2016

**Trade name: KEY TO SILICA**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 05/04/2016 / 1

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Flam. Sol. 2: Flammable solids – Category 2  
Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106