

HOW TO FIND YOUR RING SIZE

Tips on measuring:

- Your finger size can change throughout the day
- It's a good idea to measure at the end of the day when your fingers are at their largest Do not measure when your hands are cold; your fingers will be at least half a size smaller
- Ensure that you supply us with the accurate ring size when you are ordering; the following is a guide to help you decide which ring size is best for you.

There is no international standard to express ring sizes. We offer you two ways of determining your ring size: using a table and using a diagram. If you need larger sizes, please contact us.

USING THE DIAGRAM

Print out this [document](#) at 100% of its size (no reduction) and follow the instructions.

USING THE TABLE

The following table should help you convert your ring size into a UK ring size. You have the opportunity to add a comment when placing your order, we recommend that you note down your own country's exact ring size and let us know in a note with the country's name.

To use this table, take a measurement in millimetres around your finger (this is the circumference). Look up the corresponding diameter in the table and find the closest matching size. If you find that the size around your knuckles is significantly bigger than the size of your finger, we can adapt the ring so that it fits the finger. Please contact our adviser for more information.

American	British	European	Inside Diameter mm	Circumference in mm
3			13.97	43.888
		44	14.006	44.001
	F		14.034	44.089
	F ^{1/2}		14.232	44.711
		45	14.324	45.000
3 ^{1/2}			14.376	45.164
	G		14.427	45.324
	G ^{1/2}		14.625	45.946
		46	14.642	45.999
4			14.783	46.442
	H		14.821	46.562
		47	14.961	47.001
	H ^{1/2}		15.019	47.184
4 ^{1/2}			15.189	47.718
	I		15.215	47.799
		48	15.279	48.000
	I ^{1/2}		15.413	48.421
5		49	15.597	48.999
	J		15.608	49.034
	J ^{1/2}		15.806	49.656
		50	15.916	50.002

American	British	European	Inside Diameter mm	Circumference in mm
5 ^{1/2}	K		16.002	50.272
	K ^{1/2}		16.2	50.894
6		51	16.234	51.001
	L		16.396	51.510
		52	16.552	52.000
	L ^{1/2}		16.594	52.132
6 ^{1/2}	M		16.789	52.744
			16.815	52.826
		53	16.871	53.002
	M ^{1/2}		16.988	53.369
7	N		17.183	53.982
			17.189	54.001
		54	17.189	54.001
	N ^{1/2}		17.221	54.101
7 ^{1/2}			17.381	54.604
		55	17.507	55.000
	O		17.577	55.220
	O ^{1/2}		17.628	55.380
8			17.775	55.842
		56	17.826	56.002
	P		17.971	56.458
			18.034	56.655
8		57	18.144	57.001
	P ^{1/2}		18.169	57.080
	Q		18.364	57.692

American	British	European	Inside Diameter mm	Circumference in mm
10			19.761	62.081
	U		19.939	62.640
10 ^{1/2}		63	20.054	63.001
	U ^{1/2}		20.137	63.262
			20.168	63.360
	V		20.333	63.878
11		64	20.372	64.001
	V ^{1/2}		20.531	64.500
			20.599	64.714
		65	20.69	65.000
11 ^{1/2}	W		20.726	65.113
	W ^{1/2}		20.925	65.738
		66	21.008	65.999
	X		21.12	66.350
12	X ^{1/2}		21.318	66.972
		67	21.326	66.998
			21.412	67.268
	Y		21.514	67.588
12 ^{1/2}		68	21.645	68.000
	Y ^{1/2}		21.712	68.210
			21.819	68.546
	Z		21.908	68.826
13		69	21.963	68.999
	Z ^{1/2}		22.106	69.448
13			22.225	69.822