



-INSTALLATION- INSTRUCTIONS



LP ADVENTURE SKID PLATE



TOYOTA RAV4 2013-2018

CONGRATULATIONS FOR YOUR NEW LP AVENTURE SKID PLATE!

If you have any questions or need assistance
during the installation please
contact our team. You
can find the information
on the last
page.



IN
THE
BOX



IN THE BAG

HARDWARE FOR SKIDPLATE WITH LACHUTE PERFORMANCE FRONT PIPE



HARDWARE FOR SKIDPLATE WITH FACTORY FRONT PIPE





NECESSARY TOOLS

- **We recommend the use of a lift**
- **Transmission jack (or regular jack if not on a lift)**
- **Ratchet**
- **14mm Socket**
- **17mm Socket**

1

REMOVE THE FACTORY PLASTIC SPLASH GUARD
AND REMOVE THESE 4 BOLTS





2

IF YOU HAVE A LACHUTE PERFORMANCE FRONT PIPE, NOW IS THE TIME TO INSTALL IT. MAKE SURE THE FITMENT IS TIGHT TO AVOID HAVING IT CONTACT THE SKID PLATE AFTER INSTALLATION



3

THREAD IN THE SKID PLATE SPACERS. THE SPACERS WILL BE LONGER IF YOU ARE INSTALLING WITH A STOCK FRONT PIPE





****WE RECOMEND USING ANTI SEIZE ON THE MOUNTING HARDWARE**




4

RAISE THE SKID INTO PLACE. MAKE SURE THE END OF THE SKID GOES OVER THE SUB FRAME



5

THREAD IN THE MOUNTING HARDWARE



6

SNUG UP ALL THE BOLTS TO MAKE SURE EVERYTHING FITS CORRECTLY



7

TIGHTEN ALL THE HARDWARE



8

INSTALLATION COMPLETE!





NOTES:

****Tighten all the bolts to the manufacturer's specifications with a Torque Wrench****

**Double check your work.
and be sure to tighten
the nuts with a torque wrench.**

**Products warnings:
<https://lpaventure.com/pages/products-warnings>**

**Limited product warranty:
<https://lpaventure.com/pages/limited-product-warranty>**



**You have completed the installation.
Thank you for your interest
in our products.**

**For all requests, information or
assistance: Contact our team
by phone at
1 (866) 562-1316**

**We are available Monday to Friday
Between 8AM and 5PM (EST).**

**Or by email at :
SALES@LPAVENTURE.COM
WWW.LPAVENTURE.COM**

NOW, ENJOY THE RIDE!