

GAS LOGS



regency-fire.com





TABLE OF CONTENTS

Indoor Vented Gas Logs

Oak 04

Driftwood 05

Birch 06

Indoor Vent-Free Gas Logs (USA* Only)

Oak 08

Birch 09

Options 11

^{*} Some regional restrictions may apply.

INDOOR VENTED GAS LOGS - OAK

Available in 3 Sizes





Vented 18" Oak Logs GL18V



Vented 24" Oak Logs GL24V



Vented 30" Oak Logs GL30V

- Durable logs made of high-temperature concrete, ceramic refractory, and stainless-steel fiber mesh
- Oak Logs are available in sizes 18", 24", and 30"
- Millivolt* and Electronic Ignition control systems available
- 18" available with Indoor Vented 2-Burner
- 24" and 30" available with Indoor Vented 3-Burner

MINIMUM FIREPLACE	2-BURNER MILLIVOLT*	
OPENING	18"	
Width (front)	30"	
Width (rear)	18"	
Height	14"	
Depth	14"	

2-BURNER ELECTRONIC
18"
36"
24"
14"
14"

3-BURNER MILLIVOLT + ELECTRONIC			
24"	30"		
36"	42"		
24"	30"		
16"	16"		
14" 16"			

INDOOR VENTED GAS LOGS - DRIFTWOOD

Available in 3 Sizes





Vented 18" Driftwood Logs GL18V



Vented 24" Driftwood Logs GL24V



Vented 30" Driftwood Logs GL30V

- Durable logs made of high-temperature concrete, ceramic refractory, and stainless-steel fiber mesh
- Driftwood Logs are available in sizes 18", 24", and 30"
- Millivolt* and Electronic Ignition control systems available
- 18" available with Indoor Vented 2-Burner
- 24" and 30" available with Indoor Vented 3-Burner

MINIMUM FIREPLACE	2-BURNER MILLIVOLT*
OPENING	18"
Width (front)	30"
Width (rear)	18"
Height	14"
Depth	14"


2-BURNER ELECTRONIC	
18"	
36"	
24"	
14"	
14"	

3-BURNER MILLIVOLT + ELECTRONIC			
24"	30"		
36"	42"		
24"	30"		
16"	16"		
14"	16"		

^{*} Some regional restrictions may apply.

INDOOR VENTED GAS LOGS – BIRCH

Available in 3 Sizes





Vented 18" Birch Logs GL18V



Vented 24" Birch Logs GL24V



Vented 30" Birch Logs GL30V

- Durable logs made of high-temperature concrete, ceramic refractory, and stainless-steel fiber mesh
- Birch Logs are available in sizes 18", 24", and 30"
- Millivolt* and Electronic Ignition control systems available
- 18" available with Indoor Vented 2-Burner
- 24" and 30" available with Indoor Vented 3-Burner

MINIMUM FIREPLACE	2-BURNER MILLIVOLT*	
OPENING	18"	
Width (front)	30"	
Width (rear)	18"	
Height	14"	
Depth	14"	

2-BURNER ELECTRONIC	
18"	
36"	
24"	
14"	
14"	

3-BURNER MILLIVOLT + ELECTRONIC				
24" 30"				
36"	42"			
24"	30"			
16"	16"			
14" 16"				

ASSEMBLED INDOOR VENTED BURNERS

Our indoor vented burner systems feature factory-tested and installed control systems.

- Millivolt*: Standing Pilot system, On/Off Remote
- **Electronic Ignition:** Pilot on demand, On/Off Remote
- Available for natural gas
- Propane conversion kit available
- All burners include lava rock, black embers, flex line, and a damper clamp
- **2-Burner:** Rear and Front burners will provide beautiful and even flame distribution
- 3-Burner: Increased flame height and a middle burner to add flame depth

2- BTU RATINGS		JRNER	3-BURNER	
DIU KAIINGS	NATURAL GAS	PROPANE	NATURAL GAS	PROPANE
18" GL18V	52,000	49,000		
24" GL24V			74,000	64,000
30" GL30V			102,000	91,000

GL18V BURNERS


2-BURNER - MILLIVOLT*

Available in size 18"



Available in Size 18"

GL24V & GL30V BURNERS



Available in size 24" & 30"




Available in Size 24" & 30"

^{*} Some regional restrictions may apply.

INDOOR VENT-FREE GAS LOGS - OAK

Available in 2 Sizes – **USA* ONLY**





Vent-Free 18" Oak Logs GL18VF



Vent-Free 24" Oak Logs GL24VF

- Durable logs made of high-temperature concrete, ceramic refractory, and stainless-steel fiber mesh
- Oak Logs are available in sizes 18" and 24"
- Millivolt Variable and Electronic Ignition control systems available

MINIMUM FIREPLACE OPENING	18"	24"
Width (front)	22"	28"
Width (rear)	20"	20"
Height	18"	18"
Depth	13"	14"

INDOOR VENT-FREE GAS LOGS – BIRCH

Available in 2 Sizes - USA* ONLY





Vent-Free 18" Birch Logs GL18VF



Vent-Free 24" Birch Logs GL24VF

- Durable logs made of high-temperature concrete, ceramic refractory, and stainless-steel fiber mesh
- Birch Logs are available in sizes 18" and 24"
- Millivolt Variable and Electronic Ignition control systems available

MINIMUM FIREPLACE OPENING	18"	24"
Width (front)	22"	28"
Width (rear)	20"	20"
Height	18"	18"
Depth	13"	14"

ASSEMBLED INDOOR VENT-FREE BURNERS

Our indoor vent-free burner systems feature factory-tested and installed control systems.

- Millivolt Variable: Manual spark standing pilot system, On/Off and flame adjustment remote
- Electronic Ignition: Pilot on demand, On/Off and flame adjustment remote
- Available for natural or propane gas
- All burners include lava rock, platinum embers, black embers, and flex line

SIZE	NATURAL GAS		PROPANE		
	BTU - LOW	BTU - HIGH	BTU - LOW	BTU - HIGH	
18" GL18VF	26,000	35,000	24,000	32,000	
24" GL18VF	19,000	37,000	19,000	37,000	

GL18VF & GL24VF BURNERS



Available in size 18" & 24"



Available in size 18" & 24"

OPTIONS

ACCECCODIEC	VENTED			VENT-FREE	
ACCESSORIES	18"	24"	30"	18"	24"
Lava Rock - 10lbs bag	*	*	*	*	*
Black Embers - 6oz bag	*	*	*	*	*





Lava Rock

Black Embers

- Not available
- ✓ Standard
- **★** Optional

ENJOY YOUR REGENCY — FOR LIFE

You'll be happy with your Regency for years to come; our Limited Lifetime* Warranty guarantees it. Not only have we invested in quality workmanship, the finest materials, and durable, heavy-duty construction, but we have carefully selected a dealer network that is committed to your satisfaction. We know that you will be as proud of your Regency as we are.









©2023 FPI Fireplace Products International Ltd. Regency® is registered trademark of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (09/23) Part no. 944-449