

FIRE

GAS | WOOD | ELECTRIC | OUTDOOR







THE PURSUIT OF INNOVATION

Heat & Glo is fueled by innovation and driven to prove "No One Builds A Better Fire." The brand was founded in 1975 in a small Minnesota garage by brothers Ron and Dan Shimek. In 1987, the brand introduced Direct Vent technology—forever changing the way fireplaces function.

Much has changed since its beginning. Yet much remains the same. Today, Heat & Glo continues on an endless pursuit; pushing the boundaries of where fire can go and how it can look.

DESIGN

Design is an integral part of form and function. With Heat & Glo, meticulous product development creates cutting-edge designs with creative applications. An expansive breadth of offerings is available. From traditional to ultramodern. With more than 40 models and countless styles.

INNOVATIVE TECHNOLOGY

Heat & Glo holds the most patents, honors and awards in the industry. The brand created fire from water, and also developed exclusive technologies like FireBrick® and IntelliFire™ Touch. Heat & Glo is always pushing the envelope with technology for today, and innovation for tomorrow.





FIREPLACE TABLE OF CONTENTS

TRADITIONAL GAS FIREPLACES	
Premium	
Mid-Range	20
Basic	32
MODERN GAS FIREPLACES	
Premium	
Mid-Range	
Basic	50
GAS FIREPLACE INSERTS	58
Premium.	
Mid-Range	62
TRADITIONAL WOOD FIREPLACES	
Premium	
Mid-Range	
Basic	76
ELECTRIC FIREPLACES	80
Premium.	
Mid-Range	
Basic	
ELECTRIC FIREPLACE INSERTS	
Mid-Range	98
INDOOR/OUTDOOR GAS FIREPLACES	100
, , , , , , , , , , , , , , , , , , , ,	
OUTDOOR FIREPLACES	108
OUTDOOR GAS FIREPLACES	110
OUTDOOK OAST IKEI EAGES	110
OUTDOOR WOOD FIREPLACES	120
OUTDOOR GAS FIRE PIT	122

PREMIUM

A product series offering the finest features and options.

MID-RANGE

A product series offering enhanced consumer benefits with improved features and options.

BASIC

A product series offering essential consumer benefits.












HEAT & GLO MAKES SPECIFYING SIMPLE

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Heat & Glo also has complete 3-Part CSI/CSA fireplaces specifications for you to add instantly into section 10-31-00 of your construction documents.



DESIGN CONSIDERATIONS

The placement of the fireplace is critical to specifying the right fireplace for the right project.




EXTERIOR WALL

A classic application that suits both traditional and contemporary fireplace models. These applications typically require the least complicated vent runs, but may require an exterior chase or bump out.



CORNER

Best used in floorplans with square footage to spare or where other architectural elements (i.e. windows) take precedence as a focal point. Traditional models or smaller modern linear units work best for these applications.



INTERIOR WALL / ISLAND

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floorplans. These applications may require a power vent system and a more complex vent run.



Install Virtually Anywhere: Power VentTM Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.





SPECIFICATION CHECK LIST

Planning is critical to ensure the model you are specifying will work with your construction plans. When specifying a fireplace model for your building, make sure to work with your local Hearth Expert to factor in the following factors:



FRAMING DIMENSIONS

For both the fireplace itself and for any vent pipes that must terminate through a wall.



CONNECTION REQUIREMENTS

Make sure you understand where venting, gas and electrical connection points are on the model you're specifying.



VENT RUN REQUIREMENTS

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential in deciding where best to place the fireplace in your plans.



CLEARANCES TO COMBUSTIBLES

For mantels, surround material and appliances above the fireplace.



EXTERIOR TERMINATION LOCATION

Know the distances needed from the termination cap to nearby windows, overhangs, soffits and sidewalks.

KEY TECHNOLOGIES



DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



POWER VENT™ TECHNOLOGY

A power vent is a fan-powered accessory allowing for longer more complicated vent runs – making it possible to install a gas fireplace virtually anywhere in a property.



WHISPERTONE™ TECHNOLOGY

Patent-pending system which allows airflow with minimal sound, the ability to horizontally terminate, and an automatic damper which stops air movement when the fireplace is off, thus preventing cold air infiltration into the home.



INTELLIFIRE® IGNITION SYSTEMS

Advanced intermittent pilot ignition systems with memory settings and programmable RC300 or RC400 remote controls. IPI systems constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs. Options Include IntelliFire, IntelliFire Plus and IntelliFire Touch.





FIREBRICK® TECHNOLOGY

FireBrick is a patented, energy-saving ceramic material molded in a variety of masonry designs. FireBrick produces up to 25% more radiant heat than metal fireboxes - heating rooms faster and using less fuel. This increases efficiency and reduces heating costs.

PRODUCT FEATURES





GLASS












HEAT MANAGEMENT SOLUTIONS

Increase homebuyer satisfaction by specifying a model with heat management.



HEAT-ZONE® KIT Draw heat from your fireplace to another room in your home, up to 20 feet away. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.





HEAT-OUT® **KIT** Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.





PASSIVE HEAT™ KIT Allows heat to disperse naturally (no fan) into the room, reducing surface temperatures. Choose side, front or open wall register.



Side Register

Front Register

Open Wall Register



TRADITIONAL GAS FIREPLACES





Gas fireplaces offer the most versatility of placement, model variety, and technology. A gas fireplace will not only add an unforgettable focal point to your space, but ambiance and comfort to the properties you're creating. Gas-burning fireplaces are clean and efficent. Building and design professionals should add at least one in entry-level new construction homes and a second or third fireplace when planning move-up or luxury/custom properties.

- 1 2016 Realtor.com Homebuyer & Realtor Research, "Fireplace is the #1 Must Have Home Feature"; 2016 Angie's List Homebuyer & Realtor Research, "Both indoor and outdoor fireplaces are one of the most sought after home features by both homebuyers and realtors"
- 2 Marshall & Swift Residential Cost Handbook
- 3 2013 NAHB "What Homebuyers Really Want"



Both indoor and outdoor fireplaces remain in the "Top 5" decorative product features by homebuyers.

- 2017 Homebuyer Housing Preferences across Generations. NAHB



Indoor fireplaces are the "#1 must have" home feature for homebuyers.

- 2016 Realtor.com Homebuyer & Realtor Research




Fireplaces, both indoor and outdoor, are one of the top most sought after features by homebuyers and realtors.

- 2016 Angie's List Homebuyer & Realtor Research



Fireplaces/firepits are the #1 most popular outdoor design element.

 2018 American Society of Landscape Designers Annual Residential Landscape Architecture Trends Survey



PHOENIX TRUEVIEW GAS FIREPLACE

Designed with a large glass-free view and the authentic look of a traditional wood fireplace. Be captivated by the beautiful hand-painted logs, glowing LED ember bed and bold flames in a traditional brick or modern reflective black glass interior. Safely place a TV 12" above the opening with no mantel required. Set the mood with mild heat for year round enjoyment, and stream music or the sound of a crackling fire through Bluetooth® speakers for a truly immersive experience. Phoenix. The convenience of gas without the glass.

INTERIOR PANELS



FADE-RESISTANT REFLECTIVE **BLACK GLASS INTERIOR PANELS**



TRADITIONAL BRICK INTERIOR PANELS



GLOWING LED EMBER BED

DOORS



SCREEN DOORS

SPECIFICATIONS

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		VIEWING AREA	BTU/HR INPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTU/HR INPUT	
PHOENIX42-IFT	50-3/8" [1280]	51-3/8" [1305]	74-1/8" [1883]	74-5/8" [1895]	28-1/2" [724]	28" [711]	34-5/8" [879]	51-3/8" [1305]	42" x 28-1/2" [1068 x 723]	65,000	


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES



WHISPERTONE









BED



LOGS




TRUE DIRECT VENT GAS FIREPLACE

The TRUE offers the most authentic masonry appearance available in a Direct Vent gas fireplace. The best fire, cleanest look and largest view available comes in three sizes with high definition logs, LED accent and ember lighting and reflection-free glass. It's an attractive, powerful fireside experience – a TRUE innovation in traditional style.

SPECIFICATIONS

MODEL	FRONT V	FRONT WIDTH (A) BA		BACK WIDTH (B)		HEIGHT (C)		H (D)	GLASS SIZE	BTU/HOUR INPUT	
FIODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	(NG)	
TRUE-36	61 [1549]	59-1/2 [1511]	59-1/4 [1505]	59-1/2 [1511]	57-5/8 [1464]	56 [1422]	24 [610]	24 [610]	35-7/8 x 31-1/16 [911 x 789]	28,000 - 45,500	
TRUE-42	67 [1702]	65-9/16 [1665]	65-5/16 [1659]	65-9/16 [1665]	62-5/8 [1591]	61 [1549]	24 [610]	24 [610]	41-7/8 x 36-1/16 [1064 x 916]	30,500 - 55,500	
TRUE-50	75 [1905]	73-9/16 [1869]	73-5/16 [1862]	73-9/16 [1869]	66-5/8 [1692]	65 [1651]	24 [610]	24 [610]	49-7/8 x 40-1/16 [1267 x 1018]	36,000 - 65,000	



TECHNOLOGIES/FEATURES



BLACK GLASS



LED EMBER ANTI-REFLECTIVE LED ACCENT GLASS LIGHTING













POWER VENT

FRONTS









FIRESCREEN ARCH

FORGE Hand-crafted, hammered steel

FORGE ARCH Hand-crafted, hammered steel

FINISHES FOR FIRESCREEN AND FIRESCREEN ARCH







INTERIOR PANELS



TRANQUIL GREIGE HERRINGBONE




STRATFORD



FADE RESISTANT REFLECTIVE BLACK GLASS





CERONA
DIRECT VENT GAS FIREPLACE

The Cerona is the only true-arched fireplace on the market. The arched elegance pairs well with robust flames and impressive efficiency. Patented, heat-radiating FireBrick® material and cantilevered corners provide the beauty of a custom-built masonry fireplace.

FRONTS



CHATEAU FORGE available in hand-crafted hammered steel



graphite and new bronze



FIRESCREEN available in black, graphite and new bronze

FINISHES







SPECIFICATIONS


MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HR INPUT
HODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	DIO/THUNIOT
CERONA-36-IFT	41-1/8 [1046]	42-1/8 [1070]	28-1/2 [724]	42-1/8 [1070]	49-7/8 [1268]	50-1/2 [1283]	21-3/4 [551]	22-1/4 [565]	30-1/4 X 23-1/2 [767 X 595]	20,000-36,000 (NG)
CERONA-42-IFT	48-1/8 [1223]	49-1/8 [1248]	35-3/8 [900]	49-1/8 [1248]	54 [1372]	54-1/2 [1384]	21-3/4 [551]	22-1/4 [565]	35-7/8 X 27-3/4 [912 X 704]	25,000-48,000 (NG)


TOP VIEW

FRONT VIEW


LEFT SIDE VIEW

RIGHT SIDE VIEW










TECHNOLOGIES/FEATURES












6000 & 8000 SERIES DIRECT VENT GAS FIREPLACE

The 6000 Series is the flagship of Heat & Glo. Three models are available (C, CL, CLX), offering different heating, features and aesthetics for different homebuyers. The 8000 Series provides all of the benefits of the 6000 Series in a larger size with greater heat output.


SPECIFICATIONS

	FRONT V	VIDTH (A)	BACK WIDTH (B)		HEIGI	HT (C)	DEPT	H (D)	GLASS SIZE	BTU/HOUR	
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	INPUT (NG)	
6000CLX, 6000CL, 6000C,	41 [1041]	42 [1067]	28-1/2 [724]	42 [1067]	39-7/8 [1013]	40-1/8 [1019]	21-1/2 [546]	22 [559]	32 x 21-1/2 [813 x 546]	CLX: 40,000 CL: 35,000 C: 30,000	
8000CLX, 8000CL, 8000C,	48 [1219]	49 [1245]	35-1/2 [901]	49 [1245]	41-7/8 [1064]	42-1/8 [1070]	21-1/2 [546]	22 [559]	39 x 23-5/8 [991 x 600]	CLX: 45,000 CL: 40,000 C: 35,000	

TOP VIEW



FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES



















LIGHTING

LOGS

LED EMBER HIGH-DEFINITION BLACK GLASS ANTI-REFLECTIVE BED LOGS GLASS


FRONTS



CHATEAU FORGE Hand-crafted, hammered steel.



GALLERIA



HALSTON




FINISHES Available for all fronts except chateau forge

BRONZE







ARCADIA



FOLIO CLEAN FACE

INTERIOR PANELS



BLACK METAL (Standard on C models)



STRATFORD BRICK PANELS (Standard on CL/CLX models; optional on C models)



FADE-RESISTANT REFLECTIVE **BLACK GLASS PANELS** (Standard on CL/CLX; optional on C models)



TRANQUIL GREIGE BRICK PANELS (Standard on CLX models)





ESCAPE SEE-THROUGH
DIRECT VENT GAS FIREPLACE

Take comfort to the next level with the Escape model. Flames rise through intricate logs and are complemented by electric embers and accent lighting for a broad fire. Enjoy the Escape See-Through from two rooms, with arched or square front designs.

FRONT





ARCHED FIRESCREEN







INTERIOR PANELS




STRATFORD BRICK


SPECIFICATIONS

	MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HOUR INPUT
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	Broy Hook III of	
	ESCAPE SEE-THROUGH (IFT)	59-15/16 [1522]	60-1/4 [1530]	59-15/16 [1524]	60-1/4 [1530]	46-3/8 [1178]	46-1/2 [1181]	30 [762]	30 [762]	39-7/16 x 35-1/8 [1002 X 892]	43,500 - 57,500

TOP VIEW



FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES



INTELLIFIRE TOUCH











MULTI-SIDED
DIRECT VENT GAS FIREPLACES

Multi-Sided fireplaces present an opportunity to divide a space elegantly, act as a window between rooms or provide dramatic architectural elements. Pier, see-through and left- or right-corner models showcase fire in more ways. Create your own, unique hearth with a variety of sizes, styles and finishing options.





FRONT



FIRESCREEN Available in Black

INTERIOR PANELS



WEATHERED TRADITIONAL BRICK (See-through and Pier only)



REFLECTIVE BLACK GLASS (See-through and Pier only)



BLACK METAL PANELS
(See-through and Pier only)



BRICK (Left & Right Corner Only)

INTERIOR MEDIA Available only for See-Through and Pier with optional contemporary kit.



CRYSTAL GLASS



EBONY GLASS



COBALT GLASS



AMBER GLASS



SCARLET GLASS




ICED FOG GLASS





CAST STONES


PIER SPECIFICATIONS

MODEL	SIDES W	IDTH (A)	BACK W	IDTH (B)	HEIGI	HT (C)	DEPT	H (D)	GLASS SIZE	
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	BTU/HOUR INPUT
PIER-DV36IN	40-1/2 [1029]	40 [1016]	40-1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000










SEE-THROUGH SPECIFICATIONS


MODEL	SIDES WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	BTU/HOUR INPUT
ST-DV36IN	42-1/2 [1080]	43 [1092]	42-1/2 [1080]	43 [1092]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000




CORNER SPECIFICATIONS

	MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HOUR INPUT	
MODEL	MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	BTO/TIOOK INFOT	
	LCOR/RCOR-DV36IN	40-1/2 [1029]	40 [1016]	40 -1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24-1/2 [622]	24 [610]	33 X 21-5/8 [838 X 549]	21,000 - 38,000	

TOP VIEW



FRONT VIEW



VIEWABLE END



NON-VIEWABLE END



TECHNOLOGIES/FEATURES
















SLIMLINE SERIES
DIRECT VENT GAS FIREPLACE


SlimLine fireplaces fit where others don't. Slender profiles make unique installations a reality. Bring your vision to life with multiple models, sizes and finishing options. The ideal combination of flame, glow and logs creates a fireside experience you never want to leave.


SPECIFICATIONS


14005	FRONT	WIDTH	BACK	BACK WIDTH		GHT	DEF	PTH	01.400.0175	BTU/HR	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	GLASS SIZE	INPUT (NG)	
SL-3X	33 [838]	34 [864]	22-3/4 [578]	34 [864]	32-3/8 [822]	32-3/4 [832]	16-1/4 [413]	16-1/4 [413]	24-1/8 X 16 [613 x 406]	11,500-21,000	
SL-5/5X	36	37	25-3/4	37	34-3/8	34-3/4	16-5/16	16-1/4	27-3/16 X 18-1/16	14,900-21,000 (5)	
	[913]	[940]	[653]	[940]	[873]	[882]	[415]	[413]	[691 x 459]	14,500-27,500 (5X)	
SL-7/7X	41	42	30-3/4	42	37-7/8	38-1/4	16-5/16	16-1/4	32-1/16 X 21-1/2	17,500-25,000 (7)	
	[1041]	[1067]	[781]	[1067]	[962]	[972]	[415]	[413]	[814 x 546]	17,500-30,500 (7X)	
SL-9/9X	48	49	37-3/4	49	39-9/16	40-1/4	16-5/16	16-1/4	39-1/16 X 23-9/16	23,500-30,000 (9)	
	[1218]	[1245]	[959]	[1245]	[1005]	[1022]	[415]	[413]	[992 x 599]	18,000-35,000 (9X)	

TOP VIEW FRONT VIEW RIGHT SIDE VIEW **LEFT SIDE VIEW**









TECHNOLOGIES/FEATURES





POWER VENT











HEAT OUT

FRONTS



CHATEAU FORGE Handcrafted, hammered steel. Not available for 3X.



ARCADIA
Black, new bronze or graphite.
Not available for 3X.



CLEAN FACE Black, new bronze or graphite. Not available for 3X.



FIRESCREEN
Available for all models in black.

FINISHES







INTERIOR PANELS

new bronze or graphite.

Available for all models in black,

HALSTON



STRATFORD BRICK PANELS Included standard on X collection models. Optional upgrade for SL models.



FADE-RESISTANT REFLECTIVE BLACK GLASS PANELS Optional upgrade for all models.



TRANQUIL GREIGE BRICK PANELS Standard on X collection models





REVEAL B-VENT GAS FIREPLACE

Recreate the timelessness of a wood-burning fire with the open-hearth Reveal. Match your mood and enjoy full, generous flames with the optional doors open or closed.

DOORS





INTERIOR PANELS




TRADITIONAL


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPT	H (D)	VIEWING AREA	BTU/HR INPUT
HODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	Brojint in Oi
RBV4236	41 [1041]	42 [1067]	23-3/4 [603]	42 [1067]	39-1/2 [1003]	39-3/4 [1010]	21-1/2 [546]	22 [559]	36 x 21 [914 x 533]	40,000 (NG)
RBV4842	47 [1194]	48 [1219]	29-3/4 [756]	48 [1219]	39-1/2 [1003]	39-3/4 [1010]	21-1/2 [546]	22 [559]	42 x 21 [1067 x 533]	43,000 (NG)

TOP VIEW



FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES





MODERN GAS FIREPLACES



MODERN STYLE, TIMELESS APPEAL

The move to modern fireplaces is a trend that's here to stay. From sleek, modern linear fireplaces to unique models with dazzling features, our line of modern fireplaces will help you create an "impact wall" for your clients that will be the envy of the neighborhood. Make sure to specify a model that matches your project goals – select premium models for luxury properties and mid-range or basic models for move-up and entry-level homes.



PREMIUM

Perfect for mid-size to large rooms and commercial buildings. The combination of seamless, clean-finish options, very active flame, multi-colored LED lighting and standard accessories and heat-management technologies make these fireplaces one of a kind.



MID-RANGE

Works great for mid-size to large rooms. Comes standard with LED lighting, wireless control, and an active flame. Multiple customizable options to fit any type of room.



BASIC

Basic modern fireplaces are ideal for small to mid-size rooms. Calm flame, modest heat output, and optional accessories complement your décor.




PRIMO
DIRECT VENT GAS FIREPLACE

Warm up to our most luxurious fireplace yet. Where intricate modern styling meets innovative heating technology. Defying convention and designed for the spotlight. There's a reason we call it the PRIMO.

SPECIFICATIONS

MODEL	FRONT V	VIDTH (A)	BACK WIDTH (B)		HEIGHT (C)		DEP1	ΓΗ (D)	GLASS SIZE	BTU/HOUR
HOBEE	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING ³	(E x F)	INPUT (NG)
PRIMO48,	59-1/2	60-1/4	59-1/2	60-1/4	30-9/16	42	17-3/16	18-1/4 [464]	47-1/2 x 12-1/2	31,000 - 45,000
PRIMO48ST	[1511]	[1530]	[1511]	[1530]	[776]	[1067]	[437]	ST: 17 [432]	[1207 x 318]	
PRIMO60,	71-1/2	72-1/4	71-1/2	72-1/4	30-9/16	48	17-3/16	18-1/4 [464]	59-1/2 x 12-1/2	38,000 - 55,000
PRIMO60ST	[1816]	[1835]	[1816]	[1835]	[776]	[1219]	[437]	ST: 17 [432]	[1511 x 318]	
PRIMO72,	83-1/2	84-1/4	83-1/2	84-1/4	30-9/16	48	17-3/16	18-1/4 [464]	71-1/2 x 12-1/2	41,000 - 61,000
PRIMO72ST	[2121]	[2140]	[2121]	[2140]	[776]	[1219]	[437]	ST: 17 [432]	[1861 x 318]	



TECHNOLOGIES/FEATURES



LED ACCENT LIGHTING











POWERFLOW POWER VENT

SINGLE-SIDED

SEE-THROUGH



INTERIORS

















CRYSTAL GLASS

EBONY GLASS

AMBER GLASS

COBALT GLASS

SCARLET GLASS

ICED FOG GLASS

DRIFTWOOD LOGS¹

RIVER ROCK STONES¹

THE DUNES MODERN WHITE LOGS BY ELISA CARLUCCI1



The Dunes unveils a whole new view of fire. White logs transform the modern fireplace into a gallery of sculpture. The flames radiate glowing light and shadow on the sculptures creating a fireside experience unlike any other.

MULTI-COLORED LED LIGHTING















WHITE LIGHT

AQUA LIGHT

BLUE LIGHT

YELLOW LIGHT

RED LIGHT

MAGENTA LIGHT

42 1: Requires glass media






MEZZO DIRECT VENT GAS FIREPLACE You've never experienced modern design like this. Clean. Discreet. Affordable luxury. In four sizes, with single-sided and see-through models. And a variety of finishing options. We spared nothing, to give you everything. It's modern design, redefined.

SPECIFICATIONS

MODEL	FRONT V	VIDTH (A)	BACK WIDTH (B)		HEIGH	HT (C)	DEPT	H (D)	GLASS SIZE	BTU/HOUR
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	INPUT (NG)
MEZZO36,	46-3/16	48-1/4	46-3/16	48-1/4	41-3/4	42	17-1/8	18-1/4 [464]	35-1/2 x 12-1/2	17,500 - 30,000
MEZZO36ST	[1173]	[1226]	[1173]	[1226]	[1060]	[1067]	[435]	ST: 17 [432]	[908 x 318]	
MEZZO48,	58	60-1/4	58	60-1/4	41-3/4	42	17-1/8	18-1/4 [464]	47-1/2 x 12-1/2	21,000 - 40,000
MEZZO48ST	[1473]	[1530]	[1473]	[1530]	[1060]	[1067]	[435]	ST: 17 [432]	[1207 x 318]	
MEZZO60,	70	72-1/4	70	72-1/4	47-3/4	48	17-1/8	18-1/4 [464]	59-1/2 x 12-1/2	26,000 - 50,000
MEZZO60ST	[1778]	[1835]	[1778]	[1835]	[1213]	[1219]	[435]	ST: 17 [432]	[1511 x 318]	
MEZZO72, MEZZO72ST	82 [2083]	84-1/4 [2140]	82 [2083]	84-1/4 [2140]	47-3/4 [1213]	48 [1219]	17-1/8 [435]	18-1/4 [464] ST: 17 [432]	71-1/2 x 12-1/2 [1861 x 318]	30,000 - 58,000



TECHNOLOGIES/FEATURES



BLACK GLASS



LED ACCENT LIGHTING



DIRECT VENT





HEAT-ZONE PASSIVE HEAT

SINGLE-SIDED



SEE-THROUGH



FRONTS



LOFT FORGE1 Hammered steel



QUATTRO1 Black or new bronze



CLEAN FACE TRIM Black, new bronze or stainless steel

FINISHES



NEW BRONZE



INTERIORS















CRYSTAL GLASS

EBONY GLASS

AMBER GLASS

COBALT GLASS

SCARLET GLASS ICED FOG GLASS

NATURAL LOGS²

DRIFTWOOD LOGS²

RIVER ROCK STONES²





6000 & 8000 MODERN DIRECT VENT GAS FIREPLACES

These two models are a modern take on the flagship series of Heat & Glo. Sleek flames rise through crushed glass and multiply with a with fade-resistant reflective fluted black glass interior. It's a vivid and elegant fireside experience.

INTERIOR PANELS



FADE-RESISTANT FLUTED BLACK GLASS

INTERIOR MEDIA



CRYSTAL GLASS



EBONY GLASS






AMBER GLASS

COBALT GLASS


SPECIFICATIONS

MODEL	FRONT	WIDTH	BACK WIDTH		HEI	GHT	DEF	PTH	GLASS SIZE	BTU/HOUR	
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	INPUT (NG)	
6000 MODERN	41 [1041]	42 [1067]	28-1/2 [724]	42 [1067]	39-7/8 [1013]	40-1/8 [1019]	21-1/2 [546]	22 [559]	32 x 21-1/2 [813 x 546]	34,000	
8000 MODERN	48 [1219]	49 [1245]	35-1/2 [901]	49 [1245]	41-7/8 [1064]	42-1/8 [1070]	21-1/2 [546]	22 [559]	39 x 23-5/8 [991 x 600]	35,500	


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES



DIRECT VENT









LIGHTING

LED ACCENT ANTI-REFLECTIVE GLASS




COSMO DIRECT VENT GAS FIREPLACE


COSMO gas fireplaces provide warmth, ambiance and chic contemporary detail. Two sizes with multiple finishing options deliver a bold design statement through a functional focal point.


SPECIFICATIONS


MODEL	FRONT V	VIDTH (A)	HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		GLASS SIZE	BTU/HR INPUT	
MODEL	ACTUAL	FRAMING	ACTUAL FRAMING		ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/AR INPOT	
COSMO 32	36"	37"	38-1/16"	36-1/2"	17-3/4"	17-3/4"	25-3/4"	37"	27-1/4" x 15-1/4"	19,000 [NG]	
	[914]	[940]	[967]	[927]	[451]	[451]	[654]	[940]	[692 mm x 387]	16,500 [LP]	
COSMO 36"	41"	42"	33-11/16"	32-3/4"	17-3/4"	17-3/4"	30-3/4"	42"	32-1/4" x 15-1/4"	20,500 (NG)	
	[10419]	[1067]	[856]	[832]	[451]	[451]	[781]	[1067]	[819 x 387]	19,000 (LP)	
COSMO 42	48"	49"	33-11/16"	32-3/4"	17-3/4"	17-3/4"	37-3/4"	49"	39" x 15-1/4"	25,250 [NG]	
	[1219]	[1245]	[856]	[832]	[451]	[451]	[959]	[1016]	[991 mm x 387]	23,500 [LP]	


TOP VIEW 36" and 42" RIGHT VIEW FRONT VIEW LEFT VIEW 32" RIGHT VIEW











TECHNOLOGIES/FEATURES



LED ACCENT LIGHTING









PASSIVE HEAT

HEAT OUT

FRONTS



MARTINI FRONT Graphite, new bronze, fog gray, ebony (gloss finish)



CLEAN FACE TRIM Graphite, new bronze, fog gray, ebony (gloss finish), stainless steel, black

FINISHES



STAINLESS STEEL¹

INTERIORS



FADE-RESISTANT REFLECTIVE BLACK GLASS INTERIOR PANELS



DRIFTWOOD LOGS



TRADITIONAL LOGS



LED ACCENT LIGHTING²



CRYSTAL GLASS



BLACK GLASS



AMBER GLASS



BLUE GLASS



BLACK GLASS BEADS



WHITE GLASS BEADS




CLEAR GLASS BEADS



RIVER ROCK





SLIMLINE FUSION DIRECT VENT GAS FIREPLACE

You can personalize this unique member of the SlimLine Series with modern stones or glass, or traditional logs. Create a style uniquely yours – a fusion of modern and traditional elements.

SPECIFICATIONS


MODEL	FRONT V	VIDTH (A)	BACK W	/IDTH (B)	HEIG	HT (C)	DEPT	TH (D)	GLASS SIZE	BTU/HOUR INPUT
110022	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(E x F)	B10/1100Kiiti 01
SL-5F	36 [914]	37 [940]	25-3/4 [654]	37 [940]	34-3/8 [873]	34-3/4 [883]	16-5/16 [414]	16-1/4 [413]	27-3/16 x 18-1/16 [691 x 459]	12,000-19,500 (NG) 13,500-17,000 (LP)
SL-7F	41 [1041]	42 [1067]	30-3/4 [781]	42 [1067]	37-7/8 [962]	38-1/4 [972]	16-5/16 [414]	16-1/4 [413]	32-1/16 x 21-1/2 [814 x 546]	16,500-24,000 (NG) 16,500-20,500 (LP)


TOP VIEW


FRONT VIEW


LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES



INTELLIEIR







FRONTS



FIRESCREEN Available in black only



CLEAN FACE Black, new bronze, graphite

FINISHES







STANDARD LOGS OR OPTIONAL GLASS AND STONES



LOGS (STANDARD)



CRYSTAL GLASS



BLACK GLASS



AMBER GLASS



BLUE GLASS



WHITE GLASS BEADS



BLACK GLASS BEADS



CLEAR GLASS BEADS



CERAMIC FIBER STONES





GAS FIREPLACE INSERTS

NO MESS. NO HASSLE.





GAS INSERTS: AN INSTANT UPGRADE

Heat & Glo gas inserts provide an instant upgrade to any hearth, designed to fit directly into the existing masonry or manufactured wood-burning fireplace. Inserts instantly transform a drafty, dated fireplace into an easy, efficient and reliable heat source.



ESCAPE DIRECT VENT GAS INSERT

The Escape revives an existing fireplace with impressive flames and high-efficiency heating. Exclusive FireBrick material provides authentic masonry appearances and greater heat output.

FRONTS



CHATEAU FORGE Hand-crafted, hammered steel



GALLERIA Black, new bronze or graphite



HALSTON Black, new bronze or graphite



IRON AGE Black, new bronze or graphite



FIRESCREEN Black, new bronze or graphite

FINISHES










SPECIFICATIONS

	FRONT V	VIDTH (A)	BACK W	IDTH (B)	HEIGI	HT (C)	DEPT	ΓH (D)			
MODEL	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	GLASS SIZE (E x F)	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
ESCAPE-I35	34-5/8 [879]	35-1/8 [892]	25 [635]	25-1/2 [648]	24-3/8 [619]	24-5/8 [625]	17-7/8 [454]	18-1/8 [460]	31-3/8 x 19-7/8 [797 x 505]	20,000 - 40,000	120 CFM
ESCAPE-I30	30 [762]	30-1/2 [775]	21 [533]	21-1/2 [546]	22-3/8 [568]	22-5/8 [575]	16-3/8 [410]	16-5/8 [422]	26-11/16 x 17-7/8 [678 x 454]	17,000 - 36,000	120 CFM

TOP VIEW



FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES



DIRECT VENT



61



SUPREME DIRECT VENT GAS INSERTS

Transform a dated or drafty fireplace into a beautiful source of warmth. With additional features, these metal gas inserts provide efficient performance in smaller or larger hearth openings.

SUPREME -

FRONTS



HALSTON ARCH Black, new bronze or graphite



IRON AGE Black, new bronze or graphite



FIRESCREEN Black, new bronze or graphite



INSIDE FIT Black

FINISHES







INTERIOR PANELS



BLACK METAL (Standard)



STRATFORD TEXTURED BRICK



TRANQUIL GREIGE HERRINGBONE BRICK





REFLECTIVE BLACK GLASS

SPECIFICATIONS

MODEL	FRONT V	VIDTH [A]	BACK WIDTH [B]		HEIGHT [C]		DEP1	TH [D]	. GLASS SIZE	BTU/HOUR	CONVECTION	
MODEL	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING	[E X F]	INPUT (NG)	BLOWER	
SUPREME-I25-IFT	26-1/8" [664mm]	26-5/8" [676mm]	14-5/8" [372mm]	15-1/8" [384mm]	17-1/16" [433mm]	17-5/16" [439mm]	14-1/2" [368mm]	15" [381mm]	22-1/2" X 12-7/16" [572mm X 316mm]	18,900-27,000	160 CFM	
SUPREME-I30-IFT	31-1/8" [791mm]	31-5/8" [803mm]	19-5/8" [499mm]	20-1/8" [511mm]	20-3/4" [527mm]	21" [533mm]	14-1/2" [368mm]	15" [381mm]	27-1/2" X 15-15/16" [699mm X 405mm]	22,890-32,700	160 CFM	
SUPREME-I35-IFT	36-1/8" [918mm)	36-5/8" [930mm]	24-5/8" [626mm]	25-1/8" [638mm]	24" [610mm]	24-1/4" [616mm]	14-1/2" [368mm]	15" [381mm]	32-1/2" X 19-3/8" [826mm X 492mm]	24,500-35,000	160 CFM	









TECHNOLOGIES







PROVIDENT DIRECT VENT GAS INSERT

Go from underused to unbelievable in as little as one day. Designed with value in mind, the Provident gas insert can turn your dated wood fireplace into a beautiful and efficient heat source without a major renovation.

FRONTS



FIRESCREEN Black, new bronze or graphite



INSIDE FIT Black

FINISHES







INTERIOR PANELS



BLACK METAL (Standard)




STRATFORD TEXTURED BRICK


SPECIFICATIONS

	FRONT V	VIDTH [A]	BACK WIDTH [B]		HEIGHT [C]		DEPTH [D]		GLASS SIZE	BTU/HOUR	CONVECTION	
MODEL	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING			[E X F]	INPUT (NG)	BLOWER	
PROV-I30-IPI	31-1/8" [791mm]	31-5/8" [803mm]	19-5/8" [499mm]	20-1/8" [511mm]	20-3/4" [527mm]	21" [533mm]	14-1/2" [368mm]	15" [381mm]	27-1/2" X 15-15/16" [699mm X 405mm]	21,000-30,000	160 CFM	
PROV-I35-IPI	36-1/8" [918mm)	36-5/8" [930mm]	24-5/8" [626mm]	25-1/8" [638mm]	24" [610mm]	24-1/4" [616mm]	14-1/2" [368mm]	15" [381mm]	32-1/2" X 19-3/8" [826mm X 492mm]	22,890-32,700	160 CFM	

LEFT SIDE VIEW









TECHNOLOGIES







COSMO DIRECT VENT GAS INSERT

From modern to transitional design, the COSMO gas insert can transform an existing wood fireplace opening with a stunning fluted reflective black glass interior and dancing flames. Customize the interior with driftwood logs and river rock stones.

FRONTS



HALSTON ARCH Black, new bronze or graphite



IRON AGE Black, new bronze or FIRESCREEN Black, new bronze INSIDE FIT Available in black. graphite



or graphite



FINISHES























CLEAR GLASS

EBONY GLASS

AMBER GLASS

COBALT GLASS

SCARLET GLASS

ICED FOG GLASS


CERAMIC RIVER **ROCK STONES** (Optional)


DRIFTWOOD LOGS (Optional)

SPECIFICATIONS

MODEL	FRONT V	VIDTH [A]	BACK WIDTH [B]		HEIGHT [C]		DEPTH [D]		GLASS SIZE	BTU/HOUR	CONVECTION	
MODEL	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING	[E X F]	INPUT (NG)	BLOWER	
COSMO-I30-IFT	31-1/8" [791mm]	31-5/8" [803mm]	19-5/8" [499mm]	20-1/8" [511mm]	20-3/4" [527mm]	21" [533mm]	14-1/2" [368mm]	15" [381mm]	27-1/2" X 15-15/16" [699mm X 405mm]	19,600-28,000	160 CFM	
COSMO-I35-IFT	36-1/8" [918mm)	36-5/8" [930mm]	24-5/8" [626mm]	25-1/8" [638mm]	24" [610mm]	24-1/4" [616mm]	14-1/2" [368mm]	15" [381mm]	32-1/2" X 19-3/8" [826mm X 492mm]	21,000-30,000	160 CFM	









TECHNOLOGIES








TRADITIONAL WOOD FIREPLACES

WHY A WOOD FIREPLACE?

Heat & Glo wood burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a wood-fueled appliance. It's important to understand local codes when specifying wood burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

Termination Requirements for Wood Burning Fireplaces

The quality of the fire depends on where you design—in the chimney and termination components for the specified wood-burning model. It's important to get with a local hearth installer early in the design process to ensure proper termination placement. Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.






RUTHERFORD WOOD FIREPLACE

The Rutherford Series offers robust performance and the appearance of a custom-built masonry fireplace – all at a fraction of the cost. Whether a crackle or a blaze, the Rutherford delivers a bold statement in your favorite room.

RUTHERFORD

BI-FOLD GLASS DOORS



DOOR FINISHES



INTERIORS



RUTHERFORD TRADITIONAL



RUTHERFORD HERRINGBONE

AVAILABLE GAS LOGS



GRAND OAK GAS LOGS

ANDIRONS



SPECIFICATIONS

		FRONT	WIDTH	BACK WIDTH		HEI	GHT	DEI	PTH	FIDEBOY ODENING	
	MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	FIREBOX OPENING	
	RUTHERFORD-36	46-7/8 [1191]	47-7/8 [1216]	31-1/8 [790]	47-7/8 [1216]	74-1/8 [1883]	74-1/4 [1886]	27-1/2 [699]	28-1/2 [724]	36" x 38 [914 x 965]	
	RUTHERFORD-42	52-7/8 [1343]	53-7/8 [1368]	37-1/8 [943]	53-7/8 [1368]	74-1/8 [1883]	74-1/2 [1892]	27-1/2 [699]	28-1/2 [724]	42" x 38 [1067 x 965]	
Ì	RUTHERFORD-50	60-7/8 [1546]	61-7/8 [1572]	45-1/8 [1146]	61-7/8 [1572]	74-1/8 [1883]	74-1/2 [1892]	27-1/2 [699]	28-1/2 [724]	50" x 38 [1270 x 965]	


TOP VIEW

FRONT VIEW


SIDE VIEW

RUTHERFORD-42 SIDE VIEW











NORTHSTAR EPA-CERTIFIED WOOD FIREPLACE


The Northstar exceeds the strictest environmental standards in the nation so you can enjoy roaring fires even in areas where conventional wood-burning fireplaces are banned.


NORTHSTAR -


SPECIFICATIONS

	WIDTH		HEI	GHT	DEF		
MODEL	ACTUAL FRAMING		ACTUAL FRAMING		ACTUAL	FRAMING	FIREBOX OPENING
NORTHSTAR-C	40 [1016]	42-1/2 [1080]	40-1/2 [1029]	56-3/4 [1441]	23-1/2 [597]	24 [610]*	37" x 31-1/8" [940 x 791]

TOP VIEW FRONT VIEW SIDE VIEW










EXCLAIM WOOD FIREPLACE

The Exclaim Series offers large viewing areas and attractive brick interiors, bringing warmth and ambiance into your favorite room.

EXCLAIM -

DOORS



BI-FOLD GLASS DOORS Black, stainless steel



CONTOUR MESH DOORS Black



GRAND VISTA MESH DOORS Black, bronze

DOOR FINISHES



INTERIORS




TRADITIONAL




HERRINGBONE

	WIDTH (A)		HEIGH	HT (B)	DEPT	H (C)	VIEWING AREA	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	
EXCLAIM-36	44-1/2 [1130]	45-1/2 [1156]	59-1/4 [1505]	59-3/4 [1518]	27-1/2 [699]	28 [711]	36 x 28-1/2 [914 x 724]	
EXCLAIM-42	50-1/2 [1283]	51-1/2 [1308]	59-1/4 [1505]	59-3/4 [1518]	27-1/2 [699]	28-1/2 [724]	42 x 28-1/2 [1067 x 724]	
EXCLAIM-50	60-5/8 [1540]	61-5/8 [1565]	70-1/2 [1791]	71 [1803]	29-1/2 [749]	30-1/2 [772]	50 x 33 [1270 x 838]	

TOP VIEW



FRONT VIEW



SIDE VIEW





ENERGY MASTER WOOD FIREPLACE

The Energy Master Series delivers generous warmth and solid radiant heat from an insulated, heat-circulating fireplace.

ENERGY MASTER ————


DOORS



GASKETED GLASS DOORSBlack



GRAND VISTA MESH DOORSBlack, bronze



BI-FOLD GLASS DOORS
Black, stainless steel

DOOR FINISHES









	WIDTH (A)		HEIGHT (B)		DEPT	H (C)	VIEWING AREA	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	
ENERGY MASTER-415	42 [1067]	43 [1092]	41-3/8 [1051]	41-1/2 [1054]	22-3/4 [578]	23 [584]	36 x 23-3/8 [914 x 594]	
ENERGY MASTER-485T	48 [1219]	49 [1245]	41-3/8 [1051]	41-1/2 [1054]	22-3/4 [578]	23 [584]	42 x 23-3/8 [1067 x 594]	

TOP VIEW



FRONT VIEW



SIDE VIEW






ROYAL HEARTH WOOD FIREPLACE

Enjoy blazing wood-burning fires with the Royal Hearth Series. An easy-to-operate damper, convenient ash lip and invisible smoke shield make staying comfortable even easier.

ROYAL HEARTH —

BI-FOLD GLASS DOORS




FINISHES






MODEL	WIDTH (A)		HEIGHT (B)		DEPTH	(C)	FIREBOX OPENING
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)
ROYAL HEARTH 36"	41 [1041]	42 [1067]	39-1/2 [1003]	39-3/4 [1010]	21-3/8 [543]	21-1/2 [546]	36 x 21 [914 x 533]
ROYAL HEARTH 42"	47 [1194]	48 [1219]	39-1/2 [1003]	39-3/4 [1010]	21-3/8 [543]	21-1/2 [546]	42 x 21 [1067 x 533]


TOP VIEW



FRONT VIEW



SIDE VIEW





ELECTRIC FIREPLACES

WHY AN ELECTRIC FIREPLACE?

A fast growing hearth category, electric fireplaces are an excellent option when no other fuel sources are available or when venting gas or wood fireplaces would be difficult.



EASY AND ECONOMICAL

Electric fireplaces provide a unique focal point without expensive installation costs as they require no venting. At an entry price point and costing just pennies a day to operate, they are an ideal hearth solution to specify for any residential or commercial space. Ideal as a second or third fireplace, electric fireplaces can be installed in any room of a property.



HEAT OPTIONAL

The heat output of electric fireplaces can be adjusted or turned off altogether – an excellent solution for projects where the ambiance of a fire is desired without the supplemental warmth. Specify electric models when building in warm climates or for spaces that would benefit from a heat-optional function.



ENVIRONMENTALLY FRIENDLY

Electric fireplaces emit zero combustion by-products and are allowed in all national green building programs.



SIMPLIFIRE BUILT-IN ELECTRIC FIREPLACE

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four different flame intensity levels enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience "Fire Made Simple."


FRONTS




OPTIONAL FRONT

MODEL	FRONT V	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		H (C)	BTU/HR OUTPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	120V	240V
SimpliFire Built-In 30	31" (787mm)	32" (813mm)	24" (610mm)	32" (813mm)	26-3/4" (679mm)	26-13/16" (681mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000
SimpliFire Built-In 36	37" (940mm)	38" (965mm)	30" (762mm)	38" (965mm)	31-7/32" (793mm)	31-7/32" (793mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000


TOP VIEW



FRONT VIEW



SIDE VIEW





SIMPLIFIRE SCION TRINITY LINEAR ELECTRIC FIREPLACE Create an alluring atmosphere from any angle with the SimpliFire Scion Trinity electric fireplace. In three-sided, corner, or single-sided configurations, it adds stunning ambiance without the need for gas lines or venting.

- SIMPLIFIRE SCION TRINITY ————

STANDARD MEDIA



DRIFTWOOD LOGS



CLEAR CRYSTALS

OPTIONAL SHADOWGLO™ LOG SETS



ALPINE TIMBER LOGS




NATURAL BIRCH LOGS


OPTIONAL FLOATING MANTEL KIT




SPECIFICATIONS

Model	Model BTU	Width (A)		Heigl	nt (B)	Dept	h (C)	Viewing Area
Model	Output	Unit	Framing	Unit	Framing	Unit	Framing	(D x E)
SF-SCT43-BK	5,000	42-1/2" (1080)	42-3/4" (1086)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	42-1/2" x 14-3/4" (1080 x 375)
SF-SCT55-BK	5,000	54-1/2" (1384)	54-5/8" (1387)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	54-1/16" x 14-3/4" (1373 x 375)







RIGHT SIDE VIEW



SIMPLIFIRE SCION
CLEAN FACE LINEAR
ELECTRIC FIREPLACE

Enjoy warmth and coziness without the need for gas lines or venting. Modern design comes with no mesh screens or visible heat vents, a multitude of flame and ember bed lighting themes, and the ability to bring finishing materials right up to the edge of the fireplace for a flush look.

STANDARD MEDIA






DRIFTWOOD LOGS

CLEAR CRYSTALS

MODEL	BTU	WIDTH (A)*		HEIGI	HT (B)	DEPT	H (C)*	VIEWING AREA
MODEL	OUTPUT	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(D X E)
43" Clean Face Linear	5,000	44-1/2"	45"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	41-1/2" × 15"
SF-SC43-BK		[1130]	[1143]	[606]	[616]	[194]	[194]	[1054 × 381]
55" Clean Face Linear	5,000	56-1/2"	57"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	53-1/4" × 15"
SF-SC55-BK		[1435]	[1448]	[606]	[616]	[194]	[194]	[1353 × 381]
78" Clean Face Linear	5,000	80"	80-1/2"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	76-7/8" × 15"
SF-SC78-BK		[2032]	[2045]	[606]	[616]	[194]	[194]	[1953 × 381]

^{*}Dimensions include louver projection on sides and top panels





SIMPLIFIRE
ALLUSION PLATINUM
LINEAR ELECTRIC FIREPLACE

The Allusion Platinum electric fireplace ushers in unparalleled warmth and coziness to any space, without the need for gas lines or venting. Creating an elegant focal point in your home has never been easier.

OPTIONAL MEDIA







CLEAR CRYSTALS (STANDARD)

CERAMIC STONES

DRIFTWOOD LOGS


SPECIFICATIONS


		WIDTH			HEIGHT			PTH	VIEWING AREA	
MODEL	BTU OUTPUT	FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	(F X G)
50" Recessed Linear SF-ALLP50-BK	5,000	52-5/16" [1329]	50-1/2" [1295]	51" [1295]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" × 6"	48" x 15" [1219 x 381]
60" Recessed Linear SF-ALLP60-BK	5,000	62-5/16" [1583]	60-1/2" [1537]	61" [1549]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" × 6"	58" x 15" [1473 x 381]
72" Recessed Linear SF-ALLP72-BK	5,000	74-5/16" [1888]	72-1/2" [1842]	73" [1854]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	70" x 15" [1778 x 381]

^{*}Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.

В В

TOP VIEW





SIDE VIEW



SIMPLIFIRE ALLUSION

RECESSED LINEAR ELECTRIC FIREPLACE

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and ember bed lighting themes. These fireplaces can be installed fully or partially recessed into the wall anywhere fireplaces can't go or a second or third option is desired, or hung on the wall for instant enjoyment.

OPTIONAL MEDIA





DRIFTWOOD LOGS

CERAMIC STONES

SPECIFICATIONS

		WIDTH			HEIGHT			PTH	VIEWING AREA	
MODEL	BTU OUTPUT	FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	(F X G)
40" Recessed Linear	5,000	40-1/2"	35"	36"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	31-3/8" x 11-1/4"
SF-ALL48-BK		[1029]	[889]	[914]	[515]	[453]	[461]	[151]	[152]	[797 x 285]
48" Recessed Linear	5,000	48-7/16"	42-13/16"	44-5/16"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	39-3/8" x 11-1/4"
SF-ALL48-BK		[1230]	[1088]	[1126]	[515]	[453]	[461]	[151]	[152]	[1000 x 285]
60" Recessed Linear	5,000	60-1/4"	54-5/8"	56-1/8"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	51-3/16" x 11-1/4"
SF-ALL60-BK		[1530]	[1388}	[1426]	[515]	[453]	[461]	[151]	[152]	[1300 x 285]
84" Recessed Linear	5,000	83-7/8"	78-1/4"	79-1/2"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	74-7/8" x 11-1/4"
SF-ALL48-BK		[2130]	[1988]	[2019]	[515]	[453]	[461]	[151]	[152]	[1902 x 285]

^{*}Reflects fully recessed into a 6* interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.

TOP VIEW FRONT VIEW SIDE VIEW



SIMPLIFIRE FORMAT

FLOATING MANTEL ELECTRIC FIREPLACE

The Format wall-mounted electric fireplace is the easiest way to add a modern centerpiece to any space. The minimalist floating-mantel design, available in several lengths, fits contemporary décor with multi-colored accent lighting to set the mood.

INCLUDED MEDIA






SHADOWGLO ALPINE TIMBER LOG SET


CLEAR CRYSTALS

50" & 60" SPECIFICATIONS

Model	BTU Output	Width (A)	Height (B)	Depth (C)	Depth (D)	Sides (E)	Viewing Area (F x G)
SF-FM50-WH	5,000	50" [1270]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	6-7/8" [175]	36-1/16" x 12-5/8" [916 x 321]
SF-FM60-WH	5,000	59-7/8" [1520]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	11-13/16" [300]	36-1/16" x 12-5/8" [916 x 321]



Model	BTU Output	Width (A)	Width (B)	Height (C)	Depth (D)	Depth (E)	Viewing Area (F x G)
SF-FM43-WH	5,000	37-13/16" [960]	43-5/16" [1100]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	36-1/16" x 12-5/8" [916 x 321]






SIMPLIFIRE WALL-MOUNT ELECTRIC FIREPLACE

Create a distinct contemporary look, providing an instant upgrade to any space, with or without the heat. Simply hang these units on the wall and plug them in. Available in multiple sizes, all with standard multi-colored LED backlighting to accent any décor.

MODEL	FRONT V	FRONT WIDTH (A) RE		IDTH (A)	HEIGHT (В)	DEPT	H (C)	BTU/HR OUTPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	BTO/HR OUTPOT
SimpliFire Wall-Mount 38	37-3/4" (959mm)	N/A	34-3/4" (883mm)	N/A	17-3/4" (451mm) 20-3/4" w/stand (527mm)	N/A	4-3/4" (121mm)	N/A	4,800
SimpliFire Wall-Mount 58	58-1/4" (1480mm)	N/A	42-15/16" (1091mm)	N/A	26-3/8" (670mm)	N/A	5-7/8" (149mm)	N/A	4,800







ELECTRIC FIREPLACE INSERTS

EASILY TRANSFORM A DATED FIREPLACE.




Revamp your dated, drafty fireplace and say hello to warmth and comfort. SimpliFire electric fireplace inserts fit inside your existing fireplace and create a beautiful fire at the touch of a button.



SIMPLIFIRE ELECTRIC FIREPLACE INSERT

There has never been a more economical way to transform a drafty, dated fireplace into an efficient and attractive source of warmth. Or, add a new, captivating fireplace in any room. Easy to control while accent lighting, beautiful logs and adjustable flames enhance the allure. Best of all, turn on the ambiance with or without the heat for year-round use.

FRONTS




Standard front (included)



Mission Front with operable doors (optional)

Model	WATTS Front Width (A)		Rear Width Height (B) (C)		Depth (D)	Standard Front (E x F)	Viewing Area (G x H)	
SF-INS25	1,500	24-7/8" [632]	17-7/8" [454]	16-1/4" [413]	11-1/4" [286]	27-7/8" x 17-1/2" [708 x 445]	22" x 12" [559 x 305]	
SF-INS30	1,500	29-7/8" [758]	22-7/8" [581]	20-1/2" [521]	11-1/4" [286]	33" x 21-3/4" [838 x 552]	27" x 16-1/4" [686 x 413]	
SF-INS35	1,500	35" [889]	28" [711]	23-1/4" [591]	11-1/4" [286]	38" x 24-1/2" [965 x 622]	32-1/8" x 19" [816 x 483]	





INDOOR/OUTDOOR GAS FIREPLACES



WHY AN INDOOR/OUTDOOR FIREPLACE?

Today's hearth technology allows for a vast array of architectural products designed to seamlessly blend inside and outside areas together. Indoor/Outdoor gas fireplaces are engineered for two sided applications, creating a beautiful portal to the outdoors while keeping your building envelope secure and thermally efficient. Flank with windows and glass and create a focal point with a view.



TWILIGHT II INDOOR/OUTDOOR GAS FIREPLACE

Add warmth and fireside views to two spaces with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long from either side. An advanced design and strong construction ensures an impressive and consistent performance.

FRONTS/INTERIOR





FRONT/EXTERIOR



FINISHES



FOG GRAY

(Contemporary front only)

FIRESCREEN


CONTEMPORARY

FIRESCREEN

SPECIFICATIONS

	MODEL -	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	DTI I / LID IN DLIT
		ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTU/HR INPUT
	TWILIGHT II	43 [1091]	44 [1118]	43 [1091]	44 [1118]	46-7/8 [1191]	47-5/8 [1210]	24 [609]	23 [584]	35-5/8 x 21-1/2 [905 x 546]	38,000 (NG), 36,000 (LP)

TOP VIEW




FRONT VIEW INDOOR



FRONT VIEW OUTDOOR



SIDE VIEW



TECHNOLOGIES/FEATURES







TWILIGHT MODERN INDOOR/OUTDOOR GAS FIREPLACE

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or enjoying the outdoors. Bolster your favorite room and upgrade your outdoor living space. Let the Twilight deliver modern style, inside and out.

FRONTS/INTERIOR



CONTEMPORARY

FRONT/EXTERIOR



(Contemporary front only)

FINISHES



FOG GRAY

INTERIORS



CRYSTAL GLASS



BLACK GLASS (INCLUDED)



AMBER GLASS


SPECIFICATIONS

FIRESCREEN

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTU/HR INPUT
TWILIGHT II	43 [1091]	44 [1118]	43 [1091]	44 [1118]	46-7/8 [1191]	47-5/8 [1210]	24 [609]	23 [584]	35-5/8 x 21-1/2 [905 x 546]	38,000 (NG), 36,000 (LP)

FIRESCREEN

TOP VIEW




FRONT VIEW INDOOR



FRONT VIEW OUTDOOR



SIDE VIEW



TECHNOLOGIES/FEATURES







FORTRESS INDOOR/OUTDOOR GAS FIREPLACES

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and multiple interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.

INTERIORS







HERRINGBONE BRICK




	MODEL -	WIDT	H (A)	HEIGHT (B)		DEPT	H (C)	VIEWING AREA	BTU/
		ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	HR INPUT
	FORTRESS	49-3/8 [1254]	49-1/2 [1257]	44-3/8 [1154]	44-1/2 [1130]	25-5/8 [650]	23 [584]	36" x 30 [915 x 762]	56,000 (NG/LP)


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES











OUTDOOR FIREPLACES

WHY AN OUTDOOR FIREPLACE?

Adding a fireplace to your outdoor space design will extend its seasonality and deliver a vibrant feature fo which your clients will clamor. Designed specifically to withstand the elements, outdoor fireplaces come in a variety of styles to suit the goals of your clients and end-users. Incorporate into your exterior building envelope or as an attractive free-standing island application.



Outdoor fireplaces are in the **TOP 5**most essential and desired outdoor home features!



Fire features are the MOST POPULAR outdoor design element².



90% of real estate agents say an outdoor fireplace increases a home's value³.



70% of design and build firms report an increased demand for outdoor living space⁴.

^{1:} National Association Home Builders, "Housing Preferences of Homebuyers - The Boomer Generation & How They Compare to Other Homebuyers", 2017

^{2:} Source: American Society of Landscape Architects 2018 Residential Landscape Architecture Trends Survey

^{3:} Source: Houzz.com 2016 Landscaping Study


^{4:} Source: American Institute of Architects



LANAI OUTDOOR GAS FIREPLACE

Light up your landscape. The Lanai linear gas fireplace offers contemporary style, where end users feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.

LED LIGHTING




FRAMED SCREEN



SPECIFICATIONS


Madal	Front Width (A)		Height (B)		Dept	h (C)	Viewing Area (D. F.	BTU/hr Input	
Model	Unit	Framing	Unit	Framing	Unit	Framing	Viewing Area (D x E)	BTO/fir input	
Lanai 48"	52-1/8" [1324]	52-3/4" [1340]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-7/8" [352]	47-7/8" x 17" [1216 x 432]	55,000	
Lanai 60"	64-1/8" [1629]	64-3/4" [1645]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-7/8" [352]	60" x 17" [1524 x 432]	65,000	
Lanai See-Through 48"	52-1/8" [1324]	52-3/4" [1340]	39-1/2" [1003]	39-3/4" [1009]	13" [330]	13-7/8" [352]	47-7/8" x 17" [1216 x 432]	55,000	

SINGLE-SIDED





SEE-THROUGH



TECHNOLOGIES/FEATURES







COURTYARD OUTDOOR GAS FIREPLACE

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs or contemporary glass, that ignites at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

COURTYARD -

INTERIORS



PREMIUM HERRINGBONE



PREMIUM TRADITIONAL



STANDARD TRADITIONAL

STAINLESS STEEL

GLASS MEDIA







CRYSTAL GLASS BLACK GLASS AMBER GLASS





BLUE GLASS RED GLASS


FRAMED MESH BARRIER




SPECIFICATIONS

	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		FIREPLACE OPENING	BTU/	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	HR INPUT	
COURTYARD-36"	41-3/4 [1060]	43-1/2 [1105]	44 [1118]	44-1/8 [1121]	18 [457]	18-1/8 [459]	36 x 30-3/4 [914 x 781]	40,000 (NG), 40,000 (LP)	
COURTYARD-42"	47-3/4 [1213]	49-1/2 [1257]	44 [1118]	44-1/8 [1121]	18 [457]	18-1/8 [459]	42 x 30-3/4 [1067 x 781]	42,000 (NG), 42,000 (LP)	

FRONT VIEW



SIDE VIEW



TECHNOLOGIES/FEATURES







VILLA GAS
OUTDOOR GAS FIREPLACE

The Villa Gas is a versatile outdoor gas fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless, steel surround withstands the elements, and complements an outdoor kitchen or contemporary living space.

DOORS



STAINLESS STEEL OPERABLE DOORS

INTERIOR




STANDARD TRADITIONAL


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		VIEWING AREA	BTU/	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	HR INPUT	
VILLA GAS 36"	41 [1041]	42 [1067]	39-1/2 [1003]	39-3/4 [1010]	21-3/8 [544]	21-1/2 [546]	36 x 20-7/8 [914 x 532]	40,000 (NG) 40,000 (LP)	
VILLA GAS 42"	47 [1194]	48 [1219]	39-1/2 [1003]	39-3/4 [1010]	21-3/8 [544]	21-1/2 [546]	42 x 20-7/8 [1067 x 532]	42,000 (NG) 42,000 (LP)	


TOP VIEW



FRONT VIEW



SIDE VIEW





CASTLEWOOD OUTDOOR WOOD FIREPLACE

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost.

CASTLEWOOD -

INTERIOR STYLES







TRADITIONAL HERRINGBONE

SPECIFICATIONS

	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREPLACE	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	OPENING	
CASTLEWOOD-42"	52-7/8 [1343]	53-7/8 [1368]	37-1/8 [943]	40-1/8 [1019]	74-1/8 [1883]	74-1/2 [1892]	27-1/2 [699]	28-1/2 [724]	41-7/8 x 38 [1063 x 965]	

TOP VIEW SIDE VIEW FRONT VIEW SIDE VIEW 74-1/8" _11-1/8" [281] [1883] 70-3/4" [1797] 60" [1525] 38" [967] 27-1/2" 74° TYP. 5" [129] 5" [129] [699] TIANIAI TIANIAI 41-7/8" [1064] 3-3/4" [97] 16-1/8"_ [408] 16-1/8"_ [408] 52-7/8" [1343]



MONTANA
OUTDOOR WOOD FIREPLACE

The Montana is the original outdoor fireplace that started it all. It's fashionably built to withstand adverse weather conditions and deliver solid performance – season after season, year after year.

MONTANA ----

INTERIOR STYLES






TRADITIONAL

HERRINGBONE

SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREPLACE	
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	OPENING	
Montana-36"	42"	43"	25"	43"	42-1/4"	42-3/8"	23-1/4"	24-1/8"	36" × 23-1/2"	
	[1067]	[1091]	[635]	[1091]	[1073]	[1076]	[591]	[613]	[915 × 597]	
Montana-42"	48"	49"	31"	49"	42-1/4"	42-3/8"	23-1/4"	24-1/8"	42" x 23-1/2"	
	[1219]	[1246]	[787]	[1246]	[1073]	[1076]	[591]	[613]	[1067 x 597]	





VILLAWOOD OUTDOOR WOOD FIREPLACE

The Villawood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen or enhance your living area with style and warmth. Attractive stainless steel, surround helps accent your décor.

INTERIOR STYLES






TRADITIONAL


HERRINGBONE


SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREDI ACE ORENING	
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	FIREPLACE OPENING	
Villawood-36"	41"	42"	23-3/4"	42"	39-1/2"	39-3/4"	21-3/8"	21-1/2"	36" × 20-7/8"	
	[1041]	[1067]	[603]	[1067]	[1003]	[1010]	[544]	[546]	[914 × 532]	
Villawood-42"	47"	48"	29-3/4"	48"	39-1/2"	39-3/4"	21-3/8"	21-1/2"	42" × 20-7/8"	
	[1194]	[1219]	[756]	[1219]	[1003]	[1010]	[544]	[546]	[1067 × 532]	

TOP VIEW FRONT VIEW SIDE VIEW









OUTDOOR GAS FIRE PIT



PLAZA LINEAR GAS FIRE PIT The Plaza outdoor linear gas fire pit allows you to invite your neighbors to gather around the fire (2 or 4' lengths) or add a dramatic statement piece in your space (6, 8 or 10' lengths). Make this fire feature your own with endless finishing options to complete your outdoor oasis. With only a flick of a lighter, sit back and enjoy.

MEDIA







Crystal






Amber

Lava Rock

SPECIFICATIONS

MODEL	LENGTH	WIDTH	DEPTH	VIEWING AREA	BTU/HR INPUT
PLAZA-24S	24 [610]	5-3/8 [137]	5-3/8 [137]	24 x 5-3/8 [613 x 137]	32,000



NOTES





in linkedin.com/company/Heat-n-Glo

Web:
heatnglo.com & pro.heatnglo.com

E-mail:
prohelpdesk@hearthnhome.com