

BIBLIOGRAFÍA

CAPÍTULO I

- 1 Breshears DD et al., «Regional vegetation die-off in response to global-change-type drought», *Proceedings National Academy Sciences*, 102, 2005, págs. 15144-15148. <DOI: 10.1073/pnas.0505734102>
- 2 Allen CD, Breshears DD, «Drought-induced shift of a forest-woodland ecotone: Rapid landscape response to climate variation», *Proceedings National Academy Sciences*, 95, 1998, págs. 14839-14842. DOI:
- 3 Allen CD et al., «A global overview of drought and heat induced tree mortality reveals emerging climate change risks for forests», *Forest Ecology Management*, 259, 2010, págs. 660-684. <DOI: 10.1016/j.foreco.2009.09.001>
- 4 Van Mantgem et al., «Widespread increase of tree mortality rates in the western United States», *Science*, 323, 2009, págs. 521-524. <DOI: 10.1126/science.1165000>
- 5 Ciais P et al., «Europe-wide reduction in primary productivity caused by the heat and drought in 2003», *Nature*, 437, 2005, págs. 529-533. <DOI: 10.1038/nature03972>
- 6 Buras A, Rammig A, Zang CS, «Quantifying impacts of the 2018 drought on European ecosystems in comparison to 2003», *Bio-*

- geosciences*, 17, 2020, págs. 1655-1672. <DOI: 10.5194/bg-17-1655-2020>
- 7 Vicente-Serrano SM, Zouber A, Lasanta T, Pueyo Y, «Dryness is accelerating degradation of vulnerable shrublands in semiarid Mediterranean environments», *Ecological Monographs*, 82, 2012, págs. 407-428. <DOI: 10.2307/41739379>
- 8 Greenwood S et al., «Tree mortality across biomes is promoted by drought intensity, lower wood density and higher specific leaf area», *Ecology Letters*, 20, 2017, págs. 539-553. <DOI: 10.1111/ele.12748>
- 9 Senf C et al., «Excess forest mortality is consistently linked to drought across Europe», *Nature Communications*, 11, 2020, págs. 6200. <DOI: 10.1038/s41467-020-19924-1>
- 10 Lloret F, Siscart D, Dalmases C., «Canopy recovery after drought dieback in holm-oak Mediterranean forests of Catalonia (NE Spain)», *Global Change Biology*, 10, 2004, págs. 2092-2099. <DOI: 10.1111/j.1365-2486.2004.00870.x>
- 11 Díaz de Quijano M et al., «Visible ozone-like injury, defoliation, and mortality in two *Pinus uncinata* stands in the Catalan Pyrenees (NE Spain)», *European J Forest Research*, 135, 2016, págs. 687-696. <DOI: 0.1007/s10342-016-0964-9>
- 12 Seidl R et al., «Forest disturbances under climate change», *Nature Climate Change*, 2017. <DOI: 10.1038/NCLIMATE3303>
- 13 Touchan R, Woodhous CA, Meko DM, Allen CA., «Millennial precipitation reconstruction for the Jemez Mountains, New Mexico, reveals changing drought signal», *International Journal Climatology*, 31, 2011, págs. 896-906. <DOI: 10.1002/joc.2117>
- 14 Sommerfeld A et al., «Patterns and drivers of recent disturbances across the temperate forest biome», *Nature Communications*, 9, 2018, págs. 4355. <DOI: 10.1038/s41467-018-06788-9>

CAPÍTULO 2

- 1 Poyatos R et al., «Drought-induced defoliation and long periods of near-zero gas exchange play a key role in accentuating metabolic decline of Scots pine». *New Phytologist*, 200, 2013, págs. 388-401. <DOI: 10.1111/nph.12278>
- 2 Martínez-Vilalta J, Piñol J, «Drought-induced mortality and hydraulic architecture in pine populations of the NE Iberian Peninsula», *Forest Ecology Management*, 161, 2002, págs. 247-256. <DOI: 10.1016/S0378-1127(01)00495-9>
- 3 McDowell NG et al., «Mechanisms of plant survival and mortality during drought: why do some plants survive while others succumb to drought?», *New Phytologist*, 178, 2008, págs. 719-739. <DOI: 10.1111/j.1469-8137.2008.02436.x>
- 4 Rigling A et al., «Driving factors of a vegetation shift from Scots pine to pubescent oak in dry Alpine forests», *Global Change Biology*, 19, 2013, págs. 229-240. <DOI: 10.1111/gcb.12038>
- 5 Galiano L, Martínez-Vilalta J, Lloret F, «Carbon reserves and canopy defoliation determine the recovery of Scots pine 4 yr after a drought episode», *New Phytologist*, 190, 2011, págs 750-759. <DOI: 10.1111/j.1469-8137.2010.03628.x>
- 6 Adams HD et al., «A multi-species synthesis of physiological mechanisms in drought-induced tree mortality», *Nature Ecology Evolution*, 1, 2017, págs. 1285-1291. <DOI: 10.1038/s41559-017-0248-x>
- 7 Caceres L et al., «Relative humidity patterns and fog water precipitation in the Atacama Desert and biological implications», *J. Geophysical Research*, 112, 2007, G04S14. <DOI: 10.1029/2006JG000344>
- 8 Wright IJ et al., «The world-wide leaf economics spectrum», *Nature*, 428: 921-827. <DOI: 10.1038/nature02403>
- 9 Lavorel S et al. (2007) «Plant Functional Types: Are We Getting Any Closer to the Holy Grail?», *Terrestrial Ecosystems in a Changing World*, Canadell JG, Pataki D, Pitelka L (eds) The IGBP Series, Springer-Verlag, Berlin Heidelberg, 2007, págs. 149-160.

CAPÍTULO 3

- 1 Linares JC, Taiqui L, Camarero JL., «Increasing drought sensitivity and decline of Atlas cedar (*Cedrus atlantica*) in the Moroccan Middle Atlas forests», *Forests*, 2, 2011, págs 777-796. <DOI: 10.3390/f2030777>
- 2 Salzer et al., «Dating the Methuselak walk bristlecone pine floating chronologies», *Tree-Ring Research*, 75, 2019, págs. 61-66. <DOI: <http://dx.doi.org/10.3959/1536-1098-75.1.61>>
- 3 Bentz BJ., «Defense traits in the long-lived Great Basin bristlecone pine and resistance to the native herbivore mountain pine beetle», *New Phytologist*, 213, 2017, págs. 611-624. <DOI: 10.1111/nph.14191>
- 4 Carroll AL, Sillett SC, Russell DK., «Millennium-scale crossdating and inter-annual climate sensitivities of Ssanding California Redwoods», *PLOS One*, Issue 7, 2014, e102545. <DOI: 10.1371/journal.pone.0102545>
- 5 Pearse IS, Koenig WD, Kelly D., «Mechanisms of mast seeding: resources, weather, cues, and selection», *New Phytologist*, 212, 2016, págs. 546-562. <DOI: 10.1111/nph.14114>
- 6 Bogdziewicz M et al., «Effectiveness of predator satiation in masting oaks is negatively affected by conspecific density», *Oecologia*, 186, 2018, págs. 983-993. <DOI: 10.1007/s00442-018-4069-7>
- 7 Lesser MR, Jackson ST., «Contributions of long-distance dispersal to population growth in colonising *Pinus ponderosa* populations», *Ecology Letters*, 16, 2013, págs. 380-389. <DOI: 10.1111/ele.12053>
- 8 Keeley JE, Pausas JG., «Evolution of ‘smoke’ induced seed germination in pyroendemic plants». *South African Journal Botany*, 115, 2018, págs. 251-255 <DOI: 10.1016/j.sajb.2016.07.012>
- 9 Filella I, Peñuelas J., «Indications of hydraulic lift by *Pinus halepensis* and its effects on the water relations of neighbour shrubs», *Biologia Platarum*, 2, 2003, págs. 209-214. <DOI: 10.1023/B:BIOP.0000022253.08474.fd>
- 10 Lopez Aparicio L, et al., «Applying plant facilitation to forest

restoration in Mediterranean ecosystems: a meta-analysis of the use of shrubs as nurse plants», *Ecological Applications*, 14, 2004, págs. 1128–1138. <DOI: 10.1890/03-5084>

- 11 Sistema d'Informació dels Boscos de Catalunya (SIBosC). CREAF, Dept. Medi Ambient i Habitatge, Generalitat de Catalunya. <http://www.creaf.uab.cat/sibosc/inv_boscos_arbres.htm (consulta: 25 julio 2021)>

CAPÍTULO 4

- 1 Suarez ML, Kitzberger T, «Differential effects of climate variability on forest dynamics along a precipitation gradient in northern Patagonia», *J. Ecology*, 98, 2010, págs. 1023-1034. <DOI: 10.1111/j.1365-2745.2010.01698.x>
- 2 Rozendal DMA, Zuidema PA., «Dendroecology in the tropics: a review», *Trees*, 24, 2011, págs. 3-16. <DOI: 10.1007/s00468-010-0480-3>
- 3 Sanchez-Salguero R, Navarro-Cerrillo RM, Camarero JJ, Fernandez-Cancio A., «Selective drought-induced decline of pine species in southeastern Spain», *Climate Change*, 113, 2012, págs. 767-785. <DOI: 10.1007/s10584-011-0372-6>
- 4 Macias M, et al., «Increasing aridity is enhancing silver fir (*Abies alba* Mill.) water stress in its south-western distribution limit», *Climatic Change*, 79, 2006, págs. 289-213. <DOI: 10.1007/s10584-006-9071-0>
- 5 Cailleret et al., «A synthesis of radial growth patterns preceding tree mortality», *Global Change Biology*, 23, 2017, págs. 1675-160. <DOI: 10.1111/gcb.13535>
- 6 Camarero JJ, et al., «To die or not to die: early warnings of tree dieback in response to a severe drought», *J. Ecology*, 03, 2015, págs. 44-57. <DOI: 10.1111/1365-2745.12295>
- 7 Camarero JJ, Sangüesa-Barreda G, Vergarechea M., «Prior height, growth, and wood anatomy differently predispose to drought-induced dieback in two Mediterranean oak species», *Annals of Forest Science*,

- 73, 2016, págs 341–351. <DOI :10.1007/s13595-015-0523-4>
- 8 Lloret F, Keeling EG, Sala A., «Components of tree resilience: effects of successive low-growth episodes in old ponderosa pine forests», *Oikos*, 12, 2010, págs. 1909–1920. <DOI: 10.1111/j.1600-0706.2011.19372.x>
 - 9 DeSoto L et al., «Low growth resilience to drought is related to future mortality risk in trees», *Nature Communications*, 11, 2020, pág. 545. <DOI: 10.1038/s41467-020-14300-5>
 - 10 Linares JC, Camarero JJ, Carreira JA, «Competition modulates the adaptation capacity of forests to climatic stress: insights from recent growth decline and death in relict stands of the Mediterranean fir *Abies pinsapo*», *J. Ecology*, 98, 2010, págs. 592–603. <DOI: 10.1111/j.1365-2745.2010.01645.x>
 - 11 Mundo IA, Sanguinetti J, Kitzberger T., «Multi-centennial phase-locking between reproduction of a South American conifer and large-scale drivers of climate», *Nature Plants*, 12, 2021, págs. 1560–1570. <DOI: 10.1038/s41477-021-01038-1>
 - 12 Rodrigo FS, Barriendos M., «Reconstruction of seasonal and annual rainfall variability in the Iberian peninsula (16th–20th centuries) from documentary data», *Global Planetary Change*, 63, 2008, págs. 243–257. <DOI: 10.1016/j.gloplacha.2007.09.004>
 - 13 Wetter O et al., «The year-long unprecedented European heat and drought of 1540 – a worst case», *Climatic Change*, 125, 2014, 349–363. <DOI: 10.1007/s10584-014-1184-2>
 - 14 Pilcher JR, Baillie MG, Schmidt B, Becker B, «A 7.272-year tree-ring chronology for western Europe», *Nature*, 312, 1984, págs. 150–152. <DOI: 10.1038/312150A0>
 - 15 Francis JE, «Growth rings in Cretaceous and Tertiary wood from Antarctica and their palaeoclimatic implications», *Palaeontology* 29, 1986, págs. 665–684.
 - 16 Swetnam TW, Betancourt, «Mesoscale disturbance and ecological response to decadal climatic variability in the American Southwest. *J. Climate*, 11, 1998, págs. 3128–3147. <DOI: 10.1175/1520-0442(1998)011<3128:MDAERT>2.0.CO;2>
 - 17 Belmecheri S, et al., «Multi-century evaluation of Sierra Nevada

- snowpack», *Nature Climate Change*, 6, 2016, págs. 2-3. <DOI: 10.1038/nclimate2809>
- 18 Swetnam TW et al., «Multi-millennial fire history of the giant forest, Sequoia National Park, California, USA», *Fire Ecology*, 5, 2009, págs. 120-150. <DOI: 10.4996/fireecology.0503120>
- 19 Kitzberger T et al., «Contingent Pacific–Atlantic Ocean influence on multicentury wildfire synchrony over western North America», *PNAS*, 104, 2007, págs. 543-548. <DOI: 10.1073_pnas.0606078104>

CAPÍTULO 5

- 1 Ciais Ph et al., «Europe-wide reduction in primary productivity caused by the heat and drought in 2003», *Nature*, 437, 2005, págs. 529-533. <DOI: 0.1038/nature03972>
- 2 Lloret F et al., «Woody plant richness and NDVI response to drought events in Catalanian (northeastern Spain) forests», *Ecology*, 88, 2007, págs. 2270-2279. <DOI: 10.1890/06-1195.1>
- 3 Sabatini MF et al., «Where are Europe's last primary forests?», *Diversity Distribution*, 24, 2018, págs. 1426-1439. <DOI: 10.1111/ddi.12778>
- 4 Clements FE, «Plant succession; an analysis of the development of vegetation», Carnegie Institution of Washington, 1916.
- 5 De Frenne P et al., «Global buffering of temperatures under forest canopies», *Nature Communications*, 3, 2019, págs. 744-749. <DOI: 10.1038/s41559-019-0842-1>
- 6 Piñol J, Lloret F, Terradas J, «Climate warming, wildfire hazard, and wildfire occurrence in coastal Eastern Spain», *Climate Change*, 38, 1998, págs.345-357. <DOI: 10.1023/A:1005316632105>
- 7 Canadell JG et al., «Multi-decadal increase of forest burned area in Australia is linked to climate change -Australia», *Nature Communications*, 2021. <DOI: 10.1038/s41467-021-27225-4 >
- 8 Elvira NJ et al., «Species climatic niche explains post-fire regeneration of Aleppo pine (*Pinus halepensis* Mill.) under compounded

- effects of fire and drought in east Spain», *Science Total Environment*, 2021. <DOI: 10.1016/j.scitotenv.2021.149308>
- 9 Batllori J et al., «Compound fire-drought regimes promote ecosystem transitions in Mediterranean ecosystems», *J. Ecology*, 107, 2018, págs. 1187-1198. <DOI: 10.1111/1365-2745.13115>
 - 10 Pausas JG, Fernández-Muñoz S, «Fire regime changes in the Western Mediterranean Basin: from fuel-limited to drought-driven fire regime», *Climatic Change*, 110, 2012, págs. 215-226. <DOI: 10.1007/s10584-011-0060-6>
 - 11 Moriondo M et al., «Potential impact of climate change on fire risk in the Mediterranean area», *Climate Research*, 31, 2006, págs. 85-95. <DOI: 10.3354/CR031085>
 - 12 Kloster S, Mahowald NM, Randerson JT, Lawrence PJ., «The impacts of climate, land use, and demography on fires during the 21st century simulated by CLM-CN», *Biogeosciences*, 9, 2012, págs. 509-525. <DOI: 10.5194/bg-9-509-2012>
 - 13 Grant GE, Tague CL, Allen CD, «Watering the forest for the trees: an emerging priority for managing water in forest landscapes», *Frontiers Ecology Environment*, 11, 2013, págs. 314-321. <DOI: 10.1890/120209.>
 - 14 Sohn JA, Saha S, Bauhus J, «Potential of forest thinning to mitigate drought stress: A meta-analysis», *Forest Ecology Management* 380, 2016, págs. 261-273. <DOI: 10.1016/j.foreco.2016.07.046>
 - 15 Hiernaux P et al., «Woody plant population dynamics in response to climate changes from 1984 to 2006 in Sahel (Gourma, Mali), Sahel», *J. Hydrology*, 375, 2009, págs. 103-113. <DOI: 10.1016/j.jhydrol.2009.01.043>
 - 16 Batllori E et al., «Forest and woodland replacement patterns following drought-related mortality», *Proceedings National Academy Science*, 117, 2020, págs. 29720-29729. <DOI: 10.1073/pnas.2002314117>

CAPÍTULO 6

- 1 Vicente-Serrano SM, Zouber A, Lasanta T, Pueyo Y, «Dryness is accelerating degradation of vulnerable shrublands in semi-arid Mediterranean environments», *Ecological Monographs*, 82, 2012, págs. 407-428. <DOI: 10.2307/41739379>
- 2 Lloret F, Garcia C, «Inbreeding and neighbouring vegetation drive drought-induced die-off within juniper populations», *Functional Ecology*, 10, 2016, págs. 1696-1701. <DOI: 10.1111/1365-2435.12655>
- 3 Jump AS et al., «Simulated climate change provokes rapid genetic change in the Mediterranean shrub *Fumana thymifolia*», *Global Change Biology*, 14, 2008, págs. 637-643. <DOI 10.1111/j.1365-2486.2007.01521.x>
- 4 Tilman D et al., «Diversity and productivity in a long-term grassland experiment», *Science*, 294, 2001, págs. 843-845. <DOI: 10.1126/science.1060391>
- 5 Hector A et al., «Plant diversity and productivity experiments in European grasslands», *Science*, 286, 1999, págs. 1123-1127. <DOI: 10.1126/science.286.5442.1123>
- 6 Loreau M, «Biodiversity and ecosystem functioning: recent theoretical advances», *Oikos*, 91, 2003, págs. 3-17. <DOI 10.1034/j.1600-0706.2000.910101.x>
- 7 Hutchison C, Gravel D, Guichard F, Potvin C, «Effect of diversity on growth, mortality, and loss of resilience to extreme climate events in a tropical planted forest experiment», *Scientific Reports*, 8, 2018, págs. 15443. <DOI:10.1038/s41598-018-33670-x>
- 8 Lloret F et al., «Woody plant richness and NDVI response to drought events in Catalanian (Eastern Spain) forests», *Ecology*, 88, 2007, págs. 2270-2279. <DOI: 10.1890/06-1195.1>
- 9 Sousa-Silva R et al., «Tree diversity mitigates defoliation after a drought-induced tipping point», *Global Change Biology*, 24, 2018, págs. 4304-4315. <DOI: 10.1111/gcb.14326>
- 10 García-Valdés R, Vayreda J, Retana J, Martíne-Vilalta J, «Low forest productivity associated with increasing drought-tolerant

- species is compensated by an increase in drought-tolerance richness», *Global Change Biology*, 2, 2021, págs. 2113-2127. <DOI: 10.1111/gcb.15529>
- 11 Phillips OL et al., «Dynamics and species richness of tropical rain forests», *Proceedings National Academy Sciences*, 91, 1994, págs. 2805-2809. <DOI: 10.1073/pnas.91.7.2805>
- 12 Potter C et al., «Changes in the carbon cycle of Amazon ecosystems during the 2010 drought», *Environmental Research Letters*, 6, 2011, 034024. <DOI: 10.1088/1748-9326/6/3/034024>
- 13 Phillips OL et al., «Drought–mortality relationships for tropical forests», *New Phytologist*, 187, 2010, págs. 631-646. <DOI: 10.1111/j.1469-8137.2010.03359.x>
- 14 McDowell N et al., «Drivers and mechanisms of tree mortality in moist tropical forests», *New Phytologist*, 219, 2018, págs. 851-869. <DOI: 10.1111/nph.15027>
- 15 De Frenne P et al., «Global buffering of temperatures under forest canopies», *Nature Communications*, 3, 2019, págs. 744-749. <DOI: 10.1038/s41559-019-0842-1>
- 16 Curiel Yuste J, et al., «Changes in soil bacterial community triggered by drought-induced gap succession preceded changes in soil C stocks and quality», *Ecology Evolution*, 2, 2012, págs. 3016-3031. <DOI: 10.1002/ece3.409>

CAPÍTULO 7

- 1 Bergot M et al., «Simulation of potential range expansion of oak disease caused by *Phytophthora cinnamomi* under climate change», *Global Change Biology*, 10, 2004, págs. 1539-1552. <DOI: 10.1111/j.1365-2486.2004.00824.x>
- 2 Desprez-Losteau ML et al., «Interactive effects of drought and pathogens in forest trees», *Annals Forest Sciences*, 63, 2006, págs. 597-612. <DOI: 10.1051/forest:2006040>
- 3 Corcobado T et al., «Drought events determine performance of *Quercus ilex* seedlings and increase their susceptibility to Phyto-

- phthora cinnamomi», *Agricultural Forest Meteorology*, 2014, 192-193: 1-8. <DOI: 10.1016/j.agrformet.2014.02.007>
- 4 Linares JC et al., «Stand-structural effects on Heterobasidion abietinum-related mortality following drought events in Abies pinsapo», *Oecologia*, 164, 2010, págs. 1107-1119. <DOI: 10.1016/j.agrformet.2014.02.007>
 - 5 Oliva J, Stenlid J, Martínez-Vilalta J, «The effect of fungal pathogens on the water and carbon economy of trees: implications for drought-induced mortality», *New Phytologist*, 203, 2014, págs. 1028-1035. <DOI: 10.1111/nph.12857>
 - 6 Navarro L, Morin H, Bergeron Y, Montoro Girona M, «Changes in spatiotemporal patterns of 20th century outbreaks in eastern Canadian boreal forests», *Frontiers Plant Science*, 9, 2008, pág. 1905. <DOI: 10.3389/fpls.2018.01905>
 - 7 Zhang X, et al., «Insect-induced tree mortality of boreal forests in eastern Canada under a changing climate», *Ecology Evolution*, 2004. <DOI: 10.1002/ece3.988>
 - 8 Robinet C, Rousselet J, Roques A, «Potential spread of the pine processionary moth in France: preliminary results from a simulation model and future challenges», *Annals Forest Science*, 71, 2014, págs. 149-160. DOI: 10.1007/s13595-013-0287-7
 - 9 Hodar JA «Incidencia de la procesionaria del pino como consecuencia del cambio climático: previsiones y posibles soluciones», En *Los Bosques y la Biodiversidad frente al Cambio Climático: Impactos, Vulnerabilidad y Adaptación en España*. Ministerio de Agricultura, Alimentación y Medio Ambiente, 2015, págs. 295-302.
 - 10 USDA, «Major forest insect and disease conditions in the united states: 2018», United States Dep. Agric. For. Serv. FS-1155. United States Department of Agriculture: Forest Service, 2020
 - 11 Woods AJ, et al., «Forest health and climate change: A British Columbia perspective», *Forestry Chronicle*, 6, 2010, págs. 412-22. <DOI: 10.5558/tfc86412-4>
 - 12 Hlásny T et al., «Bark beetle outbreaks in Europe: state of knowledge and ways forward for management», *Current Forestry*

- Reports, 2021. <DOI:10.1007/s40725-021-00142-x>
- 13 Manion PD, *Tree Disease Concepts*, Englewood Cliffs, 1991.
 - 14 Hart S et al., «Drought induces spruce beetle (*Dendroctonus rufipennis*) outbreaks across northwestern Colorado», *Ecology*, 95, 2014, págs. 930–9. <DOI: 10.1890/13-0230.1>
 - 15 Jaime LA et al., «Species climatic Suitability explains insect–Host Dynamics in the Southern Rocky Mountains, USA», *Ecosystems*, 2021. <DOI: 10.1007/s10021-021-00643-7>
 - 16 Szmidla H et al., «Impact of common Mistletoe (*Viscum album* L.) on Scots Pine Forests—A Call for Action», *Forests*, 10, 2019, pág. 847. <DOI: 10.3390/f10100847>
 - 17 Raffa KF, et al., «Responses of tree-killing bark beetles to a changing climate», En: *Climate change and insect pests*, CAB Int, 2015, págs. 173–201.
 - 18 Sommerfeld A et al., «Do bark beetle outbreaks amplify or dampen future bark beetle disturbances in Central Europe? », *J. Ecology* 109, 2020, págs. 737–749. <DOI: 10.1111/1365-2745.13502>
 - 19 Hart SJ, Veblen TT, Mietkiewicz N, Kulakowski D, «Negative feedbacks on bark beetle outbreaks: Widespread and severe spruce beetle infestation restricts subsequent infestation», *PLOS One*, 10, 2015, págs. 1–16. <DOI: 10.1371/journal.pone.0127975>

CAPÍTULO 8

- 1 Esteve Selma MA et al., «La respuesta de los bosques de *Pinus halepensis* al cambio climático y los eventos de sequía extrema: modelos preliminares», En: *Riesgos ambientales en la Región de Murcia*, Universidad de Murcia, 2017, págs. 163–185
- 2 Serra-Diaz JM, et al., «Geographical patterns of congruence and incongruence between correlative species distribution models and a process-based ecophysiological growth model», *J. Biogeography*, 40, 2013, págs. 1928–1938. <DOI: 10.1111/jbi.12142>
- 3 Allen CA et al., «A global overview of drought and heat-induced tree mortality reveals emerging climate change risks for forests»,

- Forest Ecology Management*, 259, 2010, págs. 660-684. <DOI: 10.1016/j.foreco.2009.09.001>
- 4 Jump, A.S., et al., «Structural overshoot of tree growth with climate variability and the global spectrum of drought-induced forest dieback», *Global Change Biology*, 23, 2017, págs. 3742-3757. <DOI: 10.1111/gcb.13636>
 - 5 Lloret F, Kitzberger T, «Historical and event-based bioclimatic suitability predicts regional forest vulnerability to compound effects of severe drought and bark beetle infestation», *Global Change Biology*, 24, 2017, págs. 1952-1964. <DOI: 10.1111/gcb.14039>
 - 6 Pérez-Navarro MA et al., «Climatic suitability derived from species distribution models captures community responses to an extreme drought episode», *Ecosystems*, 22, 2019, págs. 77-90. <DOI: 10.1007/s10021-018-0254-0>
 - 7 Greenwood S et al., «Tree mortality across biomes is promoted by drought intensity, lower wood density and higher specific leaf area», *Ecology Letters* 20, 2017, págs. 539-553. <DOI: 10.1111/ele.12748>
 - 8 Uriarte A , *Historia del clima de la Tierra*, Servicio Central de Publicaciones Gobierno Vasco, 2003.
 - 9 Carrion JS, «Glacial refugia of temperate, Mediterranean and Ibero- North African flora in south-eastern Spain: new evidence from cave pollen at two Neanderthal man sites», *Global Ecology Biogeography* 12, 2003, págs. 119-129. <DOI: 10.1046/j.1466-822X.2003.00013.x>
 - 10 Linares JC, «Shifting limiting factors for population dynamics and conservation status of the endangered English yew (*Taxus baccata* L., Taxaceae) », *Forest Ecology Management*, 291, 2013, págs. 119-127. <DOI: 10.1016/j.foreco.2012.11.009>
 - 11 Camarero JJ, et al., «To die or not to die: early warnings of tree dieback in response to a severe drought», *J. Ecology* 103, 2015, págs. 44-57. <DOI: 10.1111/1365-2745.12295>
 - 12 Matías L, et al., «Role of geographical provenance in the response of silver fir seedlings to experimental warming and drought», *Tree Physiology*, 36, 2016, págs. 236-1246. <DOI: 10.1093/treephys/tpw049>

- 13 Tinner W, Kaltenrieder P, «Rapid responses of high-ountain vegetation to early Holocene environmental changes in the Swiss Alps», *J. Ecology* 93, 2005, págs. 936-947. <DOI: <https://doi.org/10.1111/j.1365-2745.2005.01023.x>>
- 14 Tinner W, Lotter AF, «Central European vegetation response to abrupt climate change at 8.2 ka. », *Geology*, 29, 2001, págs. 551-554. <DOI: 10.1130/00917613(2001)029<0551: CEVRTA>2.0.CO;2>
- 15 Menking KM, Peteet DM, Anderson RY, «Late-glacial and Holocene vegetation and climate variability, including major droughts, in the Sky Lakes region of southeastern New York State», *Palaeogeography, Palaeoclimatology, Plaeoecology*, 353-355, 2012, págs. 45-59. <DOI: doi:10.1016/j.palaeo.2012.06.033.>
- 16 Torrescano-Valle N, Islebe GA, «Holocene paleoecology, climate history and human influence in the southwestern Yucatan Peninsula», *Review Palaeobotany Palynology*, 217, 2015, págs. 1-8. <DOI: 10.1016/j.revpalbo.2015.03.003>
- 17 Williams JW et al., «Extrinsic and intrinsic forcing of abrupt ecological change: case studies from the late Quaternary», *J. Ecology*, 99, 2011, págs. 664-677. <DOI: 10.1111/j.1365-2745.2011.01810.x>
- 18 Ivory SJ, Russell J, «Climate, herbivory, and fire controls on tropical African forest for the last 60ka», *Quaternary Science Reviews*, 148, 2016, págs. 101.114. <DOI: 10.1016/j.quasci-rev.2016.07.015>
- 19 Rull V, et al. E, «Ecological palaeoecology in the neotropical Gran Sabana region: Long-term records of vegetation dynamics as a basis for ecological hypothesis testing», *Perspectives Plant Ecology, Evolution Systematics*, 15, 2013, págs. 338- 359. <DOI: doi.org/10.1016/j.ppees.2013.07.004>
- 20 Foster DR, et al., «A climatic driver for abrupt Mid-Holocene vegetation dynamics and the hemlock decline in New England», *Ecology*, 87, 2006, págs. 2959-2966. <DOI: 10.1890/0012-9658(2006)87[2959:acdfam]2.0.co;2>

CAPÍTULO 9

- 1 Savi T et al., «Drought-induced dieback of *Pinus nigra*: a tale of hydraulic failure and carbon starvation», *Conservation Physiology*, 7, 2019, págs. 1-12. <DOI: 10.1093/conphys/coz012>
- 2 Heywood V, Watson R (eds.), *Global biodiversity assessment*, UNEP- Cambridge University Press, 1995.
- 3 Millennium Ecosystem Assessment, *Ecosystems and Human Well-being: Synthesis*, Island Press, 2005.
- 4 Bright RM et al., «Climate change implications of shifting forest management strategy in a boreal forest ecosystem of Norway», *Global Change Biology*, 20, 2014, págs. 607-621. <DOI: 10.1111/gcb.12451>
- 5 Sampaio G et al., «Regional climate change over eastern Amazonia caused by pasture and soybean cropland expansion», *Geophysical Research Letters*, 34, 2007, L17709. <DOI: 10.1029/2007GL030612>
- 6 McAlpine CA, et al., «Modeling the impact of historical land cover change on Australia's regional climate», *Geophys. Res. Lett.*, 34, 2007, L22711. <DOI: 10.1029/2007GL031524>
- 7 Snyder PK, Delire C, Foley JA, «Evaluating the influence of different vegetation biomes on the global climate», *Climate Dynamics*, 23, 2004, págs. 279-302. <DOI: 10.1007/s00382-004-0430-0>
- 8 Dixon RK et al., «Carbon pools and flux of global forests ecosystems», *Science*, 263, 1994, págs. 185-191. <DOI: 10.1126/science.263.5144.185 >
- 9 Beer C et al., «Terrestrial gross carbon dioxide uptake: global distribution and covariation with climate», *Science*, 329, 2010, págs. 834-838. <DOI: 0.1126/science.1184984>
- 10 Zhang L , Luo Y, Yu G, Zhang L, «Estimated carbon residence times in three forest ecosystems of eastern China: Applications of probabilistic inversion», *J. Geophysical Research*, 115, 2010, G01010. <DOI: 10.1029/2009JG001004>
- 11 Global Carbon Project, *Carbon budget and trends 2021*, 2021.

<www.globalcarbonproject.org/carbonbudget>

- 12 Anderegg WRJ, Kane JM, Anderegg LDL, «Consequences of widespread tree mortality triggered by drought and temperature stress», *Nature Climate Change*, 3, 2013, págs. 30-36. <DOI: 10.1038/nclimate1635>
- 13 Breshears DD, Lopez-Hoffman L, Graumlich, LJ, «When ecosystem services crash: Preparing for big, fast, patchy climate change», *Ambio*, 40, 2011, págs. 256-263. <DOI: 10.1007/s13280-010-0106-4>
- 14 Feldpausch TR et al., «Amazon forest response to repeated droughts», *Global Biogeochemical Cycles*, 30, 2016, págs. 964-982. <DOI: 10.1002/2015GB005133>
- 15 Ciais P et al., «Europe-wide reduction in primary productivity caused by the heat and drought in 2003» *Nature*, 437, 2005, págs. 529-533. <DOI: 10.1038/nature03972>
- 16 Michaelian M, Hogg EH, Hall RJ, Arsenault E, «Massive mortality of aspen following severe drought along the southern edge of the Canadian boreal forest», *Global Change Biology*, 17, 2011, págs. 2084-2094. <DOI: 10.1111/j.1365-2486.2010.02357.x>
- 17 Pfeifer EM, Hicke JA, Meddens AJH, «Observations and modeling of aboveground tree carbon stocks and fluxes following a bark beetle outbreak in the western United States», *Global Change Biology* 17, 2011, págs. 339-350. <DOI: 10.1111/j.1365-2486.2010.02226.x>
- 18 Hanewinkel M et al., «Climate change may cause severe loss in the economic value of European forest land», *Nature Climate Change*, 3, 2012, págs. 203-207. <DOI: DOI: 10.1038/NCLIMATE1687>
- 19 Lewis SL et al. D, «The 2010 Amazon drought», *Science*, 331, 2011, pág. 554. <DOI: 10.1126/science.1200807>
- 20 Brienen RJW et al., «Long-term decline of the Amazon carbon sink», *Nature*, 519, 2015, págs. 344-347. <DOI: 10.1038/nature14283 >
- 21 Williams CJ, Snyder KA, Pierson FB, «Spatial and Temporal Variability of the Impacts of Pinyon and Juniper Reduction on Hy-

- drologic and Erosion Processes Across Climatic Gradients in the Western US: A Regional Synthesis», *Water*, 10, 2018, pág. 1607. <DOI: 10.3390/w10111607>
- 22 Barba J, et al., «Strong resilience of soil respiration components to drought-induced die-off resulting in forest secondary succession» *Oecologia*, 182, 2016, págs. 27-41. <DOI 10.1007/s00442-016-3567-8>
- 23 Lehmer EM et al., «The interplay of plant and animal disease in a changing landscape: the role of sudden aspen decline in moderating Sin Nombre virus prevalence in natural deer mouse populations», *EcoHealth*, 9, 2012, págs. 205-201. <DOI: 0.1007/s10393-012-0765-7>
- 24 Kovacs K et al., «Predicting the economic costs and property value losses attributed to sudden oak death damage in California», *J. Environmental Management*, 92, 2011, págs. 1292-1302. <DOI: 10.1016/j.jenvman.2010.12.018>
- 25 Lappola DM et al., «Limiting the high impacts of Amazon forest dieback with no-regrets science and policy action», *Proceedings National Academy Sciences*, 115, 2018, págs. 11671-11679. <DOI: 10.1073/pnas.1721770115>
- 26 McNellis BE, Smith AMS, Hudak AT, Strand E, «Tree mortality in western U.S. forests forecasted using forest inventory and Random Forest classification», *Ecosphere*, 12, 2021, e03419. <DOI: 10.1002/ecs2.3419>
- 20 Zhou G et al., «Substantial reorganization of China's tropical and subtropical forests: Based on the permanent plots», *Global Change Biology*, 20, 2014, págs. 240-250. <DOI: 10.1111/gcb.12385.>
- 21 Williams, óp. cit., pág. 14
- 22 Barba, óp. cit., pág. 17
- 23 Lehmer, óp. cit., pág. 17
- 24 Kovacs, óp. cit., pág. 17
- 25 Lappola, óp. cit., pág. 17
- 26 McNellis, óp. cit., pág. 17