


Küschall® Compact

Price List and Order Form

Customer Service: 1800 460 460

Fax: 1800 814 367

www.invacare.com.au



TRANSACTION TYPE:

Order Quote

Date _____ Account # _____ P.O. # _____

Company Name _____ Phone # _____

Address _____ City _____ State _____ Post Code _____ Country _____

Contact Name _____ Comments _____

Code	Description	Price
<input type="radio"/> DCA 0012	Küschall Compact	
<input type="radio"/> DCA 0000	MYKüschall special construction <i>Complete all information at end of script</i>	
SEATING CHOICE		
FRONT FRAME		
<input type="radio"/> DCA 1100	Swing-Away Frame	
<input type="radio"/> DCA 1110	Fixed Frame Active, 70°	
<input type="radio"/> DCA 1120	Fixed Frame Dynamic, 80°	
<input type="radio"/> DCA 1130	Fixed Frame Tapered, 70°	
<input type="radio"/> DCA 1140	Fixed Frame Tapered, 80°	
SEAT WIDTH (SW)		
<input type="radio"/> DCA 1300	28cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1305	30cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1310	32cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1315	34cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1320	36cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1325	38cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1330	40cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1335	42cm <i>Single cross brace</i>	
<input type="radio"/> DCA 1340	44cm <i>Double cross brace</i>	
<input type="radio"/> DCA 1345	46cm <i>Double cross brace</i>	
<input type="radio"/> DCA 1350	48cm <i>Double cross brace</i>	
<input type="radio"/> DCA 1355	50cm <i>Double cross brace</i>	
SEAT DEPTH (SD)		
<input type="radio"/> DCA 1400	32cm <i>Not with ang-adj back set at 82°-86°</i>	
<input type="radio"/> DCA 1405	34cm <i>Not with ang-adj back set at 82°-86°</i>	
<input type="radio"/> DCA 1415	36cm	
<input type="radio"/> DCA 1425	38cm	
<input type="radio"/> DCA 1435	40cm	
<input type="radio"/> DCA 1445	42cm	
<input type="radio"/> DCA 1460	44cm	
<input type="radio"/> DCA 1470	46cm	
<input type="radio"/> DCA 1480	48cm	
<input type="radio"/> DCA 1490	50cm	
BACK HEIGHT (BH)		
<input type="radio"/> DCA 1615	30cm <i>Not with foldable back</i>	
<input type="radio"/> DCA 1620	31.5cm <i>Not with foldable back</i>	
<input type="radio"/> DCA 1625	33cm <i>Not with foldable back</i>	
<input type="radio"/> DCA 1630	34.5cm	
<input type="radio"/> DCA 1635	36cm	
<input type="radio"/> DCA 1640	37.5cm	
<input type="radio"/> DCA 1645	39cm	
<input type="radio"/> DCA 1650	40.5cm	
<input type="radio"/> DCA 1655	42cm	
<input type="radio"/> DCA 1660	43.5cm	
<input type="radio"/> DCA 1665	45cm	
<input type="radio"/> DCA 1670	46.5cm	
<input type="radio"/> DCA 1675	48cm	
<input type="radio"/> DCA 1680	49.5cm	
<input type="radio"/> DCA 1685	51cm	

**NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au**

Küschall® Compact

FRONT SEAT-TO-FLOOR-HEIGHT (FSTF)			
<input type="radio"/>	DCA 1705	38cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1710	39cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1715	40cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1720	41cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1725	42cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1730	43cm	Special Hemi swing-away frame; not with fixed frames
<input type="radio"/>	DCA 1735	44cm	
<input type="radio"/>	DCA 1740	45cm	
<input type="radio"/>	DCA 1745	46cm	
<input type="radio"/>	DCA 1750	47cm	
<input type="radio"/>	DCA 1755	48cm	
<input type="radio"/>	DCA 1760	49cm	
<input type="radio"/>	DCA 1765	50cm	
<input type="radio"/>	DCA 1770	51cm	
<input type="radio"/>	DCA 1775	52cm	
<input type="radio"/>	DCA 1780	53cm	Not with 80° fixed frames

REAR SEAT-TO-FLOOR-HEIGHT (RSTF)			
<input type="radio"/>	DCA 1800	36cm	Only with 22" rear wheels and swing-away frame; Not with anti-tippers
<input type="radio"/>	DCA 1805	39cm	Only with 22" rear wheels and swing-away frame; Not with anti-tippers
<input type="radio"/>	DCA 1810	39cm	Only with 22" rear wheels
<input type="radio"/>	DCA 1815	39cm	Only with 22" or 24" rear wheels
<input type="radio"/>	DCA 1820	40cm	Only with 22" or 24" rear wheels
<input type="radio"/>	DCA 1825	41cm	Only with 22" or 24" rear wheels
<input type="radio"/>	DCA 1830	42cm	
<input type="radio"/>	DCA 1835	43cm	
<input type="radio"/>	DCA 1840	44cm	
<input type="radio"/>	DCA 1845	45cm	
<input type="radio"/>	DCA 1850	46cm	
<input type="radio"/>	DCA 1855	47cm	
<input type="radio"/>	DCA 1860	48cm	Not with 22" rear wheels
<input type="radio"/>	DCA 1865	49cm	Not with 22" rear wheels
<input type="radio"/>	DCA 1870	50cm	Not with 22" or 24" rear wheels

RSTF / Rear wheel size

22" : 36-47 cm
 24" : 39-49 cm
 25" : 42-50 cm
 26" : 42-50 cm

70° and 80° legrests:

RSTF = [FSTF-10cm] to [FSTF-0cm]

70° fixed frame:

RSTF = [FSTF-10cm] to [FSTF-0cm]

80° fixed frame:

RSTF = [FSTF-10cm] to [FSTF-3cm]

LOWER LEG LENGTH (LLL)			70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm]
<input type="radio"/>	DCA 1900	20cm	Depending on the configuration, the footplate may be high mounted; Not with swing-away frame
<input type="radio"/>	DCA 1902	21cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1904	22cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1906	23cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1908	24cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1910	25cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1912	26cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1914	27cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1916	28cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1918	29cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1920	30cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1922	31cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1924	32cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1926	33cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1928	34cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1930	35cm	Depending on the configuration, the footplate may be high mounted
<input type="radio"/>	DCA 1932	36cm	
<input type="radio"/>	DCA 1934	37cm	
<input type="radio"/>	DCA 1936	38cm	
<input type="radio"/>	DCA 1938	39cm	
<input type="radio"/>	DCA 1940	40cm	
<input type="radio"/>	DCA 1942	41cm	
<input type="radio"/>	DCA 1944	42cm	
<input type="radio"/>	DCA 1946	43cm	
<input type="radio"/>	DCA 1948	44cm	
<input type="radio"/>	DCA 1950	45cm	
<input type="radio"/>	DCA 1952	46cm	
<input type="radio"/>	DCA 1954	47cm	
<input type="radio"/>	DCA 1956	48cm	
<input type="radio"/>	DCA 1958	49cm	
<input type="radio"/>	DCA 1960	50cm	
<input type="radio"/>	DCA 1962	51cm	Not with 80° fixed frames or 70-80° swing-away legrests

**NOTE: All specifications and dimensions are approximate.
 For the most current information, go to www.invacare.com.au**

Küschall® Compact

BACKREST CHOICE			
BACK TUBE			
<input type="radio"/>	DCA 2110	Fixed straight backrest tubes standard	
<input type="radio"/>	DCA 2120	Fixed backrest with 7° lumbar bend	
<input type="radio"/>	DCA 2130	Angle-adjustable back	<i>Not with BH<34.5cm</i>
<input type="radio"/>	DCA 2140	Foldable back (to the front)	<i>Not with height-adj rear set push handles</i>
BACK ANGLE ADJUSTMENT (BA) <i>Only for angle-adj or foldable backrests</i>			
<input type="radio"/>	DCA 2155	Angle adjustable backrest, adjusted 82°	<i>Not with SD 32cm</i>
<input type="radio"/>	DCA 2160	Angle adjustable backrest, adjusted 86°	<i>Not with SD 32cm</i>
<input type="radio"/>	DCA 2165	Angle adjustable backrest, adjusted 90°	
<input type="radio"/>	DCA 2170	Angle adjustable backrest, adjusted 94°	
<input type="radio"/>	DCA 2175	Angle adjustable backrest, adjusted 98°	
<input type="radio"/>	DCA 2180	Angle adjustable backrest, adjusted 102°	<i>Not with foldable backrest</i>
BACK UPHOLSTERY			
<input type="radio"/>	DCA 2200	Standard upholstery	<i>Not with backrest stabilisation bar, without push handles, or height-adj rear-set push handles</i>
<input type="radio"/>	DCA 2210	Light back	<i>Not with SW≤32cm and SW 50cm, BH<36cm, backrest stabilisation bar or height-adj rear-set push handles</i>
<input type="radio"/>	DCA 2220	Tension adjustable back, black	
<input type="radio"/>	DCA 2230	Tension adjustable back, Aero	
PUSH HANDLES			
<input type="radio"/>	DCA 2400	Without push handles	<i>Not with std back upholstery</i>
<input type="radio"/>	DCA 2410	Push handles fixed, mini	<i>Not with drum brakes</i>
<input type="radio"/>	DCA 2420	Push handles fixed, long	
<input type="radio"/>	DCA 2430	Height-adjustable rear set	<i>Not with foldable back, std and light back upholstery, or tubular armrests</i>
<input type="radio"/>	DCA 2440	Height-adjustable, integrated	<i>Not with backrest stabilisation bar</i>
<input type="radio"/>	DCA 2450	Foldable push handles	<i>Not with drum brakes</i>
BACKREST STABILISATION BAR <i>Not with folding push handles, height-adj integrated push handles, std or light upholstery, or BH 30-39cm</i>			
<input type="radio"/>	DCA 2595	Backrest stabilisation bar, swing away removable	
SEATING			
SEAT UPHOLSTERY			
<input type="radio"/>	DCA 2610	Tension adjustable seat upholstery with 1 central velcro band (soft)	
<input type="radio"/>	DCA 2620	Tension adjustable seat upholstery with 1 central (soft) and 2 side velcro bands (rough)	
SEAT CUSHION			
<input type="radio"/>	DCA 2700	Standard seat cushion, 60mm, double foam with visco top	
<input type="radio"/>		Matrix PS Cushion	<i>Not all seat sizes available. Refer to Seating Catalogue</i>
<input type="radio"/>		Matrix PSP Cushion	<i>Not all seat sizes available. Refer to Seating Catalogue</i>
<input type="radio"/>		Matrix VI Cushion	<i>Not all seat sizes available. Refer to Seating Catalogue</i>
<input type="radio"/>		Matrix Libra Cushion	<i>Not all seat sizes available. Refer to Seating Catalogue</i>
SEAT BAGS			
<input type="radio"/>	DCA 2800	Seat bag, click in and removable	
<input type="radio"/>	DCA 2910	Seat upholstery bag	<i>To fix under the seat; not with SD < 36cm</i>
LEGRESTS & FOOTRESTS			
LEGRESTS FOR SWING-AWAY FRAME - RIGHT			
<input type="radio"/>	DCA 3000	Legrest, angle open, 70° RH	
<input type="radio"/>	DCA 3010	Legrest, angle mid-closed, 80° RH	<i>Not with 7" front wheels</i>
<input type="radio"/>	DCA 3020	Amputee legrest RH	<i>Not with SW≤40cm</i>
<input type="radio"/>	DCA 3030	Angle-adjustable legrest RH	<i>Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm</i>
<input type="radio"/>	DCA 3040	Without RH legrest	
LEGRESTS FOR SWING-AWAY FRAME - LEFT			
<input type="radio"/>	DCA 3100	Legrest, angle open, 70° LH	
<input type="radio"/>	DCA 3110	Legrest, angle mid-closed, 80° LH	<i>Not with 7" front wheels</i>
<input type="radio"/>	DCA 3120	Amputee legrest LH	<i>Not with SW≤40cm</i>
<input type="radio"/>	DCA 3130	Angle-adjustable legrest LH	<i>Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm</i>
<input type="radio"/>	DCA 3140	Without LH legrest	
FOOTREST			
<input type="radio"/>	DCA 3260	2 pc. flip-up plastic	<i>High mount for LLL<34cm; Not with SW<34cm, LLL<26cm</i>
<input type="radio"/>	DCA 3270	2 pc. angle/depth-adjustable carbon	<i>High mount for LLL<34cm; Not with SW<34cm, LLL<26cm or heel loops</i>
<input type="radio"/>	DCA 3280	1 pc. flip-up carbon footplate, angle/depth-adjustable	<i>Not with LLL<30cm or heel loops</i>
FOOT & LEG SUPPORTS <i>Not with amputee or angle-adjustable legrests</i>			
<input type="radio"/>	DCA 3300	Calf strap mounted on frame	
<input type="radio"/>	DCA 3305	Calf strap with bracket support	
<input type="radio"/>	DCA 3310	Heel loops	
SIDE GUARDS & SIDERESTS			
SIDE GUARDS <i>Only with tubular armrests or without armrests</i>			
<input type="radio"/>	DCA 3410	Clothes guards carbon, fixed	<i>Not with transportation kit</i>
<input type="radio"/>	DCA 3430	Mud guards carbon, fixed	<i>Not with transportation kit or one-arm drive systems</i>
<input type="radio"/>	DCA 3440	Mud guards carbon, removable	

NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au

Küschall® Compact

SIDERESTS RIGHT			<input type="radio"/> CLEAR
<input type="radio"/>	DCA 3500	Armrest height adjustable (tools), removable, short, non-locking RH	
<input type="radio"/>	DCA 3510	Armrest height adjustable (tools), removable, long, non-locking RH	
<input type="radio"/>	DCA 3530	Kuschall armrest flip-back, height adj, removable, swing-away RH <i>Not with rear wheel positions 4-6</i>	
<input type="radio"/>	DCA 3520	Tubular armrests, height-adj, removable, padded RH <i>Not with Alber add-on kits, push handles height-adj rear set</i>	
<input type="radio"/>	DCA 3540	Hemi armrest, RH <i>Not with rear wheel positions 4-6</i>	
SIDERESTS LEFT			<input type="radio"/> CLEAR
<input type="radio"/>	DCA 3600	Armrest height adjustable (tools), removable, short, non-locking LH	
<input type="radio"/>	DCA 3610	Armrest height adjustable (tools), removable, long, non-locking LH	
<input type="radio"/>	DCA 3630	Kuschall armrest flip-back, height adj, removable, swing-away LH <i>Not with rear wheel positions 4-6</i>	
<input type="radio"/>	DCA 3620	Tubular armrests, height-adj, removable, padded LH <i>Not with Alber add-on kits, push handles height-adj rear set</i>	
<input type="radio"/>	DCA 3640	Hemi armrest, LH <i>Not with rear wheel positions 4-6</i>	
FRAME COLOUR & CUSTOMISATION			
FRAME COLOUR			
<input type="radio"/>	DCA 4000	Space Black	
<input type="radio"/>	DCA 4010	Anthracite Grey	
<input type="radio"/>	DCA 4020	Pure White <i>Not with Light Grey Bold Styling</i>	
<input type="radio"/>	DCA 4030	Carmine Red	
<input type="radio"/>	DCA 4040	Azure Blue	
<input type="radio"/>	DCA 4100	Black Glossy <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4110	Ferrite <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4120	Slate Metallic <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4130	Silver Grey <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4140	Royal Blue <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4150	Ruby Red <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4160	Smoky Grey <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4170	Dynamite Orange <i>Extra lead time 10+ days. Tag styling only</i>	
<input type="radio"/>	DCA 4180	Forest Green <i>Extra lead time 10+ days. Tag styling only</i>	
STYLING			
<input type="radio"/>	DCA 4190	Bold	
<input type="radio"/>	DCA 4195	Tag	
BOLD COLOUR			
<input type="radio"/>	DCA 4200	Black	
<input type="radio"/>	DCA 4210	Dark Grey	
<input type="radio"/>	DCA 4220	Light Grey	
<input type="radio"/>	DCA 4230	Red	
<input type="radio"/>	DCA 4240	Blue	
<input type="radio"/>	DCA 4250	Gold	
TAG COLOUR			
<input type="radio"/>	DCA 4300	Black	
<input type="radio"/>	DCA 4310	Red	
FRONT WHEEL			
FRONT WHEEL			
<i>For configuration please also see tables at end of form</i>			
<input type="radio"/>	DCA 5050	4" Everyday wheel, black	
<input type="radio"/>	DCA 5100	4" Comfort wheel, black	
<input type="radio"/>	DCA 5150	4" Starec, black	
<input type="radio"/>	DCA 5200	4" EPIC Softroll, black	
<input type="radio"/>	DCA 5250	4" EPIC Softroll, silver	
<input type="radio"/>	DCA 5300	5" Everyday wheel, black	
<input type="radio"/>	DCA 5350	5" Comfort wheel, black	
<input type="radio"/>	DCA 5400	5" Starec, black	
<input type="radio"/>	DCA 5450	5" EPIC Softroll, black	
<input type="radio"/>	DCA 5500	5" EPIC Softroll, silver	
<input type="radio"/>	DCA 5550	6" Comfort wheel, black <i>Not with 80° fixed frames</i>	
<input type="radio"/>	DCA 5600	6" Pneumatic wheel <i>Not with 80° fixed frames</i>	
<input type="radio"/>	DCA 5650	7" Comfort wheel, black <i>Not with 80° fixed frames or SD<40cm</i>	

NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au

Küschall® Compact

REAR WHEEL CHOICE		
ONE ARM DRIVE SYSTEM <small>24" wheels only; Not with wheel positions 4-6, fixed mudguards, drum brakes, spoke guards, 3° camber, tetra clip</small>		<input type="radio"/> CLEAR
<input type="radio"/> DCA 6000	One arm drive system right side (with light wheel 7bar tyres, alu handrims)	<small>Only for SW 36-50cm</small>
<input type="radio"/> DCA 6010	One arm drive system left side (with light wheel 7bar tyres, alu handrims)	<small>Only for SW 36-50cm</small>
REAR WHEEL FIXATION		
<input type="radio"/> DCA 6020	Standard fixation	<small>Not with rear wheel positions 5-6</small>
<input type="radio"/> DCA 6040	Rear wheel extension	<small>Not with rear wheel position 1 or Alber add-on kits</small>
REAR WHEEL POSITION <small>Positions 5-6 only with rear wheel extension</small>		
<input type="radio"/> DCA 6100	1st position	<small>Not with rear wheel extension, drum brakes or 3° camber</small>
<input type="radio"/> DCA 6110	2nd position	<small>Not with Alber add-on kits</small>
<input type="radio"/> DCA 6120	3rd position	
<input type="radio"/> DCA 6130	4th position	<small>Not with Alber add-on kits</small>
<input type="radio"/> DCA 6140	5th position	<small>Not with mud guards, one arm drive or Alber add-on kits</small>
<input type="radio"/> DCA 6150	6th position	<small>Not with mud guards, one arm drive or Alber add-on kits</small>
QUAD QUICK RELEASE AXLE		
<input type="radio"/> DCA 6300	Tetra Clip	<small>Not with Spinergy LXX, drum brake wheels or Alber add-on kits</small>
REAR WHEEL SIZE		
<input type="radio"/> DCA 6400	22"	
<input type="radio"/> DCA 6410	24"	
<input type="radio"/> DCA 6420	25"	
<input type="radio"/> DCA 6430	26"	
REAR WHEEL TYPE		
<input type="radio"/> DCA 6510	24", 26" Kuschall Starec, cross spoked	<small>Colourless Starec hub, black rim</small>
<input type="radio"/> DCA 6520	24", 25" High Performance	<small>Black hub & rim; Not with solid tyres</small>
<input type="radio"/> DCA 6550	24", 25" Spinergy LXX	<small>Hub, rim & spokes black; Not with solid tyres</small>
<input type="radio"/> DCA 6580	24", 24", 26" Wheels w/Attendant Drum Brake	<small>Not with Alber Add-Ons</small>
REAR WHEEL TYRE		
<input type="radio"/> DCA 6600	24", 25", 26" Schwalbe Rightrun black/grey	
<input type="radio"/> DCA 6640	24" Profile tyre 7 bar	
<input type="radio"/> DCA 6620	24", 25", 26" Schwalbe Marathon Plus	<small>SmartGuard puncture protected</small>
<input type="radio"/> DCA 6650	24" Solid tyre, profile, grey	<small>Not with High Perf or Spinergy LXX</small>
<input type="radio"/> DCA 6660	24" Solid tyre (KIK type), black	<small>Not with High Perf or Spinergy LXX</small>
<input type="radio"/> DCA 6630	24", 25" Schwalbe ONE	<small>V-Guard puncture resistant</small>
<input type="radio"/> DCA 6670	24" Solid light wheel	<small>Not with High Perf or Spinergy LXX</small>
ANTI FLAT		
<input type="radio"/> DCA 6680	Anti-flat tyre tube protection	<small>Not with Marathon Plus tyres, solid tyres or one-arm drive</small>
HANDRIM		
<input type="radio"/> DCA 6780	24", 25", 26" Light Alu, grey, dist 3cm	<small>Short tabs with one hole at 3cm</small>
<input type="radio"/> DCA 6800	24", 25", 26" Light Alu, grey, dist 4cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 4cm</small>
<input type="radio"/> DCA 6790	24", 25", 26" Light Alu, black, dist 3cm	<small>Short tabs with one hole at 3cm</small>
<input type="radio"/> DCA 6700	24", 26" Supergrripp, dist 3cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 3cm</small>
<input type="radio"/> DCA 6710	24", 26" Steel polished, dist 3cm	<small>Short tabs with one hole at 3cm</small>
<input type="radio"/> DCA 6720	24" Titanium, dist 3cm	<small>Short tabs with one hole at 3cm</small>
<input type="radio"/> DCA 6730	24" Titanium, dist 4cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 4cm</small>
<input type="radio"/> DCA 6740	24" Carbolife Gekko, dist 3cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 3cm</small>
<input type="radio"/> DCA 6750	24" Carbolife Gekko S, dist 3cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 3cm</small>
<input type="radio"/> DCA 6760	24" Carbolife Curve L, dist 3cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 3cm</small>
<input type="radio"/> DCA 6770	24" Carbolife Quadro, dist 3cm	<small>Long tabs with two holes at 3cm or 4cm, mounted at 3cm</small>
REAR WHEEL CAMBER		
<input type="radio"/> DCA 6820	Camber 0°	
<input type="radio"/> DCA 6840	Camber 3°	<small>Not with 26" rear wheels, one arm drive or rear wheel 1st position</small>
SPOKE GUARDS		
<input type="radio"/> DCA 6900	24", 26" Transparent	<small>Not with Spinergy LXX or one-arm drive</small>
<input type="radio"/> DCA 6910	24", 26" Black	<small>Not with Spinergy LXX or one-arm drive</small>
ALBER ADD ON KIT		
<input type="radio"/> DCA 6950	E-Motion & Twion adapter plate	<small>Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive</small>
SAFETY		
BRAKES		
<input type="radio"/> DCA 7200	Pull brake	
<input type="radio"/> DCA 7210	Push brake, bent lever	
<input type="radio"/> DCA 7220	Push brake, straight lever	
<input type="radio"/> DCA 7240	Active scissor brake	
<input type="radio"/> DCA 7250	Light Active brake	
BRAKE EXTENSION LEVER		
<input type="radio"/> DCA 7300	Brake extension lever	<small>Only for pull/push brakes</small>

**NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au**

Küschall® Compact

ANTITIPPER		<i>Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel</i>	<input type="radio"/> CLEAR
<input type="radio"/>	DCA 7500	Antitipper right <i>Not with Alber add-on kits</i>	
<input type="radio"/>	DCA 7510	Antitipper left <i>Not with Alber add-on kits</i>	
<input type="radio"/>	DCA 7520	Antitipper both sides <i>Not with Alber add-on kits</i>	
TRANSPORTATION KIT			
<input type="radio"/>	DCA 7600	Transportation kit inc seat belt and labels <i>Only available for backrest heights > 40cm; Not with FSTF 37-40cm</i>	
SEAT BELT			
<input type="radio"/>	DCA 7800	Seat belt <i>Included with transportation kit</i>	
PASSIVE LIGHTS (REFLECTORS)			<input type="radio"/> CLEAR
<input type="radio"/>	DCA 7900	Reflectors assembled (mounted on spokes)	
<input type="radio"/>	DCA 7910	Reflectors enclosed	
ACCESSORIES			
FRAME PROTECTION			
<input type="radio"/>	DCA 8000	Rear frame protection	
<input type="radio"/>	DCA 8010	Front frame protection	
TIPPER AID		<i>Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel</i>	<input type="radio"/> CLEAR
<input type="radio"/>	DCA 8100	Tipper-Aid RH <i>Not on same side as cane holder; Not with Alber add-on kits</i>	
<input type="radio"/>	DCA 8110	Tipper-Aid LH <i>Not on same side as cane holder; Not with Alber add-on kits</i>	
<input type="radio"/>	DCA 8120	Tipper-Aid both sides <i>Not possible with cane holder; Not with Alber add-on kits</i>	
CANE HOLDER		<i>Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel</i>	
<input type="radio"/>	DCA 8200	Cane holder RH <i>Not on same side as tipper-aid; Not with Alber add-on kits</i>	
<input type="radio"/>	DCA 8210	Cane holder LH <i>Not on same side as tipper-aid; Not with Alber add-on kits</i>	
TRANSIT WHEELS 3"		<i>Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel</i>	
<input type="radio"/>	DCA 8300	Transit wheels 3"	
TABLE TRAY			
<input type="radio"/>	DCA 8450	Table Tray <i>Not with SW < 36cm, clothes guards, mud guards, tubular or hemi armrests</i>	
AIR PUMP			
<input type="radio"/>	DCA 8500	Air pump	
TOOL KIT			
<input type="radio"/>	DCA 8550	Tool kit	
WHEEL BAG AND WHEEL KITS			
<input type="radio"/>	DCA 8650	Wheel bag	
<input type="radio"/>	DCA 8680	24" Mountain bike wheels with bag <i>Mountain bike wheels and tires with alu handrims and quick-release axles</i>	

SUPPORT FOR MEASUREMENTS / MYKÜSCHALL REQUESTS

	CUSTOMIZED MEASUREMENTS	
	SW	
	SD	
	BH	
	FSTF	
	RSTF	
	LLL	
	BA	
	CAMBER	
	USER WEIGHT	
USER SIZE		

NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au

Küschall® Compact

FRONT WHEEL SIZE AND FRONT SEAT TO FLOOR (FSTF)

Attachment	Standard Frame							
	High Mounted				Standard Mounted			
	4"	5"	6"	7"	4"	5"	6"	7"
FSTF 38	█	█	█	█	█	█	█	█
FSTF 39	█	█	█	█	█	█	█	█
FSTF 40	█	█	█	█	█	█	█	█
FSTF 41	█	█	█	█	█	█	█	█
FSTF 42	█	█	█	█	█	█	█	█
FSTF 43	█	█	█	█	█	█	█	█
FSTF 44	█	█	█	█	█	█	█	█
FSTF 45	█	█	█	█	█	█	█	█
FSTF 46	█	█	█	█	█	█	█	█
FSTF 47	█	█	█	█	█	█	█	█
FSTF 48	█	█	█	█	█	█	█	█
FSTF 49	█	█	█	█	█	█	█	█
FSTF 50	█	█	█	█	█	█	█	█
FSTF 51	█	█	█	█	█	█	█	█
FSTF 52	█	█	█	█	█	█	█	█
FSTF 53	█	█	█	█	█	█	█	█
FSTF 54	█	█	█	█	█	█	█	█
FSTF 55	█	█	█	█	█	█	█	█

Attachment	Hemi Frame (Swing Away Frame Only)							
	High Mounted				High Mounted			
	4"	5"	6"	7"	4"	5"	6"	7"
FSTF 38	█	█	█	█	█	█	█	█
FSTF 39	█	█	█	█	█	█	█	█
FSTF 40	█	█	█	█	█	█	█	█
FSTF 41	█	█	█	█	█	█	█	█
FSTF 42	█	█	█	█	█	█	█	█
FSTF 43	█	█	█	█	█	█	█	█
FSTF 44	█	█	█	█	█	█	█	█
FSTF 45	█	█	█	█	█	█	█	█
FSTF 46	█	█	█	█	█	█	█	█
FSTF 47	█	█	█	█	█	█	█	█
FSTF 48	█	█	█	█	█	█	█	█
FSTF 49	█	█	█	█	█	█	█	█
FSTF 50	█	█	█	█	█	█	█	█
FSTF 51	█	█	█	█	█	█	█	█
FSTF 52	█	█	█	█	█	█	█	█
FSTF 53	█	█	█	█	█	█	█	█
FSTF 54	█	█	█	█	█	█	█	█
FSTF 55	█	█	█	█	█	█	█	█

█ CONFIGURATIONS POSSIBLE █ NOT POSSIBLE

BRAKES, SEAT DEPTH (SD), REAR WHEEL SIZE AND POSITION

REAR WHEEL POS.	22" REAR WHEEL						24" REAR WHEEL						25" REAR WHEEL						26" REAR WHEEL					
	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
Push Brakes																								
SD 32-38	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 40	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 42	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 44	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 46	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 48	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 50	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
Pull Brakes																								
SD 32-38	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 40	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 42	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 44	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 46	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 48	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 50	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
Light Active Brakes																								
SD 32-38	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 40	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 42	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 44	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 46	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 48	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 50	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
Active Brakes																								
SD 32-38	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 40	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 42	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 44	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 46	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 48	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
SD 50	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█

█ CONFIGURATIONS POSSIBLE █ NOT POSSIBLE

**NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au**

Küschall® Compact



Local Homologation number, ISO, MDA, TUV logos
The product includes all standard features
Maximum user weight: 130kg
We reserve the right to deliver a + or - tolerance of +/- 10 mm
on all measurements
We reserve the right to make technical changes without notice



**NOTE: All specifications and dimensions are approximate.
For the most current information, go to www.invacare.com.au**



Invacare Corporation www.invacare.com.au

Australia
1 Lenton Place
North Rocks NSW 2151
Australia
1800 460 460

©2014 Invacare Corporation
All rights reserved. Trademarks are identified by the symbols™ and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Specifications and prices are subject to change without notification.