Braille Imprint Range



Designer

Braille & Tactile Signs

Signlink has one of the largest Braille & Tactile range in the market today with over 45 standards signs.

The Braille Imprint range was specifically developed for a commercial environment such as hospitals, universities, schools and government buildings.

All standard Braille imprint signs are held in stock.




Architectural Braille Imprint Specifications

Braille imprint signs are moulded from a single piece of polycarbonate with all graphics elements of the sign being permanently moulded into the face.

All graphics are printed on the inside face of the polycarbonate which has been applied to a semi rigid polyethylene plate. All signs are supplied with 3M 367 double sided tape applied to 100% of the back of the sign for installation.




All signs comply with the Australian building code.



Accessible transfer Diagram:

Signage for accessible sanitary
facilities must identify if the
facility is suitable for "Left Hand" or "Right
Hand" transfer. This is noted on our standard
signs as "LH" or "RH"



Designer Brochure

180 x 180mm with backing plate Braille Imprint Range 200 x 180mm with backing plate 260 x 180mm with backing plate

180 x 180mm















































































































































200 x 180mm









260 x 180mm









Designer Brochure



Exit Braille signs match the look and finish of our Braille Imprint Pictograms.


Exit Level B5	Exit Level B	Exit Level 3	Exit Level 8	Exit Level 13
Exit Level B4	Exit Level G	Exit Level 4	Exit Level 9	Exit Level 14
Exit Level B3	Exit Level LG	Exit Level 5	Exit Level 10	Exit Level 15
Exit Level B2	Exit Level 1	Exit Level 6	Exit Level 11	Exit Level 16
Exit Level B1	Exit Level 2	Exit Level 7	Exit Level 12	

*All signs held in stock

With current amendments to the Australian building code, every exit in the following scenarios are required to have a Braille and Tactile exit sign installed;

- Exit doors opening to a stairway
- Exit doors opening to the street or open area
- Exit doors for all horizontal exits in a storey.

The signs must state: "Exit" and "Level" followed by the floor/level number. The sign is to be installed on the wall on the latch side between 50mm from the architrave. It must also be located between 1250 and 1600mm from FFL.



Custom Braille

180x 180mm	✓
200 x 180mm	✓
260 x 180mm	✓

All prices are exc. GST

Complementing our standard range of Braille & Tactile Pictograms signs is the custom and bespoke 3D Printed signs. Custom signs can be produced from a supplied set of artwork or our art department can supply artwork based on our sizes and layouts.

Architectural Specifications Signlink Custom Braille Signs

Signs are 3D printed onto Rowmark ultra matte, engraving laminated, impact acrylic which is a non-glare, coloured UV stable sheet material. Signs are suitable for both internal and external use.

We are able to supply a range of standard colours along with custom colours that you may require.




All braille and tactile elements are produced to comply with the Australian Building Code.





Designer Brochure

Fitting information



- **A)** Braille & Tactile components of a sign must be located no less than 1200mm and not higher than 1600mm above the floor or ground surface.
- **B)** Signs with single lines of characters must have the line of tactile characters no less than 1200mm and not higher than 1350mm above the floor or ground surface.
- **C)** Signs identifying rooms containing features or facilities listed in D3.6, of the building code, must be located on a wall on the latch side of the door with the leading edge of the signs located between 50mm and 300mm from the architrave; and where this is not possible, the sign may be placed on the door itself.
- **D)** The background, negative space, fill of a sign must have a luminance contrast with the surface on which it is mounted of no less than 30%.
- **E)** Tactile characters, icons and symbols must have a minimum luminance contrast of 30% to the surface on which the characters are mounted.

We also supply..







Door Plates Post & Panel Directories

Copyright © 2017 Sign Supply Corp (w/sale) Pty Ltd. Signlink products are protected by patents.

Proprietary products of: Sign Supply Corp. (W/Sale) Pty Ltd



For more information visit our website.

View our range of braille along with many other sign options to suit your needs.

www.signlink.com.au



Contact Us

U1/52 -54 Stanley St Peakhurst, NSW, 2210

F | +61 2 9534 6802

E | sales@signlink.com.au W | www.signlink.com.au

Published November 2017