# **Elements 4 Person** Workstation


www.jasonl.com.au

Need help!

Call us on










2 persons required for installation



D Leg core return x6 K Extandable Beam x4 E Leg sleeve x12

L Screen x2 (1600mm)

F Sleeve cover x12

G Fold Scren x12

M Rod Brackets for screens x2

N 2 way screen connector x1

0 Phillip Head M6\*15 Wood Screw (silver) x16

Phillip Flat Head M6\*20 Screw (gold) x24

0 H6x30 x16

# **Elements 4 Person** Workstation

Size: 1600mm

www.jasonl.com.au

## Need help!


Call us on 1300 527 665





### 01

- Unwrap all leg components.
- Remove sleeve cap (J) and sleeve cover (F) from all leg sleeves.
- Insert base foot (H) into leg sleeve (E) by rotating base foot (H) clockwise.
- Insert sleeve cap (J) onto leg core (D) for all legs.
- Insert leg sleeve (E) onto leg core (D) for all legs. TIP: Keep height adjustment holes pointing outwards.
- Place leg core insert (C) onto leg core (D) for all legs.
- Place core cover (I) onto leg core (D) for all legs.
- Place sleeve cover (F) over leg sleeve (E) for all legs.



# **Elements 4 Person Workstation**

Size: 1600mm


## www.jasonl.com.au


**Need help!** 

Call us on **1300 527 665** 









B P D

Tighten Top Plates (B) to outer legs core (D) by tightening Screw (P).

# **Elements 4 Person Workstation**

Size: 1600mm


www.jasonl.com.au


Need help!

Call us on **1300 527 665** 









Attach outsider legs + beam to Desk Tops by tightening Scews (O).

Attach middle leg to Desk Tops by tightening Scews (O).

# **Elements 4 Person Workstation**

Size: 1600mm


www.jasonl.com.au

Need help!


Call us on **1300 527 665** 







Place screens (L) in the gap, aligned with desk tops (A).



Place 10mm Rod Brackets (M) into designated screen holes. Drill desk tops (A) with H6x30 screws (Q) to assemble the screens.