## **Switch System Boardroom**

Size: 3600mm x 1200mm


www.jasonl.com.au

Need help!

Call us on 1300 527 665







Note: Please ignore any pre-drilled holes or nut inserts that maybe present in your top(s). They will not match your particular table/desk base and woods screws will be required to be screwed directly into the underside of the top.

Note: It is important to fully tighten all bolts and screws before attaching the top(s) so that the frame is sufficiently rigid. Failure to do this may affect stability once the tops are attached.

## Switch System Boardroom

www.jasonl.com.au


### **Need help!**

Call us on **1300 527 665** 





Size: 3600mm x 1200mm



#### **SCREWS**

- 8 Hex Nut x6
- 9 L-Bracket screws x12
- 10 Hex Head screws x12
- 1 M8x25mm Dome Head x6

# Switch System Boardroom


Size: 3600mm x 1200mm


#### www.jasonl.com.au

## Need help!


Call us on **1300 527 665** 









Join Leg Brackets to each Leg using screws to secure them, as follow.



Join 2 L-Bracket through each 725mm Beam and 1 L-Bracket through each 1515mm Beam



Securely connect each Beam to each Beam Bracket. Screw to secure.



Insert Hex Nut on each Beam Bracket.

## **Switch System Boardroom**

Size: 3600mm x 1200mm


www.jasonl.com.au

Need help!


Call us on 1300 527 665








Position as presented, and proceed to screw to ensure each corner of the frame.



If this bolt does not drop into the joint use the Allen key to screw it all the way in so that it creates its own thread. This will ensure a nice, tight joint.



For the 2 central legs, attach as presented, using T Beam Bracket.

# Switch System Boardroom

Size: 3600mm x 1200mm

www.jasonl.com.au


Need help!

Call us on **1300 527 665** 





**Note:** It is important to fully tighten all bolts and screws before attaching the top(s) so that the frame is sufficiently rigid. Failure to do this may affect stability once the tops are attached.



Directly screw into table tops, using L-Bracket screws through each L-Bracket.