
www.jasonl.com.au

Need help!

Call us on **1300 527 665**



Sizes: 1200x800, 1400x800, 1600x800, 1800x800 mm




Sizes: 1200x800, 1400x800, 1600x800, 1800x800 mm

www.jasonl.com.au

Need help!

Call us on **1300 527 665**





I Allen key x2

COMPONENTS

A Table top x1

C Beam x1

SCREWS

Legs Quadro A x2

D Plastic bracket x4

M8x20MM CSK x2

F M8x20MM Socket head x2
G M6x20MM Socket head x4
H M6x30MM Socket head x4

Sizes: 1200x800, 1400x800, 1600x800, 1800x800 mm


www.jasonl.com.au

Need help!

Call us on **1300 527 665**










Using Allen Key provided, attach M8x20MM Socket head **(F)**-screw socket half way into leg for both legs **(B)**



Sizes: 1200x800, 1400x800, 1600x800, 1800x800 mm


www.jasonl.com.au


Need help!

Call us on **1300 527 665**









Attach beam **(C)** to legs **(B)** using nut insert in legs. See point attached

Frame looks like this. Using Allen Key, attach beam (C) with Socket (E)


www.jasonl.com.au


Need help!

Call us on **1300 527 665**



Sizes: 1200x800, 1400x800, 1600x800, 180^x800 mm





Place desktop ontop of frame - with cutout at the back of the desk. Nut inserts in top will align with plastic joiner brackets using M6x30MM **(H)** sockets attached top to frame.

Sizes: 1200x800, 1400x800, 1600x800, 1800x800 mm

www.jasonl.com.au

Need help!

Call us on **1300 527 665**



