
Sizes: 1200, 1400, 1600, 1800 mm







Sizes: 1200, 1400, 1600, 1800 mm



С

F

 \square



- A Table top x3
- B Leg Quadro Square x2
- C Connector frame x2
- D Beam x3 *
- E Plastic bracket x12

SCREWS

- F M8x20MM CSK x6
- G M8x20MM Socket head x6
- H M6x20MM Socket head x12
- I M6x30MM Socket head x12
- J Allen key x2



В




B

B

1

G

Sizes: 1200, 1400, 1600, 1800 mm



www.jasonl.com.au

Need help!


Call us on

1300 527 665


Using Allen Key provided, attach 2 plastic brackets per leg **(E)** (as per picture above) using M6x20MM **(H)** Socket head screw. Do the same with Connector frame **(C)**. Using Allen Key provided, attach M8x20MM Socket head **(G)**screw socket half way into leg for both legs **(B)** and into Connector frame **(C)**.

jason.l

your office furniture mate



Sizes: 1200, 1400, 1600, 1800 mm



www.jasonl.com.au

Need help!


Call us on **1300 527 665**

Attach beam **(D)** to legs **(B)** and Connector frame **(C)** using nut insert in legs. See point attached

Frame looks like this. Using Allen Key, attach beam (D) with Socket (F)

jason.l

your office furniture mate



Place desktops ontop of frame - with cutout at the back of the desk. Nut inserts in top will align with plastic joiner brackets using M6x30MM (I) sockets attached tops to frame.

Sizes: 1200, 1400, 1600, 1800 mm

www.jasonl.com.au

Need help! Call us on **1300 527 665**





The following nut inserts should be used for this specific desk / workstation

