
Size: 1000L x 600W mm

www.jasonl.com.au

Need help!

Call us on 1300 527 665






Size: 1000L x 600W mm

www.jasonl.com.au

Need help!

Call us on **1300 527 665**





Size: 1000L x 600W mm

stickers located on each leg.

www.jasonl.com.au


Need help!

Call us on **1300 527 665**

sticker facing away from where

the plastic brackets are inserted.





STEP 02

Insert the bottom of the legs as shown in the illustration. Using Allen Key provided, attach Mushroom Head Screw (I) - for all legs.


Size: 1000L x 600W mm

www.jasonl.com.au


Need help!

Call us on **1300 527 665**






Using Allen Key provided, attach 2 plastic brackets per leg (D) (as per picture above) using M6x20MM (G) Socket head screw



Using Allen Key provided, attach M8x20MM Socket head **(F)**- screw socket half way into leg for both legs **(B)**



Use fixed beam **(C)** 1000mm and secure beam using screws provided to suit 1000mm desk

Size: 1000L x 600W mm


www.jasonl.com.au


Need help!

Call us on **1300 527 665**









Attach beam **(C)** to legs **(B)** using nut insert in legs See point attached

Frame looks like this. Using Allen Key, attach beam (C) with Socket (E)


Size: 1000L x 600W mm

www.jasonl.com.au

Need help!

Call us on **1300 527 665**





Place desktop ontop of frame. Nut inserts in top will align with plastic joiner brackets using M6x30MM **(H)** sockets attached top to frame.