

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

Crankalicious Gumchained Remedy

Revision 0 Revision date 2016-08-23

1.1. Product identifier

Draduat name	Crankaliaiaua	Cumahainad	Damadu
Product name	Crankalicious	taumchained	Remeav

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and
	cleaning products (including solvent based products);

1.3. Details of the supplier of the safety data sheet

Company Dodo Juice Limited

Address Unit 10

Golds Nurseries Business Park

Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK

Web www.dodojuice.com
Telephone +44(0)1279 813222
Email address of the competent person factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number

Company

+44(0)7891 096802 Dodo Juice Ltd

24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC

Xn; R65 Xi; R43 R66 Symbols: Xn: Harmful.

Main hazards

May cause sensitisation by skin contact. Harmful: may cause lung damage if swallowed. Repeated

exposure may cause skin dryness or cracking.

2.1.2. Classification - EC

1272/2008

Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Dange

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

ChemSoft EH&S

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Powered by

Revision 0 Revision date 2016-08-23

2.2. Label elements

	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ soap.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P321 - Specific treatment (see on this label).
	P331 - Do NOT induce vomiting.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to local and national regulations
Disposal	

2.3. Other hazards

Other hazards	May cause irritation to eyes and respiratory system.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C11-C13,			920-901-0		70 - 80%	Xn; R65 R66	
isoalkanes, <2% aromatics							
Ethoxy (2) stearyl alcohol					1 - 10%	Xi; R41	
steareth-2							
Orange Oil Terpenes		8028-48-6	232-433-8		1 - 10%	Xn; R65 Xi; R38-43	
						R10-52/53	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics			920-901-0		70 - 80%	EUH066; Asp. Tox. 1: H304;	
MMB (3-methoxy-3-methyl-1-butanol)		56539-66-3	260-252-4		10 - 20%	Eye Irrit. 2: H319;	
Ethoxy (2) stearyl alcohol steareth-2					1 - 10%	Eye Dam. 1: H318;	
Orange Oil Terpenes		8028-48-6	232-433-8		1 - 10%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing stops, provide artificial respiration.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. Seek medical attention if irritation or symptoms persist.

Revision 0
Revision date 2016-08-23

	Revision date 2010-00
4.1. Description of first aid me	easures
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Get immediate medical advice/attention.
I.2. Most important symptom	s and effects, both acute and delayed
Inhalation	May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	None.
.3. Indication of any immedia	ate medical attention and special treatment needed
Ingestion	Aspiration hazard. May be fatal if swallowed and enters airways.
SECTION 5: Firefighting n	neasures
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. Do NOT use water jet.
5.2. Special hazards arising f	rom the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear protective clothing.
Further information	
	Combustible liquid.
SECTION 6: Accidental re	elease measures
6.1. Personal precautions, pre	otective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
6.2. Environmental precaution	ns
	Do not allow product to enter drains. Prevent further spillage if safe.
3.3. Methods and material for	containment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clear spillage area thoroughly with plenty of water.
6.4. Reference to other section	
	See section 6.1 for further information.
SECTION 7: Handling and	I storage
7.1. Precautions for safe hand	
The research of sale name	Ensure adequate ventilation of the working area. Avoid contact with skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	ge, including any incompatibilities
Serialization for data diolog	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
7.3. Specific end use(s)	1 , 2 , 1, 1, 2 , 3 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1
F	See section 1 for further information.
SECTION 8: Exposure co	ntrols/personal protection
3.1. Control parameters	
7. 1. Control parameters	
3.1.1. Exposure Limit Values	
⊏xposure ∟imit values	



Revision 0 Revision date 2016-08-23

8.1.1. Exposure Limit Values

Hydrocarbons, C11-C13,	WEL 8-hr limit ppm: 171	WEL 8-hr limit mg/m3: 1200
isoalkanes, <2% aromatics		
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.
8.2.3. Environmental exposure	See section 6, 7, 12, 13 for further information.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Red
Odour	Perfumes
Initial boiling point	170 - 250 °C
Flash point	62 °C
Evaporation rate	0.05 n-butyl acetate = 1
Lower Explosive Limit	0.6 %
Relative density	0.789 (H2O = 1 @ 20 °C)
Autoignition temperature	200 °C
Viscosity	7 sec. 3 mm (ISO 2431)
Upper Explosive Limit	7 %
Vapour pressure	40 Pa

9.2. Other information

VOC (Volatile organic	750 g/l
compounds)	
SECTION 10: Stability and reactivity	

10.1. Reactivity

10.1. Noacuvity	
	Stable under normal conditions.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
	No Significant Hazard.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition.
40.5.1	

10.5. Incompatible materials

Strong oxidising agents.



Revision 0
Revision date 2016-08-23

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No Significant Hazard.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin	No sensitizaton effects reported.
sensitisation	
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	No Significant Hazard.
STOT-repeated exposure	No Significant Hazard.
Aspiration hazard	May be fatal if swallowed and enters airways.

11.1.4. Toxicological Information

Ethoxy (2) stearyl alcohol	Oral Rat LD50: >2000mg/kg	
steareth-2		
Hydrocarbons, C11-C13,	Inhalation Rat LC50/8 h: >5000mg/kg	Oral Rat LD50: >5000mg/kg
isoalkanes, <2% aromatics		
	Dermal Rabbit LD50: >5000mg/kg	
Orange Oil Terpenes	Oral Rat LD50: >5000mg/kg	

SECTION 12: Ecological information

12.1. Toxicity

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Daphnia EC50/48h: 1000 mg/l	Algae IC50/72h: 1000 mg/l
	Fish LC50/96h: 1000 mg/l	
MMB (3-methoxy-3-methyl-1-butanol)	NOEC / EC10 for marine or >1000.0000 mg/l freshwater organisms	EC50 for marine or freshwater >1000.0000 mg/l organisms
	LC50 for marine or freshwater >100.0000 mg/l organisms	
Orange Oil Terpenes	Daphnia EC50/48h: 12.3000 mg/l	Algae EC50/72h: 67.6mg/l
	NOEC / EC10 for marine or >68.0000 mg/l	
	freshwater organisms	

12.2. Persistence and degradability

Evaporates readily.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

Hydrocarbons, C11-C13, No data available
isoalkanes, <2% aromatics

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

PBT no. vPvB no.



Revision 0 Revision date 2016-08-23

12.6. Other adverse effects		
	No known adverse environmental effects.	
SECTION 13: Disposal cons	SECTION 13: Disposal considerations	
General information		
	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	Contact a licensed waste disposal company.	
Disposal of packaging		
	Empty containers can be sent for disposal or recycling.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for us	er	
	The product is not classified as dangerous for carriage.	
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
15.2. Chemical safety assessment	ent	
	No data available.	

SECTION 16: Other information

Other information

Text of risk phrases in Section

R10 - Flammable

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.



Revision 0 Revision date 2016-08-23

Other information	
Text of Hazard Statements in	EUH066 - Repeated exposure may cause skin dryness or cracking.
Section 3	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Maximum content of VOC	750 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

