

SAFETY DATA SHEET



DATE ISSUED :	2/27/2021

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Beach Walk

PRODUCT TYPE: Perfumery Compound (Mixture)

PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

MANUFACTURER

NorthWood Distributing, LLC

201 N Meridian Street

Belle Plaine, MN 56011

customercare@northwoodcandle.com

612-638-7407

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318: Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes 15 : May cause
Acute Inhalation	23 : May cause respiratory tract irritation. 25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs 4 : Harmful or fatal
Reproductive/Developmental	

Sensitization/Allergic Response

39 : Causes reproductive/developmental

31 : May cause allergic skin reaction.

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal system, male reproductive system

28 : Prolonged or repeated Dermal Exposure may cause damage to: testes

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

GHS LABEL ELEMENTS:

HAZARD PICTOGRAM



SIGNAL WORD: Warning

HAZARD STATEMENTS:

H227

Combustible liquid

H303

May be harmful if swallowed

H313

May be harmful in contact with skin

H315

Causes skin irritation

H317

May cause an allergic skin reaction

H318

Causes serious eye damage H333 May be harmful if inhaled H371 May cause damage

to organs

H411

Toxic to aquatic life with long lasting effects

PRECAUTIONARY AND PREVENTION STATEMENTS:

P233

Keep container tightly closed

P235

Keep cool

P260

Do not breathe dust/fume/gas/mist/vapors/spray

P264

Wash hands thoroughly after handling

P270

Do not eat, drink or smoke when using this product

P271

Use only outdoors or in a well-ventilated area

P272

Contaminated work clothing should not be allowed out of the workplace

P273

Avoid release to the environment

PRECAUTIONARY AND RESPONSE STATEMENTS:

P302 + P352

IF ON SKIN: Wash with soap and water

P304 + P312

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing

P309

IF exposed or you feel unwell:

P310

Immediately call a POISON CENTER or doctor/physician

P311 Call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse
P363 Wash contaminated clothing before reuse
P370 + P378 In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391 Collect Spillage

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Benzyl Salicylate (EC# 204-262-9) (OSHA Class. 31) GHS Class.: H303; H317; H320; H371; H401; H412	118-58-1	20% to 30%
Benzyl acetate	140-11-4	10% to 20%
phenethyl alcohol	60-12-8	10% to 20%
Linalool	78-70-6	5% to 10%
Amyl Cinnamal	122-40-7	5% to 10%
Linalyl acetate	115-95-7	5% to 10%
Geraniol	106-24-1	2% to 5%
Hydroxycitronellal	107-75-5	2% to 5%
Hexyl cinnamaldehyde	101-86-0	2% to 5%
Butylphenyl Methylpropional	80-54-6	2% to 5%
Nerol	106-25-2	1% to 2%
a-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	1% to 2%
Methyl anthranilate	134-20-3	1% to 2%
Citronellol	106-22-9	1% to 2%
beta-Caryophyllene	87-44-5	1% to 2%
alpha-Terpineol	98-55-5	1% to 2%
Citrus aurantium bergamia (Bergamot) fruit oil 411	8007-75-8	1% to 2%
Hydroxyisohexyl 3-cyclohexene carboxaldehyde	31906-04-04	1% to 2%

See Section 16 for full text of GHS classification codes
Total Hydrocarbon Content (% w/w) = 3.02

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

INGESTION:

Rinse mouth with water and obtain medical advice.

INHALATION:

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

UNSUITABLE EXTINGUISHING MEDIA: Do not use the direct water jet on burning material.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE: Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

DURING FIREFIGHTING: Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS: Further information: Standard Procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

ENVIRONMENTAL PRECAUTIONS:

Keep away from drains, soil, surface and ground water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

HANDLING AND STORAGE:

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Exposure Limits – Component:

Benzyl Acetate ACGIH TWA ppm 10

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: If desired wear a NIOSH approved respirator. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

EYE PROTECTION: Use tightly sealed splash goggles, face shield, or safety glasses with brow guards and side shields as may be appropriate.

SKIN PROTECTION: Avoid skin contact. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Use of a rubber apron is recommended when handling large quantities of this material.

WORK/HYGIENIC PRACTICES: Good personal hygiene practices should be used. Wash hands after any contact, before breaks and meals, and at the end of the work period. Contaminated clothing and shoes should be cleaned before using again.

OTHER USE PRECAUTIONS: None generally required.

COMMENTS: This material is intended for manufacturing use only. Contaminated equipment should be cleaned with soap and water. Do not discharge wash water into lakes, streams, ponds, or public waters.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Yellow tink to yellow(G1-4)

ODOR: Conforms to standard

APPEARANCE: Conforms to Standard

FLASH POINT: 188 F

FLASH POINT METHOD: CLOSED CUP

AUTO-IGNITION TEMPERATURE: Not Determined

BOILING POINT/RANGE: Not Determined

MELTING POINT: Not Determined

VISCOSITY: Liquid

VAPOUR PRESSURE: Not Determined

VAPOUR DENSITY: Not Determined

SOLUBILITY: Oil

PERCENT VOC: 14.4365

SPECIFIC GRAVITY: 1.063

EVAPORATION RATE: Less than 1

REFRACTIVE INDEX @ 20C: 1.5170

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS: None Known.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: None Known.

REACTIVITY: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY-ORAL: (LD50: 2,793.87) May be harmful if swallowed.

ACUTE TOXICITY- DERMAL: (LD50: 2,978.44) May be harmful in contact with skin.

ACUTE TOXICITY- INHALATION: (RAT) mg/L/4 hr (LC50: 36.75) May be harmful if inhaled.

ACUTE EFFECTS:

EYE CONTACT: Causes serious eye irritation.

SKIN IRRITATION: Causes skin irritation.

SKIN SENSITIZATION: May cause an allergic skin reaction.

RESPIRATORY SENSITIZATION: Not Classified-The classification criteria are not met.

TARGET ORGAN: Single exposure: May cause damage to organs

GERM CELL MUTAGENICITY: Not classified.

REPRODUCTIVE TOXICITY: Not classified.

ASPIRATION HAZARD: May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Toxic to aquatic life.

CHRONIC AQUATIC TOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: No data Available

BIO-ACCUMULATIVE POTENTIAL: No data Available

MOBILITY IN SOIL: No data Available

OTHER ADVERSE EFFECTS: No data Available

ECOTOXICOLOGICAL OTHER INFORMATION: No data Available

13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

Regulator	Class	Pack Group	Sub Risk	UN-nr
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated-Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN-3082
IATA (Air Cargo)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082
IMGD (Sea)				
Environmentally Hazardous Substance	9	III		UN-3082

Liquid, n.o.s.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA(Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. OTHER INFORMATION

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk

(2.91) Skin Corrosion/Irritation, Category 2 (25.36) Sensitization, Skin, Category 1B

(1.77) Eye Damage/Eye Irritation, Category 1 (25.36) Target Organ Systemic Toxicity - Single Exposure, Category 2

(1.74) Aquatic Chronic Toxicity, Category 2

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.