

SAFETY DATA SHEET



DATE ISSUED :	2/3/2022

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Black Amber Musk

PRODUCT TYPE: Perfumery Compound (Mixture)

PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

MANUFACTURER

NorthWood Distributing, LLC

201 N Meridian Street

Belle Plaine, MN 56011

customercare@northwoodcandle.com

952-679-4058

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4

Acute Toxicity Oral, Category 5

Aspiration Hazard, Category 1

Acute Toxicity Dermal, Category 5

Skin Corrosion/Irritation, Category 2

Sensitization, Skin, Category 1B

Aquatic Acute Toxicity, Category 1

Aquatic Chronic Toxicity, Category 2

Acute Toxicity Inhalation, Category 5

Germ Cell Mutagenicity, Category 1B

Carcinogenicity, Category 1B

H227: Combustible liquid

H303: May be harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H400: Very toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects

H333 : May be harmful if inhaled

H340 : May cause genetic defects

H350 : May cause cancer

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class

Aspiration Hazard, Category 1

Skin Corrosion/Irritation, Category 2

Sensitization, Skin, Category 1B

Germ Cell Mutagenicity, Category 1B

Carcinogenicity, Category 1B

Aquatic Acute Toxicity, Category 1

IIIA Combustible Liquid

H304 : May be fatal if swallowed and enters airways

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H340 : May cause genetic defects

H350 : May cause cancer

H400 : Very Toxic to aquatic life

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

**GHS LABEL ELEMENTS:
HAZARD PICTOGRAM**



SIGNAL WORD: Warning

HAZARD STATEMENTS:

H227	Combustible liquid
H303	May be harmful if swallowed
H303	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H340	May cause genetic defects
H350	May cause cancer
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

P370 + P378

In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Benzyl Benzoate	120-51-4	40% to 50%
Naphtha, petroleum, hydrotreated heavy	64742-48-9	10% to 20%
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	10% to 20%
phenethyl alcohol	60-12-8	2% to 5%
Hexyl cinnamaldehyde	101-86-0	2% to 5%
Hexamethylindanopyran	1222-05-5	2% to 5%
Butylphenyl Methylpropional	80-54-6	0.1% to 1.0%
Ethyl trimethylcyclopentene butenol	28219-61-6	2% to 5%

* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 19.60

INGREDIENTS:

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification based on the evaluation of the individual components.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

INGESTION:

Rinse mouth with water and obtain medical advice.

INHALATION:

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

UNSUITABLE EXTINGUISHING MEDIA: Do not use the direct water jet on burning material.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE: Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

DURING FIREFIGHTING: Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS: Further information: Standard Procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

ENVIRONMENTAL PRECAUTIONS:

Keep away from drains, soil, surface and ground water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

HANDLING AND STORAGE:

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Engineering Controls: Use local exhaust as needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Nearly colorless to Yellow Tint (G0-1)

ODOR: Conforms to Standard

APPEARANCE: Conforms to Standard

FLASH POINT: 162 F

FLASH POINT METHOD: CLOSED CUP

AUTO-IGNITION TEMPERATURE: Not Determined

BOILING POINT/RANGE: Not Determined

MELTING POINT: Not Determined

VISCOSITY: Liquid

VAPOUR PRESSURE: 0.1077

VAPOUR DENSITY: Not Determined

SOLUBILITY: Oil

PERCENT VOC: 19.58

SPECIFIC GRAVITY @ 25C: 0.9820

EVAPORATION RATE: Less than 1

REFRACTIVE INDEX @ 20C: 1.5150

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS: None Known.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: None Known.

REACTIVITY: None.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2291.2570) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3384.2711) Not classified-criteria not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 64.8742) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Toxic to aquatic life.

CHRONIC AQUATIC TOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: No data Available

BIO-ACCUMULATIVE POTENTIAL: No data Available

MOBILITY IN SOIL: No data Available

OTHER ADVERSE EFFECTS: No data Available

ECOTOXICOLOGICAL OTHER INFORMATION: No data Available

13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

Marine Pollutant: Yes. Ingredient of greatest environmental impact :
120-51-4 : (40 - 50 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr
U.S. DOT (Non-Bulk)	Not Regulated-Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN-3082
IATA (Air Cargo)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082
IMGD (Sea)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA (USA TOXIC SUBSTANCE CONTROL ACT):

All ingredients in this mixture are listed on the TSCA inventory.

SARA TITLE III (SUPERFUND AMMENDMENTS AND REAUTHORIZATION ACT):

SARA SECTION: This product contains NO components of concern.

US STATE REGULATIONS

RIGHT TO KNOW: The identities of the ingredients of this mixture are proprietary and are considered to be trade secrets.

CALIFORNIA PROPOSITION 65: This mixture contains the following chemical (s) subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

California Proposition 65 Warning

94-59-7	202-345-1
123-35-3(NF)	204-622-5
93-15-2	202-851-5

This product contains the following components:

0.01 – 0.1%	Safrole (Natural Source)
0.01 - 0.1%	beta-Myrcene (Natural Source)
<= 47 ppm	Methyl Eugenol (Natural Source)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. OTHER INFORMATION

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H336 : May cause drowsiness or dizziness
H361 : Suspected of damaging fertility or the unborn child	H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(182.00) Carcinogenicity, Category 1B	(182.00) Germ Cell Mutagenicity, Category 1B
(95.35) Aquatic Chronic Toxicity, Category 3	(72.62) Acute Toxicity Inhalation, Category 5
(12.80) Sensitization, Skin, Category 1B	(9.53) Aquatic Chronic Toxicity, Category 2
(4.44) Skin Corrosion/Irritation, Category 3	(3.60) Aquatic Chronic Toxicity, Category 4

(3.39) Skin Corrosion/Irritation, Category 2

(2.18) Acute Toxicity Oral, Category 5

(1.47) Acute Toxicity Dermal, Category 5

(2.92) Aquatic Acute Toxicity, Category 1

(1.96) Aspiration Hazard, Category 1

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.