

# SAFETY DATA SHEET



DATE ISSUED :	5/10/2021

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Bourbon Salted Caramel

**PRODUCT TYPE:** Perfumery Compound (Mixture)

**PRODUCT RECOMMENDED USE:** Compound used in customer substance/ mixture / product.

### MANUFACTURER

NorthWood Distributing, LLC

201 N Meridian Street

Belle Plaine, MN 56011

[customercare@northwoodcandle.com](mailto:customercare@northwoodcandle.com)

952-679-4058

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION:

Flammable Liquids, Category 4

Acute Toxicity Oral, Category 5

Acute Toxicity Dermal, Category 4

Skin Corrosion/Irritation, Category 3

Sensitization, Skin, Category 1A

Eye Damage/Eye Irritation, Category 1

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 2

Aquatic Chronic Toxicity, Category 3

H227 : Combustible liquid

H303 : May be harmful if swallowed

H312 : Harmful in contact with skin

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

H333 : May be harmful if inhaled

H401 : Toxic to aquatic life

H412 : Harmful to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4

Acute Toxicity Dermal, Category 4

Sensitization, Skin, Category 1A

Eye Damage/Eye Irritation, Category 1

H227 : Combustible liquid

H312 : Harmful in contact with skin

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

### Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:

None  ACGIH  IARC  NTP  OSHA

### GHS LABEL ELEMENTS:

#### HAZARD PICTOGRAM



**SIGNAL WORD:** Danger

**HAZARD STATEMENTS:**

H227	Combustible liquid
H303	Harmful if swallowed
H312	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

**PRECAUTIONARY STATEMENTS:**

P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

**RESPONSE:**

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %
PPG-2 Methyl Ether Acetate	88917-22-0	20% to 30%

Benzyl Benzoate	120-51-4	10% to 20%
Ethyl Vanillin	121-32-4	10% to 20%
p-Anisyl acetate	104-21-2	5% to 10%
Benzyl Alcohol	100-51-6	5% to 10%
Coumarin	91-64-5	5% to 10%
Limonene	5989-27-5	5% to 10%
Ethyl Maltol	4940-11-8	2% to 5%
Octahydrocoumarin	4430-31-3	2% to 5%
gamma-Nonalactone	104-61-0	2% to 5%
vanillin	121-33-5	2% to 5%
Ethyl Lactate	97-64-3	2% to 5%
Ethyl butyrate	105-54-4	1% to 2%
gamma-Hexalactone	695-06-7	1% to 2%
Ethyl propionate	105-37-3	1% to 2%
Methylcyclopentenolone	80-71-7	1% to 2%
Anisaldehyde	123-11-5	1% to 2%
2,3-Pentanedione	600-14-6	0.1% to 1.0%
Ethyl 2,2-dimethylhydrocinnamal	67634-15-5	0.1% to 1.0%
Cinnamal	104-55-2	0.1% to 1.0%

Total Hydrocarbon Content (% w/w) = 6.29

**INGREDIENTS:**

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification based on the evaluation of the individual components.

**4. FIRST AID MEASURES**

**EYES:**

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

**SKIN:**

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

**INGESTION:**

Rinse mouth with water and obtain medical advice.

**INHALATION:**

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:**

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

**5. FIRE FIGHTING MEASURES**

**SUITABLE EXTINGUISHING MEDIA:** Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

**UNSUITABLE EXTINGUISHING MEDIA:** Do not use the direct water jet on burning material.

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE:** Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

**DURING FIREFIGHTING:** Water may be ineffective.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS:** Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

**ADVICE FOR FIREFIGHTERS:** Further information: Standard Procedure for chemical fires.

**6. ACCIDENTAL RELEASE MEASURES****ACCIDENTAL RELEASE MEASURES:**

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

**ENVIRONMENTAL PRECAUTIONS:**

Keep away from drains, soil, surface and ground water.

**7. HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING:**

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

**HANDLING AND STORAGE:**

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

## 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION:** If desired wear a NIOSH approved respirator. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**EYE PROTECTION:** Use tightly sealed splash goggles, face shield, or safety glasses with brow guards and side shields as may be appropriate.

**SKIN PROTECTION:** Avoid skin contact. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Use of a rubber apron is recommended when handling large quantities of this material.

**WORK/HYGIENIC PRACTICES:** Good personal hygiene practices should be used. Wash hands after any contact, before breaks and meals, and at the end of the work period. Contaminated clothing and shoes should be cleaned before using again.

**OTHER USE PRECAUTIONS:** None generally required.

**COMMENTS:** This material is intended for manufacturing use only. Contaminated equipment should be cleaned with soap and water. Do not discharge wash water into lakes, streams, ponds, or public waters.

### Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm
600-14-6      2,3-Pentanedione			0

**Engineering Controls:** Use local exhaust as needed.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** Greenish Yellow (G1-6)

**ODOR:** Conforms to Standard

**APPEARANCE:** Conforms to Standard

**FLASH POINT:** 150 F

**FLASH POINT METHOD:** CLOSED CUP

**AUTO-IGNITION TEMPERATURE:** Not Determined

**BOILING POINT/RANGE:** Not Determined

**MELTING POINT:** Not Determined

**VISCOSITY:** Liquid

**VAPOUR PRESSURE (mmHg@20C) :** 0.0595

**VAPOUR DENSITY:** Not Determined

**SOLUBILITY:** Oil

**PERCENT VOC:** 14.05

**SPECIFIC GRAVITY:** 1.0590

**DENSITY @ 25 C:** 1.0560

**REFRACTIVE INDEX @ 25C:** 1.5020

## 10. STABILITY AND REACTIVITY

**CHEMICAL STABILITY:** Product is stable under normal storage and use.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None Known.

**CONDITIONS TO AVOID:** Excessive heat, sparks or open flame.

**MATERIALS TO AVOID:** Strong oxidizing agents or contamination with strong acids or alkalis.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None Known.

**REACTIVITY:** None.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY-ORAL:** (LD50: 2029.2887) May be harmful if swallowed

**ACUTE TOXICITY- DERMAL:** (LD50: 1875.7338) May be harmful in contact with skin

**ACUTE TOXICITY- INHALATION:** (RAT) mg/L/4 hr (LD50: 36.7819) May be harmful if inhaled.

**SKIN IRRITATION:** Causes skin irritation

**EYE CONTACT:** Causes serious eye damage

**RESPIRATORY SENSITIZATION:** Not Classified-The classification criteria are not met.

**SKIN SENSITIZATION:** May cause an allergic skin reaction

**GERM CELL MUTAGENICITY:** Not classified - the classification criteria are not met

**CARCINOGENICITY:** Not classified - the classification criteria are not met

**REPRODUCTIVE TOXICITY:** Not Classified-The classification criteria are not met.

**TARGET ORGAN:** Single exposure: Not classified.

**ASPIRATION HAZARD:** Not Classified-The classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

**ACUTE AQUATIC TOXICITY:** Toxic to aquatic life.

**CHRONIC AQUATIC TOXICITY:** Harmful to aquatic life with long lasting effects.

**PERSISTENCE AND DEGRADABILITY:** No data Available

**BIO-ACCUMULATIVE POTENTIAL:** No data Available

**MOBILITY IN SOIL:** No data Available

**OTHER ADVERSE EFFECTS:** No data Available

**ECOTOXICOLOGICAL OTHER INFORMATION:** No data Available

## 13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. TRANSPORT INFORMATION

**Marine Pollutant** No

Regulator	Class	Pack Group	Sub Risk	UN-nr
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated – Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b> Chemicals NOI	Not Regulated – Not Dangerous Goods			
<b>IATA (Air Cargo)</b> Chemicals NOI	Not Regulated – Not Dangerous Goods			
<b>IMGD (Sea)</b> Chemicals NOI	Not Regulated – Not Dangerous Goods			

## 15. REGULATORY INFORMATION

### US FEDERAL REGULATIONS

#### TSCA (USA TOXIC SUBSTANCE CONTROL ACT):

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

### US STATE REGULATIONS

**CALIFORNIA PROPOSITION 65:** This product contains the following components:

123-35-3(NFS)                      204-622-5                      0.1 to 1.0%                      beta-Myrcene (Natural Source)

**Canadian Regulations**  
**DSL**

100.00% of the components are listed or exempt.

**16. OTHER INFORMATION**

**GHS H-Statements referred to under section 3 and not listed in section 2**

H225 : Highly flammable liquid and vapor	H226 : Flammable liquid and vapor
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H335 : May cause respiratory irritation
H373 : May cause damage to organs through prolonged or repeated exposure	H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life	H411 : Toxic to aquatic life with long lasting effects

**Total Fractional Values**

(TFV) Risk	(TFV) Risk
(135.94) Acute Toxicity Inhalation, Category 5	(8.18) Aquatic Acute Toxicity, Category 2
(7.74) Eye Damage/Eye Irritation, Category 2A	(7.35) Sensitization, Skin, Category 1B
(5.96) Aquatic Chronic Toxicity, Category 3	(4.00) Sensitization, Skin, Category 1A
(2.46) Acute Toxicity Oral, Category 5	(2.18) Eye Damage/Eye Irritation, Category 1
(1.39) Skin Corrosion/Irritation, Category 3	(1.27) Eye Damage/Eye Irritation, Category 2B
(1.07) Acute Toxicity Dermal, Category 4	

**DISCLAIMER:**

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.