SAFETY DATA SHEET



DATE ISSUED:	3/10/2016

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Butterfly Orchid

PRODUCT TYPE: Perfumery Compound (Mixture)

PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

MANUFACTURER

NorthWood Distributing, LLC 201 N Meridian Street Belle Plaine, MN 56011 customercare@northwoodcandle.com

952-679-4058

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4 H302: May be harmful if swallowed Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eve irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400: Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid Acute Dermal/Eye 12: Causes moderate 15: May cause

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing,

hypothermia, lethargy, ataxia

3: May be harmful if swallowed or if aspirated into the lungs Acute Oral

Reproductive/Developmental 39: Causes reproductive/developmental Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys,

liver, stomach, brain, tongue, mucous membranes, musculo-skeletal

system

28: Prolonged or repeated Dermal Exposure may cause damage to:

kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or

greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

GHS LABEL ELEMENTS: HAZARD PICTOGRAM







Labelling (REGULATION (EC) No 1272/2008)

SIGNAL WORD: Warning

HAZARD STATEMENTS:

H302	May be harmful if swallowed
H313	May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H333 Harmful if inhaled

H371 May cause damage to organs H400 Very toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

Prevention:

P201	Obtain special instructions before use
------	--

P202 Do not handle until all safety precautions have been read and understood

P233 Keep container tightly closed

P235 Keep cool

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391 Collect Spillage

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	
Benzyl Benzoate	120-51-4	50% to 60%	
Hexyl cinnamaldehyde	101-86-0	10% to 20%	
Benzyl acetate	140-11-4	5% to 10%	
Linalyl acetate	115-95-7	2% to 5%	
Butylphenyl Methylpropional	80-54-6	1% to 2%	
Linalool	78-70-6	1% to 2%	
Benzyl Salicylate	118-58-1	1% to 2%	
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	1% to 2%	
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1% to 2%	
gamma-Decalactone	706-14-9	1% to 2%	
2,6-dimethyloct-7-en-2-ol	18479-58-8	1% to 2%	
a-Isomethyl ionone	127-51-5	1% to 2%	
gamma-Nonalactone	104-61-0	1% to 2%	
p-Methylanisole	104-93-8	0.1% to 1.0%	

Total Hydrocarbon Content (% w/w) = 0.67

INGREDIENTS:

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification based on the evaluation of the individual components.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

INGESTION:

Rinse mouth with water and obtain medical advice.

INHALATION:

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon dioxide (CO2), Dry chemical, Foam

UNSUITABLE EXTINGUISHING MEDIA: Do not use the direct water jet on burning material.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE: Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

DURING FIREFIGHTING: Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS: Further information: Standard Procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

PERSONAL PRECAUTIONS AND PROCEDURES: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

CLEANUP AND CONTAINMENT: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

ENVIRONMENTAL PRECAUTIONS: Keep away from drains, soil, surface and ground water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

HANDLING AND STORAGE: Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

EXPOSURE LIMITS:

CAS	CHEMICAL NAME	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			

ENGINEERING CONTROLS: Use local exhaust as needed.

EYE PROTECTION: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

RESPIRATORY PROTECTION: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

SKIN PROTECTION: Avoid Skin contact. Use chemically resistant gloves as needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Greenish Yellow (G4)

ODOR: Conforms to Standard

APPEARANCE: Conforms to Standard

FLASH POINT: >200 F

FLASH POINT METHOD: CLOSED CUP

AUTO-IGNITION TEMPERATURE: Not Determined

BOILING POINT/RANGE: Not Determined

MELTING POINT: Not Determined

VISCOSITY: Liquid

VAPOR PRESSURE: 0.0222

VAPOR DENSITY: Not Determined

SOLUBILITY: Oil

PERCENT VOC: 6.0822

SPECIFIC GRAVITY @ 25C: 1.0460

EVAPORATION RATE: Less than 1

REFRACTIVE INDEX @ 20C: 1.5390

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS: None Known.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: None Known.

REACTIVITY: None.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,910.58) May be harmful if swallowed (LD50: 3,832.73) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 60.90) May be harmful if inhaled

Skin corrosion / irritationCauses skin irritationSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposureNot classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Very toxic to aquatic life.

CHRONIC AQUATIC TOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: No data Available

BIO-ACCUMULATIVE POTENTIAL: No data Available

MOBILITY IN SOIL: No data Available

OTHER ADVERSE EFFECTS: No data Available

ECOTOXICOLOGICAL OTHER INFORMATION: No data Available

13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Pack Group ed-Not Dangero	Sub Risk us Goods	UN-nr
ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMGD (Sea) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA (USA TOXIC SUBSTANCE CONTROL ACT):

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

This product contains NO components of concern.

US STATE REGULATIONS

RIGHT TO KNOW: The identities of the ingredients of this mixture are proprietary and are considered to be trade secrets. **CALIFORNIA PROPOSITION 65:** This mixture contains the following chemical (s) subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL	99.82	% of the compone	ents are listed or exempt.
67801-20-1	267-140-4	0.01 - 0.1%	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol
125109-85-5	412-050-4	0.1 - 1.0 %	Isopropylphenylbutanal
125109-85-5	412-050-4	<= 11 ppm	Isopropylphenylbutanal
131812-67-4	412-950-7	<= 3 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3- dioxolane (Okoumal)
362467-67-2	447-630-6	<= 15 ppm	7-(3-methylbutyl)-1, 5-benzodioxepin-3-one

16. OTHER INFORMATION

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk
(13.20) Sensitization, Skin, Category 1B
(1.50) Target Organ Systemic Toxicity - Single Exposure, Category 2
(4.07) Aquatic Chronic Toxicity, Category 2

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.