

# SAFETY DATA SHEET

DATE ISSUED :	2/6/2020



## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Guess for Men (type)

**PRODUCT TYPE:** Perfumery Compound (Mixture)

**PRODUCT RECOMMENDED USE:** Compound used in customer substance/ mixture / product.

### MANUFACTURER

NorthWood Distributing, LLC

201 N Meridian Street

Belle Plaine, MN 56011

[customercare@northwoodcandle.com](mailto:customercare@northwoodcandle.com)

952-679-4058

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION:

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Skin Sensitization Category 1B

### GHS LABEL ELEMENTS:

#### HAZARD PICTOGRAM



**SIGNAL WORD:** Warning

### HAZARD STATEMENTS:

May cause an allergic skin reaction.

### PRECAUTIONARY & PREVENTION STATEMENTS:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

**RESPONSE STATEMENTS:**

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use an appropriate extinguisher (see section 5) for extinction.

**STORAGE STATEMENTS:**

Store in a well-ventilated place. Keep cool.

**DISPOSAL STATEMENTS:**

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	54464-57-2	0.5% to 1.5%
Octanal, 2-(phenylmethylene)-	101-86-0	0.1% to 1%
2H-1-Benzopyran-2-one	91-64-5	0.1% to 1%
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.1% to 1%
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	0.1% to 1%
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)-	31906-04-4	0.1% to 1%
1,3-Benzodioxole-5-propanal, .alpha.-methyl-	1205-17-0	0.1% to 1%

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

**INGREDIENTS:**

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification based on the evaluation of the individual components.

**4. FIRST AID MEASURES**

**INHALATION:** This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.

**EYES:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

**SKIN:** If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**INGESTION:** No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

**MOST IMPORTANT SYMPTOMS/EFFECTS (ACUTE AND DELAYED):** May cause an allergic skin reaction

## 5. FIRE FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

**UNSUITABLE EXTINGUISHING MEDIA:** None known

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE:** Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible at elevated temperatures

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Oxides

**ADVICE FOR FIREFIGHTERS:** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for the surrounding fire.

## 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTION, AND EMERGENCY PROCEDURES:** No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:** No special spill clean-up considerations. Collect and discard in regular trash.

## 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING:** Mildly irritating material. Avoid unnecessary exposure. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Ground and bond containers when transferring material Use spark-proof tools and explosion-proof equipment Do not get in eyes, on skin and clothing Wash thoroughly after handling Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

**HANDLING AND STORAGE:** Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use Do not store near combustible materials Keep away from heat, sparks, and flame Store in a cool place in original container and protect from sunlight.

**MATERIALS TO AVOID:** Oxidizing agents, Bases, Acids, Strong oxidizing agents, Reducing agents, Strong acids, Strong bases

## 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

**OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:**

No data available

**APPROPRIATE ENGINEERING CONTROLS:** General room or local exhaust ventilation is usually required to meet employee exposure standards and/or to ensure employees are not overexposed to airborne material as described in Section III.

### PERSONAL PROTECTION METHODS

**RESPIRATORY PROTECTION:** Avoid breathing dust/fume/gas/mist/vapors/spray.

**EYE PROTECTION:** Wear safety glasses with side shields and a Face shield

**SKIN PROTECTION:** Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

**WORK/HYGIENIC PRACTICES:** Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

**OTHER PROTECTIVE EQUIPMENT:** Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield. Wear goggles and a Face shield.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** Clear

**ODOR:** Conforms to Standard

**APPEARANCE:** Conforms to Standard

**FLASH POINT:** >200 F

**FLASH POINT METHOD:** CLOSED CUP

**AUTO-IGNITION TEMPERATURE:** 259 ° C

**INITIAL BOILING POINT/RANGE:** 230 ° F

**MELTING POINT:** Not Available

**VISCOSITY:** Liquid

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** >1

**SOLUBILITY:** Oil

**PERCENT VOC:**

**SPECIFIC GRAVITY:** Not Available

**EVAPORATION RATE:** Not Available

**REFRACTIVE INDEX @ 25C:** Not Available

**VOLATILE ORGANIC CHEMICALS:** 4.43

**BULK DENSITY:** 7.761

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Not expected to be reactive.

**CHEMICAL STABILITY:** Product is stable under normal storage and use.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None Known.

**CONDITIONS TO AVOID:** Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. direct sunlight Extremes of temperature. Direct sources of heat. Avoid moisture sparks flame Heat

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon Oxides, Carbon dioxide, Carbon monoxide

**INCOMPATIBLE MATERIALS:** Oxidizing agents, Bases, Acids, Strong oxidizing agents, Reducing agents, Strong acids, Strong bases

## 11. TOXICOLOGICAL INFORMATION

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Skin

**Symptoms related to the physical, chemical and toxicological characteristics:** May cause an allergic skin reaction

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**INGESTION:** None known

**SKIN CONTACT:** No data available

**INHALATION:** No data available

**EYE CONTACT:** Causes serious eye irritation

**SENSITIZATION:** May cause an allergic skin reaction

**REPRODUCTIVE AND DEVELOPMENTAL:** No data available

**CARCINOGENICTY:** No data available

**STOT-SINGLE EXPOSURE:** Based on available data, the classification criteria are not met.

**STOT-REPEATED EXPOSURE:** Based on available data, the classification criteria are not met.

**ASPIRATION HAZARD:** Based on available data, the classification criteria are not met.

**Numerical measures of toxicity (such as acute toxicity estimates):**

CHEMICAL	LD50 ORAL	LD50 DERMAL	LC50 INHALATION
No Data Available	No Data Available	No Data Available	No Data Available

**12. ECOLOGICAL INFORMATION**

**ACUTE AQUATIC TOXICITY:** No Data Available

**CHRONIC AQUATIC TOXICITY:** No data Available

**PERSISTENCE AND DEGRADABILITY:** No data Available

**BIO-ACCUMULATIVE POTENTIAL:** No data Available

**MOBILITY IN SOIL:** No data Available

**OTHER ADVERSE EFFECTS:** No data Available

**ECOTOXICOLOGICAL OTHER INFORMATION:** No data Available

**13. DISPOSAL CONSIDERATIONS**

Spent or discarded material may be a hazardous waste.

**14. TRANSPORT INFORMATION**

**Carriage of dangerous goods by road (DOT), rail or inland waterways:**

**UN number:** Not Restricted  
**UN Proper shipping name:** No Data Available  
**Transport hazard class(es):** No Data Available  
**Packing group, if applicable:** No Data Available  
**DOT Basic description:** No Data Available

**International carriage of dangerous goods by sea (IMDG/IMO):**

**UN number:** Not Restricted  
**UN Proper shipping name:** No Data Available  
**Transport hazard class(es):** No Data Available  
**Packing group, if applicable:** No Data Available

**International carriage of dangerous goods by air (IATA):**

**UN number:** Not Restricted  
**UN Proper shipping name:** No Data Available  
**Transport hazard class(es):** No Data Available

**Packing group, if applicable:** No Data Available

**Environmental hazards (e.g.,  
Marine pollutant)** No

**Transport in bulk (according to Annex II of  
MARPOL 73/78 and the IBC Code):** No Data Available

**Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:**

No Data Available

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations specific for the product in question:**

**TSCA Status:** All components in this product are on the TSCA Inventory.

**Regulated Components:**

No Data Available

## 16. OTHER INFORMATION

### **DISCLAIMER:**

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.