## SAFETY DATA SHEET



| DATE ISSUED: | 3/10/2016 |  |
|--------------|-----------|--|
|              |           |  |

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Lilac

**PRODUCT TYPE:** Perfumery Compound (Mixture)

PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

#### **MANUFACTURER**

NorthWood Distributing, LLC 201 N Meridian Street Belle Plaine, MN 56011 customercare@northwoodcandle.com

OF 2 C70 40F0

952-679-4058

#### 2. HAZARDS IDENTIFICATION

#### **CLASSIFICATION:**

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 5

Acute Toxicity Dermal, Category 5

H303: May be harmful if swallowed

H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

H317: May cause an allergic skin reaction
H319: Causes serious eye irritation
H333: May be harmful if inhaled

Aquatic Acute Toxicity, Category 2 H401: Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes 15 : May cause

Acute Inhalation 24 : Causes respiratory tract irritation.

25: Inhalation at high levels may cause: anesthesia

Acute Oral 3 : May be harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys,

adrenal glands, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal

system, male reproductive system

28: Prolonged or repeated Dermal Exposure may cause damage to:

kidneys, skin, testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or

greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

# GHS LABEL ELEMENTS: HAZARD PICTOGRAM



SIGNAL WORD: Warning

## **HAZARD STATEMENTS:**

H303 May be harmful if swallowed
H313 May be harmful in contact with skin
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H333 May be harmful if inhaled
H401 Toxic to aquatic life

## **PRECAUTIONARY STATEMENTS:**

## **Prevention:**

H412

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

Harmful to aquatic life with long lasting effects

P273 Avoid release to the environment

## Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present

and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                                 | CAS Number | Weight %   |
|---|------------|------------|
| Terpineol                                     | 8000-41-7  | 40% to 50% |
| phenethyl alcohol                             | 60-12-8    | 10% to 20% |
| Hexyl cinnamaldehyde                          | 101-86-0   | 5% to 10%  |
| Piperonal                                     | 120-57-0   | 5% to 10%  |
| Benzyl acetate                                | 140-11-4   | 5% to 10%  |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde | 103-95-7   | 2% to 5%   |
| Butylphenyl Methylpropional                   | 80-54-6    | 2% to 5%   |
| Linalool                                      | 78-70-6    | 1% to 2%   |
| 3-Phenyl-1-propanol                           | 122-97-4   | 1% to 2%   |
| Phenethyl acetate                             | 103-45-7   | 1% to 2%   |
| Anisaldehyde                                  | 151-05-3   | 1% to 2%   |

Total Hydrocarbon Content (% w/w) = 0.00

#### **INGREDIENTS:**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

## 4. FIRST AID MEASURES

#### EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

## SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

## **INGESTION:**

Rinse mouth with water and obtain medical advice.

#### **INHALATION:**

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

## **NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:**

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

## **5. FIRE FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

**UNSUITABLE EXTINGUISHING MEDIA**: Do not use the direct water jet on burning material.

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE:** Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

**DURING FIREFIGHTING:** Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS:** Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS: Further information: Standard Procedure for chemical fires.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **ACCIDENTAL RELEASE MEASURES:**

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

#### PRECAUTIONS, PROTECTION, PROCEDURES:

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **CONTAINMENT AND CLEANING:**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### **ENVIRONMENTAL PRECAUTIONS:**

Keep away from drains, soil, surface and ground water.

## 7. HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING:

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

## **HANDLING AND STORAGE:**

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

#### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## **Exposure Limits:**

ACGIH TWA ppm

10

140-11-4 Benzyl acetate

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** Colorless to Yellow Tint (G0-1)

**ODOR:** Conforms to Standard

**APPEARANCE:** Conforms to Standard

FLASH POINT: >200 F

FLASH POINT METHOD: CLOSED CUP

**AUTO-IGNITION TEMPERATURE:** Not Determined

**BOILING POINT/RANGE:** Not Determined

**MELTING POINT: Not Determined** 

VISCOSITY: Liquid

**VAPOUR PRESSURE: 0.0184** 

**VAPOUR DENSITY: Not Determined** 

**SOLUBILITY:** Oil

PERCENT VOC: 5.645

SPECIFIC GRAVITY @ 25C: 0.9770

**DENSITY @ 25 C**: 0.9740

REFRACTIVE INDEX @ 20C: 1.5060

## **10. STABILITY AND REACTIVITY**

CHEMICAL STABILITY: Product is stable under normal storage and use.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None Known.

**CONDITIONS TO AVOID:** Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

#### **HAZARDOUS DECOMPOSITION PRODUCTS:** None Known.

**REACTIVITY:** None.

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,205.13) May be harmful if swallowed (LD50: 2,074.68) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 27.20) May be harmful if inhaled

Skin corrosion / irritationCauses skin irritationSerious eye damage / irritationCauses serious eye irritation

**Respiratory sensitization** Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

#### 12. ECOLOGICAL INFORMATION

**ACUTE AQUATIC TOXICITY:** Toxic to aquatic life

CHRONIC AQUATIC TOXICITY: Harmful to aquatic life with long lasting effects

PERSISTENCE AND DEGRADABILITY: No data Available

**BIO-ACCUMULATIVE POTENTIAL**: No data Available

MOBILITY IN SOIL: No data Available

OTHER ADVERSE EFFECTS: No data Available

**ECOTOXICOLOGICAL OTHER INFORMATION**: No data Available

## 13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. TRANSPORT INFORMATION

Regulator Class Pack Group Sub Risk UN-nr

U.S. DOT (Non-Bulk) Not Regulated-Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated-Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated-Not Dangerous Goods

Chemicals NOI

IMGD (Sea) Not Regulated-Not Dangerous Goods

Chemicals NOI

## 15. REGULATORY INFORMATION

#### **US FEDERAL REGULATIONS**

## TSCA (USA TOXIC SUBSTANCE CONTROL ACT):

All ingredients in this mixture are listed on the TSCA inventory.

#### SARA TITLE III (SUPERFUND AMMENDMENTS AND REAUTHORIZATION ACT):

SARA SECTION: This product contains NO components of concern.

#### **US STATE REGULATIONS**

**RIGHT TO KNOW:** The identities of the ingredients of this mixture are proprietary and are considered to be trade secrets. **CALIFORNIA PROPOSITION 65:** This mixture contains the following chemical (s) subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

#### California Proposition 65 Warning This product contains the following components:

94-59-7 202-345-4 <= 3 ppm Safrole (NFS)

93-15-2 202-223-0 <= 1 ppm Methyl Eugenol (NFS)

## **Canadian Regulations:**

DSL / NDSL 100.00% of the components are listed or exempt.

## **16. OTHER INFORMATION**

#### GHS H-Statements referred to under section 3

## **Total Fractional Values**

(TFV) Risk (TFV) Risk

(5.88) Skin Corrosion/Irritation, Category 2 (6.37) Sensitization, Skin, Category 1B (8.43) Eye Damage/Eye Irritation, Category 2A (3.72) Aquatic Acute Toxicity, Category 2

(5.79) Aquatic Chronic Toxicity, Category 3

#### **DISCLAIMER:**

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.