

SAFETY DATA SHEET



DATE ISSUED :	7/15/2020
SDS REF. No :	

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Magic Sangria Fragrance Oil
PRODUCT TYPE: Perfumery Compound (Mixture)
PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

MANUFACTURER

NorthWood Distributing, LLC
201 N Meridian St
Belle Plaine MN 56011
INFORMATION PHONE : 612-638-7407
customercare@northwoodcandlecompany.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation. 16 : Causes eye irritation.
Acute Oral	9 : Harmful if absorbed through the skin. 2 : Harmful if swallowed
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

**GHS LABEL ELEMENTS:
HAZARD PICTOGRAM**



SIGNAL WORD : Warning

HAZARD STATEMENTS :

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS :

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EC#	Conc. Range	OSHA Class
Citrus aurantium dulcis (Orange) oil (H226; H304; H315; H400; H410)	8008-57-9	232-433-8	10-20%	12, 3, 31
Methyl Dihydrojasmonate (H402)	24851-98-7	246-495-9	5-10%	
gamma-Nonalactone (H316)	104-61-0	203-219-1	2-5%	12, 15
Hexamethylindanopyran (H316; H400; H410)	1222-05-5	214-946-9	2-5%	11, 15
Tetramethyl Acetyloctahydronaphthalenes (H315; H317; H400; H410)	54464-57-2	259-174-3	2-5%	11, 31
Hydroxyisohexyl 3-cyclohexene carboxaldehyde (H317; H402)	31906-04-4	250-863-4	2-5%	
Benzyl Benzoate (H302; H313; H400; H411)	120-51-4	204-402-9	2-5%	28, 3
Linalool (H227; H303; H315; H317; H319; H402)	78-70-6	201-134-4	2-5%	12, 26
2-t-Butylcyclohexyl acetate (H227; H303; H316; H401; H411)	88-41-5	201-828-7	2-5%	12, 2
2-(1-(3',3'-Dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate (H401; H411)	141773-73-1	415-490-5	1-2%	26
a ,a-Dimethylphenethyl butyrate (H401; H411)	10094-34-5	233-221-8	1-2%	11, 15
Ethyl methylphenylglycidate (H317; H401; H411)	77-83-8	201-061-8	1-2%	11, 15
Allyl hexanoate (H227; H301; H311; H331; H400; H412)	123-68-2	204-642-4	1-2%	11, 3, 9
a-Methyl-1,3-benzodioxole-5-propionaldehyde (H303; H317; H401; H411)	1205-17-0	214-881-6	0.1-1.0%	
Cedryl acetate (H317; H400; H410)	77-54-3	201-036-1	0.1-1.0%	12, 15
1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-buten-1-one (Damascenone) (H313; H315; H317; H401; H411)	23696-85-7	245-833-2	0.1-1.0%	31
(2E)-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one (H303; H315; H317; H401; H411)	23726-91-2	245-842-1	0.1-1.0%	11, 31
Geraniol (H303; H315; H317; H318; H402)	106-24-1	203-377-1	0.1-1.0%	11, 15, 31
Trimethyl-propylcyclohexanepropanol (H317)	70788-30-6	274-892-7	0.1-1.0%	11

INGREDIENTS:

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 9.74

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

INGESTION:

Rinse mouth with water and obtain medical advice.

INHALATION:

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

UNSUITABLE EXTINGUISHING MEDIA : Do not use the direct water jet on burning material.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE : Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

DURING FIREFIGHTING : Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds .

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS : Further information : Standard Procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

ENVIRONMENTAL PRECAUTIONS:

Keep away from drains, soil, surface and ground water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

HANDLING AND STORAGE:

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: If desired wear a NIOSH approved respirator. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

EYE PROTECTION: Use tightly sealed splash goggles, face shield, or safety glasses with brow guards and side shields as may be appropriate.

SKIN PROTECTION: Avoid skin contact. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Use of a rubber apron is recommended when handling large quantities of this material.

WORK/HYGIENIC PRACTICES: Good personal hygiene practices should be used. Wash hands after any contact, before breaks and meals, and at the end of the work period. Contaminated clothing and shoes should be cleaned before using again.

OTHER USE PRECAUTIONS: None generally required.

COMMENTS: This material is intended for manufacturing use only. Contaminated equipment should be cleaned with soap and water. Do not discharge wash water into lakes, streams, ponds, or public waters.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Conforms to Standard

ODOUR : Conforms to Standard

APPEARANCE : Conforms to Standard

FLASH POINT : 173 F

FLASH POINT METHOD : CLOSED CUP

AUTO-IGNITION TEMPERATURE : Not Determined

BOILING POINT/RANGE : Not Determined

MELTING POINT : Not Determined

VISCOSITY : Liquid

VAPOUR PRESSURE : Not Determined

VAPOUR DENSITY : Not Determined

SOLUBILITY : Oil

PERCENT VOC: 13.8768

SPECIFIC GRAVITY : Not Determined

EVAPORATION RATE: Not Determined

REFRACTIVE INDEX @ 20C: Not Determined

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS : None Known.

CONDITIONS TO AVOID : Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: None Known.

REACTIVITY : None.

INCOMPATIBLE MATERIALS: Strong oxidizing agents, strong acids, alkalis

11. TOXICOLOGICAL INFORMATION

Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,052.00) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,849.56) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 42.14) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Toxic to aquatic life.

CHRONIC AQUATIC TOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: No data Available

BIO-ACCUMULATIVE POTENTIAL: No data Available

MOBILITY IN SOIL : No data Available

OTHER ADVERSE EFFECTS: No data Available

ECOTOXICOLOGICAL OTHER INFORMATION: No data Available

13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose off in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

Regulator	Class	Pack Group	Sub Risk	UN-nr
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated-Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN-3082
IATA (Air Cargo)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082
IMGD (Sea)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. STATE REGULATIONS:

California Proposition 65 Warning This product contains the following components:
123-35-3(NFS) 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. OTHER INFORMATION

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(1.00) Aspiration Hazard, Category 1

(250.00) Sensitization, Skin, Category 1A

(TFV) Risk

(1.82) Skin Corrosion/Irritation, Category 2

(8.56) Aquatic Chronic Toxicity, Category 2

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this

MSDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.