

SAFETY DATA SHEET

DATE ISSUED :	6/30/2021



1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Silver Spruce & Peach

PRODUCT TYPE: Perfumery Compound (Mixture)

PRODUCT RECOMMENDED USE: Compound used in customer substance/ mixture / product.

MANUFACTURER

NorthWood Distributing, LLC

201 N Meridian Street

Belle Plaine, MN 56011

customercare@northwoodcandle.com

952-679-4058

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

Flammable Liquids, Category 4

Acute Toxicity Oral, Category 5

Skin Corrosion/Irritation, Category 3

Sensitization, Skin, Category 1B

Acute Toxicity Inhalation, Category 5

Aquatic Chronic Toxicity, Category 2

H227 : Combustible liquid

H303 : May be harmful if swallowed

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H333 : May be harmful if inhaled

H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4

Sensitization, Skin, Category 1B

H227 : Combustible liquid

H317 : May cause an allergic skin reaction

GHS LABEL ELEMENTS:

HAZARD PICTOGRAM



SIGNAL WORD: Warning

HAZARD STATEMENTS:

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

RESPONSE:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
<i>Isobornyl acetate</i>	125-12-2	20% to 30%
<i>Ethyl Methylphenylglycidate</i>	77-83-8	5% to 10%
<i>Benzyl Benzoate</i>	120-51-4	5% to 10%
<i>Ethylene brassylate</i>	105-95-3	5% to 10%
<i>gamma-Undecalactone</i>	104-67-6	2% to 5%
<i>Raspberry Ketone</i>	5471-51-2	1% to 2%
<i>Diethyl malonate</i>	105-53-3	1% to 2%
<i>gamma-Decalactone</i>	706-14-9	1% to 2%
<i>Camphene</i>	79-92-5	1% to 2%
<i>Ethyl trimethylcyclopentene butenol</i>	28219-61-6	1% to 2%
<i>Hexyl cinnamal</i>	101-86-0	1% to 2%
<i>Ethyl Maltol</i>	4940-11-8	1% to 2%
<i>pinene</i>	80-56-8	0.1% to 1.0%

<i>Dimethyltetrahydro Benzaldehyde</i>	68737-61-1	0.1% to 1.0%
<i>Limonene</i>	5989-27-5	0.1% to 1.0%
<i>delta-3-Carene</i>	13466-78-9	0.1% to 1.0%
<i>beta Pinene</i>	127-91-3	0.1% to 1.0%
<i>Eucalyptol</i>	470-82-6	0.1% to 1.0%
<i>Terpinolene</i>	86-62-9	0.1% to 1.0%
<i>Beta-Caryophyllene</i>	87-44-5	0.1% to 1.0%
<i>Lauraldehyde</i>	112-54-9	0.1% to 1.0%
<i>1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde</i>	52475-86-2	0.1% to 1.0%

* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

INGREDIENTS:

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification based on the evaluation of the individual components.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN:

Remove contaminated clothing. Wash affected areas with plenty of soap and water. If irritation develops, seek medical attention.

INGESTION:

Rinse mouth with water and obtain medical advice.

INHALATION:

Remove from exposure to fresh air. If breathing has stopped or is difficult, administer artificial respiration and oxygen if available. Seek medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

In the event of a genuine medical emergency, additional information will be revealed to a qualified health professional.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or other NON-Aqueous material.

UNSUITABLE EXTINGUISHING MEDIA: Do not use the direct water jet on burning material.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE /MIXTURE: Empty containers retain product residue (liquid or vapor) and can be dangerous. They should be rinsed with water and disposed of properly. Soaked rags or paper may pose a spontaneous combustion hazard in unsealed trash receptacles.

DURING FIREFIGHTING: Water may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other unidentified organic compounds.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: Treat as a chemical fire. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.

ADVICE FOR FIREFIGHTERS: Further information: Standard Procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Eliminate all ignition sources. Ventilate Area. Contain spill and absorb spill onto inert material. Place material into a suitable container and dispose of in accordance with local regulations. DO NOT leave soaked rags or paper in unsealed receptacles as spontaneous combustion may sometimes occur under certain circumstances.

ENVIRONMENTAL PRECAUTIONS:

Keep away from drains, soil, surface and ground water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Apply good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling.

HANDLING AND STORAGE:

Use splash goggles or face shield when eye contact is possible. Respiratory protection is not generally required, if desired use NIOSH approved organic vapor respirator. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Store in a cool, dry, well ventilated area away from all sources of heat or flame.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: If desired wear a NIOSH approved respirator. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

EYE PROTECTION: Use tightly sealed splash goggles, face shield, or safety glasses with brow guards and side shields as may be appropriate.

SKIN PROTECTION: Avoid skin contact. Use chemical resistant gloves as needed to avoid prolonged or repeated contact. Use of a rubber apron is recommended when handling large quantities of this material.

WORK/HYGIENIC PRACTICES: Good personal hygiene practices should be used. Wash hands after any contact, before breaks and meals, and at the end of the work period. Contaminated clothing and shoes should be cleaned before using again.

OTHER USE PRECAUTIONS: None generally required.

COMMENTS: This material is intended for manufacturing use only. Contaminated equipment should be cleaned with soap and water. Do not discharge wash water into lakes, streams, ponds, or public waters.

EXPOSURE LIMITS:		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm
80-56-8	pinene	20		
127-91-3	beta Pinene	20		
13466-78-9	delta-3-Carene	20		

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Conforms to Standard

ODOR: Sweet buttery vanilla with slight alcohol note

APPEARANCE: Conforms to Standard

FLASH POINT: 185 F

FLASH POINT METHOD: CLOSED CUP

AUTO-IGNITION TEMPERATURE: Not Determined

BOILING POINT/RANGE: Not Determined

MELTING POINT: Not Determined

VISCOSITY: Liquid

VAPOUR PRESSURE: 0.0558 (mmHg@20C)

VAPOUR DENSITY: Not Determined

SOLUBILITY: Oil

PERCENT VOC: 9.24

SPECIFIC GRAVITY: Not Determined

EVAPORATION RATE: Not Determined

REFRACTIVE INDEX @ 25C: Not Determined

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS: None Known.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

MATERIALS TO AVOID: Strong oxidizing agents or contamination with strong acids or alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: None Known.

REACTIVITY: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY-ORAL: (LD50: 4650.0821) May be harmful if swallowed.

ACUTE TOXICITY- DERMAL: (LD50: 4764.5631) May be harmful in contact with skin.

ACUTE TOXICITY- INHALATION: (RAT) mg/L/4 hr (LD50: 110.1775) May be harmful if inhaled.

ACUTE EFFECTS:

EYE CONTACT: Causes serious eye irritation.

SKIN IRRITATION: Causes skin irritation.

SKIN SENSITIZATION: May cause an allergic skin reaction.

RESPIRATORY SENSITIZATION: Not Classified-The classification criteria are not met.

TARGET ORGAN: Single exposure: Not classified.

GERM CELL MUTAGENICITY: Not classified.

REPRODUCTIVE TOXICITY: Not classified.

ASPIRATION HAZARD: May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Toxic to aquatic life.

CHRONIC AQUATIC TOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: No data Available

BIO-ACCUMULATIVE POTENTIAL: No data Available

MOBILITY IN SOIL: No data Available

OTHER ADVERSE EFFECTS: No data Available

ECOTOXICOLOGICAL OTHER INFORMATION: No data Available

13. DISPOSAL CONSIDERATIONS

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

Regulator	Class	Pack Group	Sub Risk	UN-nr
U.S. DOT (Non-Bulk)	Not Regulated-Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN-3082
IATA (Air Cargo)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082
IMGD (Sea)				
Environmentally Hazardous Substance Liquid, n.o.s.	9	III		UN-3082

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA (USA TOXIC SUBSTANCE CONTROL ACT):

All ingredients in this mixture are listed on the TSCA inventory.

SARA TITLE III (SUPERFUND AMMENDMENTS AND REAUTHORIZATION ACT):

311 / 312 HAZARD CATEGORIES

FIRE:	Yes
REACTIVITY	No
SUDDEN RELEASE OF PRESSURE:	No
IMMEDIATE (ACUTE):	Yes
DELAYED (CHRONIC):	No

SARA SECTION 313: This mixture contains the following toxic chemical (s) subject to the reporting requirements of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

US STATE REGULATIONS

RIGHT TO KNOW: The identities of the ingredients of this mixture are proprietary and are considered to be trade secrets.

CALIFORNIA PROPOSITION 65: This mixture contains the following chemical (s) subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL	99.90% of the components are listed or exempt. The following components are NOT on the List:		
94201-73-7	303-662-1	<= 3 ppm	Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. OTHER INFORMATION

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapor

H228 : Flammable Solid

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H332 : Harmful if inhaled
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects
H413 : May cause long lasting harmful effects to aquatic life

H315 : Causes skin irritation
H318 : Causes serious eye damage
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(45.38) Acute Toxicity Inhalation, Category 5
(6.00) Sensitization, Skin, Category 1B
(3.39) Skin Corrosion/Irritation, Category 3
(1.08) Acute Toxicity Oral, Category 5

(TFV) Risk
(20.32) Aquatic Chronic Toxicity, Category 3
(5.50) Sensitization, Skin, Category 1
(2.02) Aquatic Chronic Toxicity, Category 2

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond NorthWood Distributing LLC 's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g.DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.