

Artikelnummer:	NH
Material	Kammergetrocknetes Buchenholz
Maßtoleranzen	Dicke und Breite jeweils +/- 0,1mm
Aufmachung	Bund á 100 m
Flammpunkt	205 – 275 C°



SEIPP-Nr.	halbrunde Profile mm
NH 215	2x1,5
NH 22	2x2
NH 225	2x2,5
NH 252	2,5x2
NH 253	2,5x3
NH 315	3x1,5
NH 32	3x2
NH 325	3x2,5
NH 33	3x3
NH 335	3x3,5
NH 34	3x4
NH 352	3,5x2
NH 3525	3,5x2,5
NH 353	3,5x3
NH 3535	3,5x3,5
NH 354	3,5x4
NH 355	3,5x5
NH 415	4x1,5
NH 42	4x2
NH 425	4x2,5
NH 43	4x3
NH 435	4x3,5
NH 44	4x4
NH 45	4x5
NH 452	4,5x2
NH 4525	4,5x2,5

NH 453	4,5x3
NH 4535	4,5x3,5
NH 454	4,5x4
NH 4545	4,5x4,5
NH 455	4,5x5
NH 515	5x1,5
NH 52	5x2
NH 525	5x2,5
NH 53	5x3
NH 535	5x3,5
NH 54	5x4
NH 545	5x4,5
NH 55	5x5
NH 552	5,5x2
NH 5525	5,5x2,5
NH 553	5,5x3
NH 5535	5,5x3,5
NH 554	5,5x4
NH 555	5,5x5
NH 62	6x2
NH 625	6x2,5
NH 63	6x3
NH 635	6x3,5
NH 64	6x4
NH 645	6x4,5
NH 65	6x5
NH 66	6x6
NH 652	6,5x2
NH 653	6,5x3
NH 654	6,5x4
NH 655	6,5x5
NH 656	6,5x6
NH 72	7x2
NH 73	7x3
NH 735	7x3,5
NH 74	7x4
NH 745	7x4,5
NH 75	7x5
NH 76	7x6
NH 82	8x2
NH 825	8x2,5
NH 83	8x3
NH 835	8x3,5
NH 84	8x4
NH 85	8x5
NH 86	8x6
NH 93	9x3
NH 94	9x4

NH 95	9x5
NH 96	9x6
NH 102	10x2
NH 103	10x3
NH 104	10x4
NH 105	10x5
NH 106	10x6
NH 113	11x3
NH 114	11x4
NH 115	11x5
NH 123	12x3
NH 124	12x4
NH 125	12x5
NH 144	14x4

Technische Änderungen und Produktänderungen vorbehalten