



Congratulations on your new F-Pedal!

I know you are ready to rock but Please Read through this guide before you start.

You will find important information about this pedal and useful tips.

Please don't be shy to share photos, videos or stories of your epic moments rockin' out F-pedals!

Stay connected with us and many other cool artists on our social medias and be part of our F-amily.

I truly hope our pedals will inspire you to create amazing music.

STEP 1 Plug in audio and power cables

STEP 2 Stomp on the foot switch and turn on the Robotholic

STEP 3 Figure it out yourself....!

End of this User's Guide. LOL!

STEP 4 If STEP 3 Failed...

...keep reading!!

A tremendous amount of time and brain power has been dumped into this User's Guide.

You'd be better off reading it!

FRONT PANEL CONTROLS

GROWL

This is used to set the output volume

TRUE BYPASS FOOT SWITCH

Turns the pedal ON/OFF.



BITE

This is the TONE Control of Nikaos use it to darken (counter clock wise) or brighten (clockwise) the sound

RIGHT PANEL CONNECTIONS



A.C. Adapter

(Not included) Use a standard Center Negative 9V Power Supply. You can use a power supply up to 18V (make sure it's regulated) There is **No Battery Slot** inside this pedal.

Input Jack 1/4 Inches

This is where you plug your guitar (or any other instrument of your choice) using a standard 1/4 Inch Jack cable. LEFT PANEL CONNECTIONS

Please do not try to open the pedal! Keep in mind that if the stickers on the screws are removed or damaged you will lose your Warranty.



your Amplifier or other system of your choice.

Warranty

If you experience a malfunction of the pedal, depending on the country and region you are in, you may either contact the dealer where you purchased the pedal from, or you can reach us directly at Support@F-Pedals.com.

We will ask you to ship your pedals to us ONLY IF we find it necessary to perform a factory repair or replacement. Our warranty is effective for 1 year (from the date of purchase of a new unit) and only for issues caused by our manufacturing defects. The warranty will be voided if the unit has been misused, abused, modified by any unauthorized parties, or if any seal sticker on the bottom screws is removed or broken.

Although you don't need to register your product, we will ask for your original receipt in order to process your request.

F-Pedals reserves the right to make changes or improvements on this product without incurring any obligation to install the same on products previously manufactured. F-Pedals is not responsible for injuries and/or damages related to the use of our products.

CONTACT US

www.f-pedals.com info@f-pedals.com facebook/FPedals twitter/FPedals instagram@f-pedals