



 **Emser Tile®**

SIGNATURE SERIES

2023 Precision Profiles and Transitions





Since
1968

Established in 1968 and headquartered in Los Angeles, California, Emser Tile® is a leading designer, producer and marketer of the world's finest tile and natural stone. By offering unparalleled service and a vast selection of products, Emser Tile is a comprehensive source for interior and exterior products that include porcelain, ceramic, glass, decorative accents, metal, quarry, mosaics, natural and engineered stone, cut-to-size products, setting materials and custom manufactured products made to your specifications. Our nationwide service network includes state of the art distribution centers and local sales and service locations to combine a strong national presence with tailored, local service. Building upon 50 years of service, our dedication and commitment to our customers remains as strong as ever and are the core of our business and our culture.

Our services are tailored to customers' specific requirements. Emser Tile offers exclusive programs that help retailers, home builders, commercial builders, contractors, architects and designers exceed their customers' expectations and requirements while keeping projects on schedule and within budget.

Our global network brings the latest trends, technologies and innovations for ceramic and porcelain tile, glass, natural stone, decorative, mosaic and metal products. We continue to offer the most compelling and extensive portfolio of colors, finishes, patterns and textures, accompanied by a broad assortment of coordinating trim and accent pieces.

Our expansive capacity translates into vast selection of products and immediate distribution. With Emser Tile, customers have quick access to unique and first-to-market products. With our local sales and service locations and global network of factory alliances, Emser Tile has the infrastructure to logistically support any size project on a domestic or international level.



CUBELINE 23



42 ANTI-SKID STEP STRIP

EMSER SIGNATURE SERIES

8

TRIMS FOR WALL, FLOOR AND COUNTERTOP APPLICATIONS


EDGE PROTECTOR TRIM	12
QUARTER CIRCLE TILE TRIM	16
FLOOR ACCENT PROFILE	22
CUBELINE	23
DECOLINE	28
CORNER PRO	28
CORNER ANGLE	29
CORNER ANGLE PLUS	29
SILL PROFILE	30
F-PROFILE	30
NEW NEW YORK EDITION	32
NEW LUXURY LINE	38

STAIR PROFILES

ANTI-SKID STEP STRIP	42
HD ANTI-SKID STEP STRIP	43
CLASSIC STAIR NOSE	44
DECO STAIR NOSE PROFILE	45
STEPLINE	47

TRANSITION AND RENOVATION PROFILES

ADJUSTABLE TRANSITION PROFILE	50
SELF-ADHESIVE TRANSITION PROFILE	50
TTRANSITION PROFILE <i>Gap-Covering</i>	51
DRIVE	51
REDUCER TRIM	52
CARPET TRIM	52
SKIRTING	53
NEW COVE	54



ULTRA-DRAIN 74



NEW COVE 54



68 AQUA-DECO

EXPANSION JOINTS AND SCREED ACCESSORIES

FLOOREX	58
HEAVY DUTY EXPANSION JOINT	59
SCREED EXPANSION JOINT	60
V-SCREED EXPANSION JOINT	60

AQUA PROFILES

AQUA-KEIL	64
AQUA-KEIL WALL	66
AQUA-DECO	68
AQUA GLASS	68
AQUA-KEIL GLASS	70

WATERPROOFING SYSTEMS

ULTRA-DRAIN	74
-------------	----

BALCONY AND TERRACE SYSTEMS

DE PROFILE	78
BALCONY-Gutter Quarter Circle Trim	79
BALCONY-Gutter Edge Protector	80
BALCONY-EDGE PROTECTOR PRO	82
BALCONY-EDGE PROTECTOR	84
BALCONY-EDGE PROTECTOR PLUS	85
BALCONY-GRAVEL DECK EDGE PRO	86
GRAVEL DECK EDGE	87
COVECOVER	88

Material surfaces	90
Common color/finish codes	94
Height conversion chart	94
Part number identification system	95
Freight and shipping charges	95





SHOWER + WALL
Marble | Bianco Gioia

FLOOR
Style II | Pure White



SIGNATURE SERIES

PREMIUM PROFILES AND TRANSITIONS

The Emser Tile® *Signature Series* is an expertly-curated collection of trims that contains bestselling tile transitions and profiles designed to meet and exceed the needs of the modern tile installer. During the careful selection of the shapes and finishes for the Emser Tile *Signature Series*, a tremendous emphasis was placed on satisfying commercial and residential market demands so that the perfect tile trim for every tile job would be easily within reach.

The Emser Tile *Signature Series* tile transitions and profiles are stocked at Emser locations nationwide. Additional styles, sizes, and finishes are readily available via special order.



SIGNATURE SERIES STOCKED ITEMS

EDGE PROTECTOR TRIM

ALUMINUM 8.0
NATURAL
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-400-08025-1
$\frac{3}{8}$	ZBL300-400-10025-1
$\frac{1}{2}$	ZBL300-400-12525-1

ALUMINUM 8.0
SATIN SILVER, ANODIZED
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-410-08025-1
$\frac{3}{8}$	ZBL300-410-10025-1
$\frac{1}{2}$	ZBL300-410-12525-1

ALUMINUM 8.0
SHINY SILVER, ANODIZED
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-430-08025
$\frac{3}{8}$	ZBL300-430-10025-1
$\frac{1}{2}$	ZBL300-430-12525

ALUMINUM 8.0
TITANIUM BRONZE, ANODIZED
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-446-08025
$\frac{3}{8}$	ZBL300-446-10025-1
$\frac{1}{2}$	ZBL300-446-12525-1

ALUMINUM 8.0
WHITE, POWDER-COATED
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-450-08025-1
$\frac{3}{8}$	ZBL300-450-10025

ALUMINUM 8.0
BRUSHED NICKEL, ANODIZED
Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
$\frac{5}{16}$	ZBL300-420B-08025
$\frac{3}{8}$	ZBL300-420B-10025
$\frac{1}{2}$	ZBL300-420B-12525



SIGNATURE SERIES STOCKED ITEMS

EDGE PROTECTOR TRIM

ALUMINUM 8.0

OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
3/8	ZBL300-449-10025

PVC 8.0

WHITE

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
3/8	ZBL300-501-1025

ALUMINUM 8.0

MATT BLACK, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
3/8	ZBL300-416-10025
1/2	ZBL300-416-12525

ALUMINUM 8.0

SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
3/8	ZBL300-420-10025-1



Additional sizes and finishes of EDGE PROTECTOR TRIMS are available on page 12.

QUARTER CIRCLE TRIM

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/8	ZBL347-410-10025

ALUMINUM 8.0

TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/8	ZBL347-446-10025



Additional sizes and finishes of QUARTER CIRCLE TRIMS are available on page 16.

REDUCER TRIM

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/8	ZBL217-410-10025



Additional sizes and finishes of REDUCER TRIMS are available on page 23.

CARPET TRIM

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/8	ZBL218-410-10025-1



Additional sizes and finishes of CARPET TRIMS are available on page 54.



Additional sizes and finishes of CARPET TRIMS are available on page 54.



TRIMS


WALL, FLOOR
& COUNTERTOP
APPLICATIONS



12 EDGE
PROTECTOR TRIM




23 CUBELINE




EDGE PROTECTOR TRIM

EDGE PROTECTOR TRIMS are designed to provide decorative protection for tile edges. Use EDGE PROTECTOR TRIMS where the tile edges are exposed to impact and where an attractive, professional finish is desired. Part numbers in **bold** indicate stocked Emser **Signature Series** item.



BRASS		8.0	BRASS		8.0	STAINLESS STEEL		8.0
NATURAL			CHROME-PLATED			NATURAL		
Length: 8.0 feet		Pack: 10 pcs.	Length: 8.0 feet		Pack: 1 pc.	Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
1/8	ZBL300-300-03025		1/4	ZBL300-340-06025		1/8	ZBL300-280-02025	
3/16	ZBL300-300-04525		3/16	ZBL300-340-08025		1/8	ZBL300-280-03025	
1/4	ZBL300-300-06025-1		3/8	ZBL300-340-10025		3/16	ZBL300-280-04525-1	
5/16	ZBL300-300-08025		7/16	ZBL300-340-11025		1/4	ZBL300-280-06025-1	
3/8	ZBL300-300-10025		1/2	ZBL300-340-12525-1		9/32	ZBL300-280-07025	
1/2	ZBL300-300-12525					5/16	ZBL300-280-08025-1	
19/32	ZBL300-300-15025					11/32	ZBL300-280-09025	
3/4	ZBL300-300-18525					3/8	ZBL300-280-10025-1	
7/8	ZBL300-300-22025					7/16	ZBL300-280-11025	
1	ZBL300-300-25025					1/2	ZBL300-280-12525-1	
1 1/16	ZBL300-300-30025					17/32	ZBL300-280-14025	
						19/32	ZBL300-280-15025	
						3/8	ZBL300-280-16025	
						3/4	ZBL300-280-18525	
						13/16	ZBL300-280-20025	
						7/8	ZBL300-280-22025-1	
						1	ZBL300-280-25025	
						1 3/16	ZBL300-280-30025	



Expert tip:
The DA BENDER, a tool used at the jobsite to bend the BEND-EASE profiles, is featured on page 100. Brass, aluminum and stainless steel edge protectors are available in 8' length with an extra cut in the setting leg to facilitate bending. To order, add a »S« to the end of Part Number. (ex. ZBL300-300-10025S = 3/8" Edge Protector Brass Bendease). Profiles can take 1-2 weeks for delivery. The price for the »Bend-Ease« profiles is the standard price per piece plus \$ 6.48.



STAINLESS STEEL		8.0	STAINLESS STEEL		8.0	STAINLESS STEEL		8.0
POLISHED			BRUSHED			ACID-RESISTANT (AISI 316)		
Length: 8.0 feet		Pack: 10 pcs.	Length: 8.0 feet		Pack: 10 pcs.	Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
1/8	ZBL300-286-03025		1/4	ZBL300-280-06025B		1/4	ZBL300-285-06025	
3/16	ZBL300-286-04525		9/32	ZBL300-280-07025B		3/16	ZBL300-285-08025	
1/4	ZBL300-286-06025		5/16	ZBL300-280-08025B		3/8	ZBL300-285-10025-1	
5/16	ZBL300-286-08025		11/32	ZBL300-280-09025B		1/2	ZBL300-285-12525	
3/8	ZBL300-286-10025-1		3/8	ZBL300-280-10025B		19/32	ZBL300-285-15025	
7/16	ZBL300-286-11025		7/16	ZBL300-280-11025B				
1/2	ZBL300-286-12525		1/2	ZBL300-280-12525B				
19/32	ZBL300-286-15025		17/32	ZBL300-280-14025B				
3/4	ZBL300-286-18525		19/32	ZBL300-280-15025B				
7/8	ZBL300-286-22025		3/8	ZBL300-280-16025B				
			3/4	ZBL300-280-18525B				
			13/16	ZBL300-280-20025B				
			7/8	ZBL300-280-22025B				

ALUMINUM 8.0

NATURAL

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/16	ZBL300-400-02025
1/8	ZBL300-400-03025
3/16	ZBL300-400-04525
1/4	ZBL300-400-06025-1
5/16	ZBL300-400-08025-1
3/8	ZBL300-400-10025-1
7/16	ZBL300-400-11025
1/2	ZBL300-400-12525-1
19/32	ZBL300-400-15025-1
3/4	ZBL300-400-18525-1
13/16	ZBL300-400-20025
7/8	ZBL300-400-22025
1	ZBL300-400-25025
1 1/16	ZBL300-400-30025

ALUMINUM 8.0

SATIN SILVER, BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
5/16	ZBL300-410B-08025
3/8	ZBL300-410B-10025
7/16	ZBL300-410B-11025
1/2	ZBL300-410B-12525

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/16	ZBL300-410-02025
1/8	ZBL300-410-03025
3/16	ZBL300-410-04525
1/4	ZBL300-410-06025
5/16	ZBL300-410-08025-1
3/8	ZBL300-410-10025-1
7/16	ZBL300-410-11025
1/2	ZBL300-410-12525-1
19/32	ZBL300-410-15025-1
3/4	ZBL300-410-18525-1
13/16	ZBL300-410-20025
7/8	ZBL300-410-22025
1	ZBL300-410-25025
1 1/16	ZBL300-410-30025

ALUMINUM 8.0

SHINY SILVER, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-430-06025-1
5/16	ZBL300-430-08025
3/8	ZBL300-430-10025-1
7/16	ZBL300-430-11025
1/2	ZBL300-430-12525
19/32	ZBL300-430-15025
3/4	ZBL300-430-18525

ALUMINUM 8.0

SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
5/16	ZBL300-420-04525
1/4	ZBL300-420-06025
5/16	ZBL300-420-08025
3/8	ZBL300-420-10025-1
1/2	ZBL300-420-12525
19/32	ZBL300-420-15025

ALUMINUM 8.0

SHINY GOLD, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-480-06025
5/16	ZBL300-480-08025
3/8	ZBL300-480-10025-1
1/2	ZBL300-480-12525

ALUMINUM 8.0

MATT BLACK, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-416-06025
5/16	ZBL300-416-08025
3/8	ZBL300-416-10025
7/16	ZBL300-416-11025
1/2	ZBL300-416-12525
19/32	ZBL300-416-15025
3/4	ZBL300-416-18525

ALUMINUM 8.0

BLACK, POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-456-06025
5/16	ZBL300-456-08025
3/8	ZBL300-456-10025-1
1/2	ZBL300-456-12525-1
19/32	ZBL300-456-15025
3/4	ZBL300-456-18525

ALUMINUM 8.0

ROYAL CHAMPAGNE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
5/16	ZBL300-470-08025
3/8	ZBL300-470-10025
7/16	ZBL300-470-11025
1/2	ZBL300-470-12525

ALUMINUM 8.0

TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-446-06025
5/16	ZBL300-446-08025
3/8	ZBL300-446-10025-1
1/2	ZBL300-446-12525-1
19/32	ZBL300-446-15025
3/4	ZBL300-446-18525

ALUMINUM 8.0

WHITE, POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
5/16	ZBL300-450-04525
1/4	ZBL300-450-06025
5/16	ZBL300-450-08025-1
3/8	ZBL300-450-10025
7/16	ZBL300-450-11025
1/2	ZBL300-450-12525-1
19/32	ZBL300-450-15025
3/4	ZBL300-450-18525

ALUMINUM 8.0

OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
1/4	ZBL300-449-06025
5/16	ZBL300-449-08025
3/8	ZBL300-449-10025
7/16	ZBL300-449-11025
1/2	ZBL300-449-12525-1
19/32	ZBL300-449-15025
3/4	ZBL300-449-18525

ALUMINUM 8.0

BRUSHED NICKEL, ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
¼	ZBL300-420B-06025
⅜	ZBL300-420B-08025
½	ZBL300-420B-10025
¾	ZBL300-420B-11025
1	ZBL300-420B-12525
1 ⅛	ZBL300-420B-15025
1 ¼	ZBL300-420B-18525

ALUMINUM 8.0

MATTE BLACK, BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-416B-08025
¼	ZBL300-416B-10025
⅜	ZBL300-416B-11025
½	ZBL300-416B-12525

ALUMINUM 8.0

SATIN GOLD, BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-42GB-08025
¼	ZBL300-42GB-10025
⅜	ZBL300-42GB-11025
½	ZBL300-42GB-12525

ALUMINUM 8.0TITANIUM BRONZE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-446B-08025
¼	ZBL300-446B-10025
⅜	ZBL300-446B-11025
½	ZBL300-446B-12525

ALUMINUM 8.0ROYAL CHAMPAGNE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-470B-08025
¼	ZBL300-470B-10025
⅜	ZBL300-470B-11025
½	ZBL300-470B-12525

ALUMINUM 8.0SAND TROPEZ, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-4571A-08025
¼	ZBL300-4571A-10025
⅜	ZBL300-4571A-11025
½	ZBL300-4571A-12525

ALUMINUM 8.0STONE GRAY, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-4591A-08025
¼	ZBL300-4591A-10025
⅜	ZBL300-4591A-11025
½	ZBL300-4591A-12525

ALUMINUM 8.0GRAPHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-4561A-08025
¼	ZBL300-4561A-10025
⅜	ZBL300-4561A-11025
½	ZBL300-4561A-12525

ALUMINUM 8.0OXIDE,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
⅛	ZBL300-4581A-08025
¼	ZBL300-4581A-10025
⅜	ZBL300-4581A-11025
½	ZBL300-4581A-12525

NEW**ALUMINUM 8.0**SUGAR WHITE,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4512A-08025
¼	ZBL300-4512A-10025
½	ZBL300-4512A-12525

NEW**ALUMINUM 8.0**QUARTZ,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4521A-08025
¼	ZBL300-4521A-10025
½	ZBL300-4521A-12525

NEW**ALUMINUM 8.0**OYSTER WHITE,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4511A-08025
¼	ZBL300-4511A-10025
½	ZBL300-4511A-12525

NEW**ALUMINUM 8.0**INDUSTRIAL RUST,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4583A-08025
¼	ZBL300-4583A-10025
½	ZBL300-4583A-12525

NEW**ALUMINUM 8.0**COAL BLACK,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4562A-08025
¼	ZBL300-4562A-10025
½	ZBL300-4562A-12525

NEW**ALUMINUM 8.0**DARK CHOCOLATE,
TEXTURED POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
⅛	ZBL300-4582A-08025
¼	ZBL300-4582A-10025
½	ZBL300-4582A-12525

EDGE PROTECTOR TRIM

EDGE PROTECTOR TRIMS (PVC) are designed to provide a decorative finish and protection to the outside corners of tiled surfaces. The PVC EDGE PROTECTOR TRIMS maintain excellent surface quality and are durable against most solvents, weather, and UV rays. Part numbers in **bold** indicate stocked Emser *Signature Series* items.



PVC 8.0 WHITE

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
¼	ZBL300-501-6025
⅜	ZBL300-501-8025
½	ZBL300-501-1025
¾	ZBL300-501-11025
1	ZBL300-501-12525-1

PVC 8.0 JASMINE


Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
¼	ZBL300-5011-6025
⅜	ZBL300-5011-8025-1
½	ZBL300-5011-1025
¾	ZBL300-5011-11025
1	ZBL300-5011-12525-1

PVC 8.0 SILVER GRAY

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
¼	ZBL300-5092-6025
⅜	ZBL300-5092-8025-1
½	ZBL300-5092-1025
¾	ZBL300-5092-11025
1	ZBL300-5092-12525



PVC

PVC 8.0 MANHATTAN GRAY

Length: 8.0 feet Pack: 10 pcs.

h/in.	Part no.
¼	ZBL300-5091-6025
⅜	ZBL300-5091-8025-1
½	ZBL300-5091-1025-1
¾	ZBL300-5091-11025
1	ZBL300-5091-12525-1




Style II™ | Pure White




QUARTER CIRCLE TILE TRIM

QUARTER CIRCLE TILE TRIMS provide a decorative finish and edge protection for wall and countertop tiled edges. The brass and stainless steel QUARTER CIRCLE form a symmetrical, curved edge and can also be used as stair nose and transition trims.



Brass



Stainless steel

QUARTER CIRCLE TILE TRIM

QUARTER CIRCLE TILE TRIM, OUTER CORNERS


QUARTER CIRCLE TILE TRIM, INNER CORNERS

BRASS		8.0
NATURAL		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
¼	ZBL347-300-06025	
⅜	ZBL347-300-08025	
½	ZBL347-300-10025	
¾	ZBL347-300-12525	
19/32	ZBL347-300-15025	

BRASS		8.0
LOOK		
CHROME-PLATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL348-940-060	
⅜	ZBL348-940-080	
½	ZBL348-940-100	
¾	ZBL348-940-125	
19/32	ZBL348-940-150	

BRASS		8.0
LOOK		
CHROME-PLATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL349-940-060	
⅜	ZBL349-940-080	
½	ZBL349-940-100	
¾	ZBL349-940-125	
19/32	ZBL349-940-150	

Expert tip:
When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



BRASS		8.0
CHROME-PLATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL347-340-06025	
⅜	ZBL347-340-08025	
½	ZBL347-340-10025	
¾	ZBL347-340-12525	
19/32	ZBL347-340-15025	

BRASS		8.0
LOOK		
CHROME-PLATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL348-940-060	
⅜	ZBL348-940-080	
½	ZBL348-940-100	
¾	ZBL348-940-125	
19/32	ZBL348-940-150	

BRASS		8.0
LOOK		
CHROME-PLATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL349-940-060	
⅜	ZBL349-940-080	
½	ZBL349-940-100	
¾	ZBL349-940-125	
19/32	ZBL349-940-150	

STAINLESS STEEL		8.0
NATURAL		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
¼	ZBL347-280-06025	
⅜	ZBL347-280-08025	
½	ZBL347-280-10025	
¾	ZBL347-280-11025	
19/32	ZBL347-280-12525	
19/32	ZBL347-280-15025	

STAINLESS STEEL		8.0
NATURAL		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL348-280-060	
⅜	ZBL348-280-080	
½	ZBL348-280-100	
¾	ZBL348-280-110	
19/32	ZBL348-280-125	
19/32	ZBL348-280-150	

STAINLESS STEEL		8.0
NATURAL		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
¼	ZBL349-280-060	
⅜	ZBL349-280-080	
½	ZBL349-280-100	
¾	ZBL349-280-110	
19/32	ZBL349-280-125	
19/32	ZBL349-280-150	

STAINLESS STEEL LOOK
NATURAL

h/in.	Part no.	
¼	ZBL348-9280-060	
⅜	ZBL348-9280-080	
½	ZBL348-9280-100	
¾	ZBL348-9280-110	
19/32	ZBL348-9280-125	

STAINLESS STEEL LOOK
NATURAL

h/in.	Part no.	
¼	ZBL349-9280-060	
⅜	ZBL349-9280-080	
½	ZBL349-9280-100	
¾	ZBL349-9280-110	
19/32	ZBL349-9280-125	

QUARTER CIRCLE TILE TRIM

STAINLESS STEEL 8.0
BRUSHED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-280-06025B
⅜	ZBL347-280-08025B
½	ZBL347-280-10025B-1
⅞	ZBL347-280-11025B
1	ZBL347-280-12525B

QUARTER CIRCLE TILE
TRIM, OUTER CORNERS**STAINLESS STEEL**
BRUSHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-280B-060
⅜	ZBL348-280B-080
½	ZBL348-280B-100
⅞	ZBL348-280B-110
1	ZBL348-280B-125

QUARTER CIRCLE TILE
TRIM, INNER CORNERS**STAINLESS STEEL**
BRUSHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-280B-060
⅜	ZBL349-280B-080
½	ZBL349-280B-100
⅞	ZBL349-280B-110
1	ZBL349-280B-125

STAINLESS STEEL LOOK
BRUSHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-928B-060
⅜	ZBL348-928B-080
½	ZBL348-928B-100
⅞	ZBL348-928B-110
1	ZBL348-928B-125

STAINLESS STEEL LOOK
BRUSHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-928B-060
⅜	ZBL349-928B-080
½	ZBL349-928B-100
⅞	ZBL349-928B-110
1	ZBL349-928B-125

STAINLESS STEEL 8.0
POLISHED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-286-06025
⅜	ZBL347-286-08025
½	ZBL347-286-10025
⅞	ZBL347-286-11025
1	ZBL347-286-12525

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-286-060
⅜	ZBL348-286-080
½	ZBL348-286-100
⅞	ZBL348-286-110
1	ZBL348-286-125

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-286-060
⅜	ZBL349-286-080
½	ZBL349-286-100
⅞	ZBL349-286-110
1	ZBL349-286-125

STAINLESS STEEL LOOK
POLISHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-9286-060
⅜	ZBL348-9286-080
½	ZBL348-9286-100
⅞	ZBL348-9286-110
1	ZBL348-9286-125

STAINLESS STEEL LOOK
POLISHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-9286-060
⅜	ZBL349-9286-080
½	ZBL349-9286-100
⅞	ZBL349-9286-110
1	ZBL349-9286-125

QUARTER CIRCLE TILE TRIM, FLAT CAP

STAINLESS STEEL
NATURAL

Pack: 1 pc.

h/in.	Part no.
¼	ZBL350-280-060
⅜	ZBL350-280-080
½	ZBL350-280-100
⅞	ZBL350-280-110
1	ZBL350-280-125
1 1/2	ZBL350-280-150

STAINLESS STEEL
POLISHED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL350-286-060
⅜	ZBL350-286-080
½	ZBL350-286-100
⅞	ZBL350-286-110
1	ZBL350-286-125

STAINLESS STEEL
BRUSHED

Pack: 1 pc.


h/in.	Part no.
¼	ZBL350-280B-060
⅜	ZBL350-280B-080
½	ZBL350-280B-100
⅞	ZBL350-280B-110
1	ZBL350-280B-125






QUARTER CIRCLE TILE TRIM

QUARTER CIRCLE TRIMS are made of high-quality aluminum or PVC and bring decorative finishes and edge protection to tiled edges. The vertical joint spacer of QUARTER CIRCLE TILE TRIM provides superior structural strength and easy tile alignment. The variety of finishes available allows for ease in color coordination and creating decorative designs. Part numbers in **bold** indicate stocked Emser **Signature Series** items.



Aluminum




PVC

Advantages:

- > High quality
- > Structural support provided by an integrated vertical support piece under the curved profile (Extruded aluminum and PVC)
- > Superior weather resistance due to the durable baked-on plastic coating

Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



QUARTER CIRCLE TILE TRIM

ALUMINUM 8.0

SATIN SILVER, ANODIZED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-410-06025
⅝	ZBL347-410-08025-1
⅜	ZBL347-410-10025-1
⅞	ZBL347-410-11025
½	ZBL347-410-12525-1

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

ALUMINUM SATIN SILVER, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-410AL-060
⅝	ZBL348-410AL-080
⅜	ZBL348-410AL-100
⅞	ZBL348-410AL-110
½	ZBL348-410AL-125

QUARTER CIRCLE TILE TRIM, INNER CORNERS

ALUMINUM SATIN SILVER, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-410AL-060
⅝	ZBL349-410AL-080
⅜	ZBL349-410AL-100
⅞	ZBL349-410AL-110
½	ZBL349-410AL-125

ALUMINUM LOOK SATIN SILVER

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-410-060
⅝	ZBL348-410-080
⅜	ZBL348-410-100
⅞	ZBL348-410-110
½	ZBL348-410-125

ALUMINUM LOOK SATIN SILVER

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-410-060
⅝	ZBL349-410-080
⅜	ZBL349-410-100
⅞	ZBL349-410-110
½	ZBL349-410-125

ALUMINUM 8.0

SHINY SILVER, ANODIZED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-430-06025
⅝	ZBL347-430-08025
⅜	ZBL347-430-10025
⅞	ZBL347-430-11025
½	ZBL347-430-12525-1

ALUMINUM LOOK SHINY SILVER

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-930-060
⅝	ZBL348-930-080
⅜	ZBL348-930-100
⅞	ZBL348-930-110
½	ZBL348-930-125-1

ALUMINUM LOOK SHINY SILVER

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-930-060
⅝	ZBL349-930-080
⅜	ZBL349-930-100
⅞	ZBL349-930-110
½	ZBL349-930-125-1

ALUMINUM 8.0

STAINLESS STEEL METALLIC, POWDER-COATED

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-4502-06025
⅝	ZBL347-4502-08025
⅜	ZBL347-4502-10025
⅞	ZBL347-4502-11025
½	ZBL347-4502-12525

ALUMINUM LOOK STAINLESS STEEL METALLIC, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-9502-060
⅝	ZBL348-9502-080
⅜	ZBL348-9502-100
⅞	ZBL348-9502-110
½	ZBL348-9502-125

ALUMINUM LOOK STAINLESS STEEL METALLIC, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-9502-060
⅝	ZBL349-9502-080
⅜	ZBL349-9502-100
⅞	ZBL349-9502-110
½	ZBL349-9502-125

QUARTER CIRCLE TILE TRIM

ALUMINUM 8.0
SATIN GOLD, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-420-06025
⅜	ZBL347-420-08025
½	ZBL347-420-10025
¾	ZBL347-420-12525

ALUMINUM 8.0
SHINY GOLD, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-480-06025
⅜	ZBL347-480-08025
½	ZBL347-480-10025
¾	ZBL347-480-12525

ALUMINUM 8.0
JASMINE, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-4501-06025
⅜	ZBL347-4501-08025-1
½	ZBL347-4501-10025
¾	ZBL347-4501-12525

ALUMINUM 8.0
WHITE, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-450-06025
⅜	ZBL347-450-08025
½	ZBL347-450-10025
¾	ZBL347-450-11025
1	ZBL347-450-12525-1

ALUMINUM 8.0
MANHATTAN GRAY, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-4591-06025
⅜	ZBL347-4591-08025
½	ZBL347-4591-10025
¾	ZBL347-4591-12525

ALUMINUM 8.0
GRAPHITE BLACK, POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-456-06025
⅜	ZBL347-456-08025-1
½	ZBL347-456-10025-1
¾	ZBL347-456-12525

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

ALUMINUM LOOK
SATIN GOLD

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-920-060
⅜	ZBL348-920-080
½	ZBL348-920-100
¾	ZBL348-920-125

ALUMINUM LOOK
SHINY GOLD

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-980-060
⅜	ZBL348-980-080
½	ZBL348-980-100
¾	ZBL348-980-125

ALUMINUM LOOK
JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-9501-060
⅜	ZBL348-9501-080
½	ZBL348-9501-100
¾	ZBL348-9501-125

ALUMINUM LOOK
WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-950-060
⅜	ZBL348-950-080
½	ZBL348-950-100
¾	ZBL348-950-110
1	ZBL348-950-125

ALUMINUM LOOK
MANHATTAN GRAY, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-9591-060
⅜	ZBL348-9591-080
½	ZBL348-9591-100
¾	ZBL348-9591-125

ALUMINUM LOOK
GRAPHITE BLACK, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-956-060
⅜	ZBL348-956-080
½	ZBL348-956-100
¾	ZBL348-956-125

QUARTER CIRCLE TILE TRIM, INNER CORNERS

ALUMINUM LOOK
SATIN GOLD

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-920-060
⅜	ZBL349-920-080
½	ZBL349-920-100
¾	ZBL349-920-125

ALUMINUM LOOK
SHINY GOLD

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-980-060
⅜	ZBL349-980-080
½	ZBL349-980-100
¾	ZBL349-980-125

ALUMINUM LOOK
JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-9501-060
⅜	ZBL349-9501-080
½	ZBL349-9501-100
¾	ZBL349-9501-125

ALUMINUM LOOK
WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-950-060
⅜	ZBL349-950-080
½	ZBL349-950-100
¾	ZBL349-950-110
1	ZBL349-950-125

ALUMINUM LOOK
MANHATTAN GRAY, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-9591-060
⅜	ZBL349-9591-080
½	ZBL349-9591-100
¾	ZBL349-9591-125

ALUMINUM LOOK
GRAPHITE BLACK, POWDER-COATED

Pack: 1 pc.


h/in.	Part no.
¼	ZBL349-956-060
⅜	ZBL349-956-080
½	ZBL349-956-100
¾	ZBL349-956-125

Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



Experts tip:
When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!



QUARTER CIRCLE TILE TRIM

ALUMINUM 8.0
ROYAL CHAMPAGNE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-470-06025
⅜	ZBL347-470-08025
½	ZBL347-470-10025
¾	ZBL347-470-11025
1	ZBL347-470-12525

ALUMINUM 8.0
TITANIUM BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-446-06025
⅜	ZBL347-446-08025-1
½	ZBL347-446-10025
¾	ZBL347-446-11025
1	ZBL347-446-12525

ALUMINUM 8.0
OIL RUBBED BRONZE, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-449-08025
⅜	ZBL347-449-10025
½	ZBL347-449-11025
¾	ZBL347-449-12525

ALUMINUM 8.0
BRUSHED NICKEL, ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-420B-06025
⅜	ZBL347-420B-08025
½	ZBL347-420B-10025
¾	ZBL347-420B-11025
1	ZBL347-420B-12525

PVC 8.0
WHITE

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-501-06025-1
⅜	ZBL347-501-08025-1
½	ZBL347-501-10025-1
¾	ZBL347-501-11025
1	ZBL347-501-12525-1

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

ALUMINUM LOOK
ROYAL CHAMPAGNE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-470-060
⅜	ZBL348-470-080
½	ZBL348-470-100
¾	ZBL348-470-110
1	ZBL348-470-125

ALUMINUM
TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-446-060
⅜	ZBL348-446-080
½	ZBL348-446-100
¾	ZBL348-446-110
1	ZBL348-446-125

ALUMINUM
OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-449-080
⅜	ZBL348-449-100
½	ZBL348-449-110
¾	ZBL348-449-125

ALUMINUM LOOK
BRUSHED NICKEL

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-420B-060
⅜	ZBL348-420B-080
½	ZBL348-420B-100
¾	ZBL348-420B-125

PVC
WHITE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-501-060
⅜	ZBL348-501-080-1
½	ZBL348-501-100
¾	ZBL348-501-110
1	ZBL348-501-125-1

QUARTER CIRCLE TILE TRIM, INNER CORNERS

ALUMINUM LOOK
ROYAL CHAMPAGNE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-470-060
⅜	ZBL349-470-080
½	ZBL349-470-100
¾	ZBL349-470-110
1	ZBL349-470-125

ALUMINUM
TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-446-060
⅜	ZBL349-446-080
½	ZBL349-446-100
¾	ZBL349-446-110
1	ZBL349-446-125

ALUMINUM
OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-449-080
⅜	ZBL349-449-100
½	ZBL349-449-110
¾	ZBL349-449-125

ALUMINUM LOOK
BRUSHED NICKEL

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-420B-060
⅜	ZBL349-420B-080
½	ZBL349-420B-100
¾	ZBL349-420B-110
1	ZBL349-420B-125

PVC
WHITE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-501-060-1
⅜	ZBL349-501-080
½	ZBL349-501-100
¾	ZBL349-501-110
1	ZBL349-501-125-1

QUARTER CIRCLE TILE TRIM

PVC
JASMINE**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-5011-06025
⅜	ZBL347-5011-08025-1
½	ZBL347-5011-10025-1
¾	ZBL347-5011-11025
1	ZBL347-5011-12525-1

QUARTER CIRCLE TILE TRIM, OUTER CORNERS

PVC
JASMINE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-5011-060
⅜	ZBL348-5011-080
½	ZBL348-5011-100
¾	ZBL348-5011-110
1	ZBL348-5011-125

QUARTER CIRCLE TILE TRIM, INNER CORNERS

PVC
JASMINE

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-5011-060
⅜	ZBL349-5011-080
½	ZBL349-5011-100
¾	ZBL349-5011-110
1	ZBL349-5011-125-1

Experts tip:

When ordering the QUARTER CIRCLE TILE TRIM please do not forget the inner and outer corners!

**PVC**
MANHATTAN GRAY**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-5091-06025
⅜	ZBL347-5091-08025
½	ZBL347-5091-10025
¾	ZBL347-5091-11025
1	ZBL347-5091-12525

PVC
MANHATTAN GRAY


Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-5091-060
⅜	ZBL348-5091-080
½	ZBL348-5091-100
¾	ZBL348-5091-110
1	ZBL348-5091-125

PVC
MANHATTAN GRAY

Pack: 1 pc.

h/in.	Part no.
¼	ZBL349-5091-060
⅜	ZBL349-5091-080
½	ZBL349-5091-100
¾	ZBL349-5091-110
1	ZBL349-5091-125

**PVC**
SILVER GRAY**8.0**

Length: 8.0 feet

Pack: 5 pcs.

h/in.	Part no.
¼	ZBL347-5092-06025
⅜	ZBL347-5092-08025
½	ZBL347-5092-10025
¾	ZBL347-5092-11025

PVC
SILVER GRAY

Pack: 1 pc.

h/in.	Part no.
¼	ZBL348-5092-060
⅜	ZBL348-5092-080
½	ZBL348-5092-100
¾	ZBL348-5092-110

PVC
SILVER GRAY

Pack: 1 pc.


h/in.	Part no.
¼	ZBL349-5092-060
⅜	ZBL349-5092-080
½	ZBL349-5092-100
¾	ZBL349-5092-110





FLOOR ACCENT PROFILE

The FLOOR ACCENT PROFILES provide square outer corners and decorative accents for floor tiles and coves. Available in solid brass and in a variety of aluminum finishes (only the solid brass and natural aluminum should be used in floor applications), the FLOOR ACCENT PROFILES can also be used to form an attractive cove corner.



BRASS		8.0	BRASS		8.0	ALUMINUM		8.0
NATURAL			CHROME-PLATED			NATURAL		
Length: 8.0 feet		Pack: 5 pcs.	Length: 8.0 feet		Pack: 5 pcs.	Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
1/32	ZBL304-300-09025		1/32	ZBL304-340-09025		1/4	ZBL304-400-06025-1	
7/16	ZBL304-300-11025		7/16	ZBL304-340-11025		5/16	ZBL304-400-08025	
1/2	ZBL304-300-12525-1		1/2	ZBL304-340-12525		3/8	ZBL304-400-10025-1	
19/32	ZBL304-300-15025		19/32	ZBL304-340-15025		1/2	ZBL304-400-12525	
						19/32	ZBL304-400-15025	
ALUMINUM		8.0						
SATIN SILVER, ANODIZED								
Length: 8.0 feet		Pack: 5 pcs.						
h/in.	Part no.							
1/4	ZBL304-410-06025							
5/16	ZBL304-410-08025							
3/8	ZBL304-410-10025-1							
1/2	ZBL304-410-12525							
19/32	ZBL304-410-15025							

FLOOR ACCENT PROFILE (INNER AND OUTER CORNER)

BRASS CHROME-PLATED Pack: 1 pc.	
h/in.	Part no.
1½/32	ZBL652-340-090
7/16	ZBL652-340-110
½	ZBL652-340-125
19/32	ZBL652-340-150

CUBELINE

CUBELINE is a sleek tile edge protector that complements modern tile and stone designs. Unlike traditional edge protectors, this profile features a symmetrical cube shape. Several finishes are available which allow CUBELINE to provide decorative design and contrast. In addition to its decorative properties, CUBELINE also provides a durable protective edge for tile and stone applications. The chemical resistant stainless steel version even can be used as stairnose. Part numbers in **bold** indicate stocked Emser

Signature Series items.

BRASS CHROME-PLATED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-340-04525
5/32	ZBL740-340-07025
11/32	ZBL740-340-09025
7/16	ZBL740-340-11025
1/2	ZBL740-340-12525
17/32	ZBL740-340-14025

STAINLESS STEEL NATURAL 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-280-04525
5/32	ZBL740-280-07025
11/32	ZBL740-280-09025
3/8	ZBL740-280-10025
7/16	ZBL740-280-11025
1/2	ZBL740-280-12525
17/32	ZBL740-280-14025

STAINLESS STEEL POLISHED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-286-04525
5/32	ZBL740-286-07025
11/32	ZBL740-286-09025
3/8	ZBL740-286-10025
7/16	ZBL740-286-11025
1/2	ZBL740-286-12525
17/32	ZBL740-286-14025

STAINLESS STEEL BRUSHED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-280B-04525
5/32	ZBL740-280B-07025
11/32	ZBL740-280B-09025
3/8	ZBL740-280B-10025
7/16	ZBL740-280B-11025
1/2	ZBL740-280B-12525-1
17/32	ZBL740-280B-14025

STAINLESS STEEL CROSS BRUSHED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
5/32	ZBL740-280K-07025
11/32	ZBL740-280K-09025
7/16	ZBL740-280K-11025

ALUMINUM SATIN SILVER, ANODIZED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-410-04525
5/32	ZBL740-410-07025
11/32	ZBL740-410-09025
7/16	ZBL740-410-11025
1/2	ZBL740-410-12525
17/32	ZBL740-410-14025

ALUMINUM SHINY SILVER, ANODIZED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-430-04525
5/32	ZBL740-430-07025
11/32	ZBL740-430-09025
7/16	ZBL740-430-11025-1
1/2	ZBL740-430-12525-1
17/32	ZBL740-430-14025

ALUMINUM STAINLESS STEEL METALLIC, POWDER-COATED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-4502-04525
5/32	ZBL740-4502-07025
11/32	ZBL740-4502-09025
7/16	ZBL740-4502-11025
1/2	ZBL740-4502-12525
17/32	ZBL740-4502-14025

ALUMINUM TITANIUM BRONZE, ANODIZED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-446-04525
5/32	ZBL740-446-07025
11/32	ZBL740-446-09025-1
7/16	ZBL740-446-11025
1/2	ZBL740-446-12525
17/32	ZBL740-446-14025

ALUMINUM WHITE, POWDER-COATED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-450-04525
5/32	ZBL740-450-07025
11/32	ZBL740-450-09025
7/16	ZBL740-450-11025
1/2	ZBL740-450-12525
17/32	ZBL740-450-14025

ALUMINUM ROYAL CHAMPAGNE, ANODIZED 8.0


Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-470-04525
5/32	ZBL740-470-07025
11/32	ZBL740-470-09025-1
7/16	ZBL740-470-11025
1/2	ZBL740-470-12525
17/32	ZBL740-470-14025

ALUMINUM JASMINE, POWDER-COATED 8.0

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4501-09025
7/16	ZBL740-4501-11025
1/2	ZBL740-4501-12525



**Expert tip:**

When ordering the CUBELINE profile please do not forget the corners!

**ALUMINUM 8.0****SILVER, ANODIZED, CROSS BRUSHED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-430K-04525
$\frac{9}{32}$	ZBL740-430K-07025
$\frac{11}{32}$	ZBL740-430K-09025
$\frac{7}{16}$	ZBL740-430K-11025
$\frac{1}{2}$	ZBL740-430K-12525
$\frac{17}{32}$	ZBL740-430K-14025

ALUMINUM 8.0**MATTE BLACK, ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{9}{32}$	ZBL740-416-07025
$\frac{11}{32}$	ZBL740-416-09025
$\frac{7}{16}$	ZBL740-416-11025
$\frac{1}{2}$	ZBL740-416-12525

ALUMINUM 8.0**OIL RUBBED BRONZE, ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{9}{32}$	ZBL740-449-07025
$\frac{11}{32}$	ZBL740-449-09025
$\frac{7}{16}$	ZBL740-449-11025
$\frac{1}{2}$	ZBL740-449-12525

ALUMINUM 8.0**BRUSHED NICKEL, ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{9}{32}$	ZBL740-420B-07025
$\frac{11}{32}$	ZBL740-420B-09025-1
$\frac{7}{16}$	ZBL740-420B-11025
$\frac{1}{2}$	ZBL740-420B-12525
$\frac{17}{32}$	ZBL740-420B-14025

ALUMINUM 8.0**SATIN SILVER, BRUSHED ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-410B-04525
$\frac{9}{32}$	ZBL740-410B-07025
$\frac{11}{32}$	ZBL740-410B-09025
$\frac{7}{16}$	ZBL740-410B-11025
$\frac{1}{2}$	ZBL740-410B-12525
$\frac{17}{32}$	ZBL740-410B-14025

ALUMINUM 8.0**MATTE BLACK, BRUSHED ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-416B-04525
$\frac{9}{32}$	ZBL740-416B-07025
$\frac{11}{32}$	ZBL740-416B-09025
$\frac{7}{16}$	ZBL740-416B-11025
$\frac{1}{2}$	ZBL740-416B-12525
$\frac{17}{32}$	ZBL740-416B-14025

ALUMINUM 8.0**SATIN GOLD, ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-420-04525
$\frac{9}{32}$	ZBL740-420-07025
$\frac{11}{32}$	ZBL740-420-09025
$\frac{7}{16}$	ZBL740-420-11025
$\frac{1}{2}$	ZBL740-420-12525
$\frac{17}{32}$	ZBL740-420-14025

ALUMINUM 8.0**SATIN GOLD, BRUSHED ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-42GB-04525
$\frac{9}{32}$	ZBL740-42GB-07025
$\frac{11}{32}$	ZBL740-42GB-09025
$\frac{7}{16}$	ZBL740-42GB-11025
$\frac{1}{2}$	ZBL740-42GB-12525
$\frac{17}{32}$	ZBL740-42GB-14025

ALUMINUM 8.0**TITANIUM BRONZE, BRUSHED ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-446B-04525
$\frac{9}{32}$	ZBL740-446B-07025
$\frac{11}{32}$	ZBL740-446B-09025
$\frac{7}{16}$	ZBL740-446B-11025
$\frac{1}{2}$	ZBL740-446B-12525
$\frac{17}{32}$	ZBL740-446B-14025

ALUMINUM 8.0**ROYAL CHAMPAGNE, BRUSHED ANODIZED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{3}{16}$	ZBL740-470B-04525
$\frac{9}{32}$	ZBL740-470B-07025
$\frac{11}{32}$	ZBL740-470B-09025
$\frac{7}{16}$	ZBL740-470B-11025
$\frac{1}{2}$	ZBL740-470B-12525
$\frac{17}{32}$	ZBL740-470B-14025

ALUMINUM 8.0**SAND TROPEZ, TEXTURED POWDER-COATED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{11}{32}$	ZBL740-4571A-09025
$\frac{7}{16}$	ZBL740-4571A-11025
$\frac{1}{2}$	ZBL740-4571A-12525

ALUMINUM 8.0**STONE GRAY, TEXTURED POWDER-COATED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{11}{32}$	ZBL740-4591A-09025
$\frac{7}{16}$	ZBL740-4591A-11025
$\frac{1}{2}$	ZBL740-4591A-12525

ALUMINUM 8.0**GRAPHITE, TEXTURED POWDER-COATED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{11}{32}$	ZBL740-4561A-09025
$\frac{7}{16}$	ZBL740-4561A-11025
$\frac{1}{2}$	ZBL740-4561A-12525

ALUMINUM 8.0**OXIDE, TEXTURED POWDER-COATED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{11}{32}$	ZBL740-4581A-09025
$\frac{7}{16}$	ZBL740-4581A-11025
$\frac{1}{2}$	ZBL740-4581A-12525

ALUMINUM 8.0**SUGAR WHITE, TEXTURED POWDER-COATED**

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
$\frac{11}{32}$	ZBL740-4512A-09025
$\frac{7}{16}$	ZBL740-4512A-11025
$\frac{1}{2}$	ZBL740-4512A-12525

ALUMINUM 8.0
QUARTZ, TEXTURED
POWDER-COATED
Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
1/32	ZBL740-4521A-09025
7/16	ZBL740-4521A-11025
1/2	ZBL740-4521A-12525

ALUMINUM 8.0
OYSTER WHITE, TEXTURED
POWDER-COATED
Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
1/32	ZBL740-4511A-09025
7/16	ZBL740-4511A-11025
1/2	ZBL740-4511A-12525

ALUMINUM 8.0
INDUSTRIAL RUST, TEXTURED
POWDER-COATED
Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
1/32	ZBL740-4583A-09025
7/16	ZBL740-4583A-11025
1/2	ZBL740-4583A-12525

ALUMINUM 8.0
COAL BLACK, TEXTURED
POWDER-COATED
Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
1/32	ZBL740-4562A-09025
7/16	ZBL740-4562A-11025
1/2	ZBL740-4562A-12525


ALUMINUM 8.0
DARK CHOCOLATE, TEXTURED
POWDER-COATED
Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
1/32	ZBL740-4582A-09025
7/16	ZBL740-4582A-11025
1/2	ZBL740-4582A-12525



Experts tip:

When ordering the CUBELINE profile please do not forget the corners!



CUBELINE, corner piece (inner and outer corner)

BRASS
CHROME-PLATED
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-340-045
5/32	ZBL741-340-070
1/32	ZBL741-340-090
7/16	ZBL741-340-110
1/2	ZBL741-340-125
17/32	ZBL741-340-140

STAINLESS STEEL
NATURAL
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-280-045
5/32	ZBL741-280-070
1/32	ZBL741-280-090
3/8	ZBL741-280-100
7/16	ZBL741-280-110
1/2	ZBL741-280-125
17/32	ZBL741-280-140

STAINLESS STEEL
BRUSHED
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-280B-045
5/32	ZBL741-280B-070
1/32	ZBL741-280B-090
3/8	ZBL741-280B-100
7/16	ZBL741-280B-110
1/2	ZBL741-280B-125
17/32	ZBL741-280B-140

STAINLESS STEEL
POLISHED
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-286-045
5/32	ZBL741-286-070
1/32	ZBL741-286-090
3/8	ZBL741-286-100
7/16	ZBL741-286-110
1/2	ZBL741-286-125
17/32	ZBL741-286-140

STAINLESS STEEL
CROSS BRUSHED
Pack: 1 pc.

h/in.	Part no.
5/32	ZBL741-280K-070
11/32	ZBL741-280K-090
7/16	ZBL741-280K-110

ALUMINUM
SATIN SILVER
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-410AL-045
5/32	ZBL741-410AL-070
1/32	ZBL741-410AL-090
7/16	ZBL741-410AL-110
1/2	ZBL741-410AL-125
17/32	ZBL741-410AL-140

ALUMINUM LOOK
SATIN SILVER
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-410-045
5/32	ZBL741-410-070
11/32	ZBL741-410-090-1
7/16	ZBL741-410-110
1/2	ZBL741-410-125
17/32	ZBL741-410-140

ALUMINUM LOOK
SHINY SILVER
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-430-045
5/32	ZBL741-430-070
11/32	ZBL741-430-090
7/16	ZBL741-430-110
1/2	ZBL741-430-125-1
17/32	ZBL741-430-140

ALUMINUM LOOK
STAINLESS STEEL METALLIC,
POWDER-COATED
Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-4502-045
5/32	ZBL741-4502-070
11/32	ZBL741-4502-090
7/16	ZBL741-4502-110
1/2	ZBL741-4502-125
17/32	ZBL741-4502-140

**Expert tip:**

When ordering the CUBELINE profile please do not forget the inner and outer corners!

**ALUMINUM**

SILVER, ANODIZED, CROSS BRUSHED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-430K-045
$\frac{5}{32}$	ZBL741-430K-070
$\frac{11}{32}$	ZBL741-430K-090
$\frac{7}{16}$	ZBL741-430K-110
$\frac{1}{2}$	ZBL741-430K-125
$\frac{17}{32}$	ZBL741-430K-140

ALUMINUM LOOK

JASMINE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{11}{32}$	ZBL741-4501-090
$\frac{7}{16}$	ZBL741-4501-110
$\frac{1}{2}$	ZBL741-4501-125

ALUMINUM LOOK

WHITE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-450-045
$\frac{5}{32}$	ZBL741-450-070
$\frac{11}{32}$	ZBL741-450-090
$\frac{7}{16}$	ZBL741-450-110
$\frac{1}{2}$	ZBL741-450-125
$\frac{17}{32}$	ZBL741-450-140

ALUMINUM

MATTE BLACK, ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{5}{32}$	ZBL741-416-070
$\frac{11}{32}$	ZBL741-416-090
$\frac{7}{16}$	ZBL741-416-110
$\frac{1}{2}$	ZBL741-416-125

ALUMINUM LOOK

ROYAL CHAMPAGNE, POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-470-045
$\frac{5}{32}$	ZBL741-470-070
$\frac{11}{32}$	ZBL741-470-090
$\frac{7}{16}$	ZBL741-470-110
$\frac{1}{2}$	ZBL741-470-125
$\frac{17}{32}$	ZBL741-470-140

ALUMINUM

TITANIUM BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-446-045
$\frac{5}{32}$	ZBL741-446-070
$\frac{11}{32}$	ZBL741-446-090-1
$\frac{7}{16}$	ZBL741-446-110
$\frac{1}{2}$	ZBL741-446-125
$\frac{17}{32}$	ZBL741-446-140

ALUMINUM

OIL RUBBED BRONZE, ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{5}{32}$	ZBL741-449-070
$\frac{11}{32}$	ZBL741-449-090
$\frac{7}{16}$	ZBL741-449-110
$\frac{1}{2}$	ZBL741-449-125

ALUMINUM LOOK

BRUSHED NICKEL, ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{5}{32}$	ZBL741-420B-070
$\frac{11}{32}$	ZBL741-420B-090
$\frac{7}{16}$	ZBL741-420B-110
$\frac{1}{2}$	ZBL741-420B-125
$\frac{17}{32}$	ZBL741-420B-140

STAINLESS STEEL LOOK

NATURAL

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-9280-045
$\frac{5}{32}$	ZBL741-9280-070
$\frac{11}{32}$	ZBL741-9280-090
$\frac{3}{8}$	ZBL741-9280-100
$\frac{7}{16}$	ZBL741-9280-110
$\frac{1}{2}$	ZBL741-9280-125
$\frac{17}{32}$	ZBL741-9280-140

STAINLESS STEEL LOOK

BRUSHED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-928B-045
$\frac{5}{32}$	ZBL741-928B-070
$\frac{11}{32}$	ZBL741-928B-090
$\frac{3}{8}$	ZBL741-928B-100
$\frac{7}{16}$	ZBL741-928B-110
$\frac{1}{2}$	ZBL741-928B-125
$\frac{17}{32}$	ZBL741-928B-140

STAINLESS STEEL LOOK

POLISHED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-9286-045
$\frac{5}{32}$	ZBL741-9286-070
$\frac{11}{32}$	ZBL741-9286-090
$\frac{3}{8}$	ZBL741-9286-100
$\frac{7}{16}$	ZBL741-9286-110
$\frac{1}{2}$	ZBL741-9286-125
$\frac{17}{32}$	ZBL741-9286-140

ALUMINUM

SATIN SILVER, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-410B-045
$\frac{5}{32}$	ZBL741-410B-070
$\frac{11}{32}$	ZBL741-410B-090
$\frac{7}{16}$	ZBL741-410B-110
$\frac{1}{2}$	ZBL741-410B-125
$\frac{17}{32}$	ZBL741-410B-140

ALUMINUM

MATTE BLACK, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-416B-045
$\frac{5}{32}$	ZBL741-416B-070
$\frac{11}{32}$	ZBL741-416B-090
$\frac{7}{16}$	ZBL741-416B-110
$\frac{1}{2}$	ZBL741-416B-125
$\frac{17}{32}$	ZBL741-416B-140

ALUMINUM

SATIN GOLD, ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-420-045
$\frac{5}{32}$	ZBL741-420-070
$\frac{11}{32}$	ZBL741-420-090
$\frac{7}{16}$	ZBL741-420-110
$\frac{1}{2}$	ZBL741-420-125
$\frac{17}{32}$	ZBL741-420-140

ALUMINUM

SATIN GOLD, BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.
$\frac{3}{16}$	ZBL741-42GB-045
$\frac{5}{32}$	ZBL741-42GB-070
$\frac{11}{32}$	ZBL741-42GB-090
$\frac{7}{16}$	ZBL741-42GB-110
$\frac{1}{2}$	ZBL741-42GB-125
$\frac{17}{32}$	ZBL741-42GB-140

ALUMINUM

TITANIUM BRONZE,
BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-446B-045
9/32	ZBL741-446B-070
11/32	ZBL741-446B-090
7/16	ZBL741-446B-110
1/2	ZBL741-446B-125
17/32	ZBL741-446B-140

ALUMINUM

ROYAL CHAMPAGNE,
BRUSHED ANODIZED

Pack: 1 pc.

h/in.	Part no.
3/16	ZBL741-470B-045
9/32	ZBL741-470B-070
11/32	ZBL741-470B-090
7/16	ZBL741-470B-110
1/2	ZBL741-470B-125
17/32	ZBL741-470B-140



Expert tip:

When ordering the CUBELINE profile please do not forget the inner and outer corners!

ALUMINUM LOOK

STONE GRAY, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9591A-090
7/16	ZBL741-9591A-110
1/2	ZBL741-9591A-125

ALUMINUM LOOK

GRAPHITE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9561A-090
7/16	ZBL741-9561A-110
1/2	ZBL741-9561A-125

ALUMINUM LOOK

OXIDE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9581A-090
7/16	ZBL741-9581A-110
1/2	ZBL741-9581A-125



ALUMINUM LOOK

SUGAR WHITE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9512A-090
7/16	ZBL741-9512A-110
1/2	ZBL741-9512A-125

ALUMINUM LOOK

QUARTZ, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9521A-090
7/16	ZBL741-9521A-110
1/2	ZBL741-9521A-125

ALUMINUM LOOK

OYSTER WHITE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9511A-090
7/16	ZBL741-9511A-110
1/2	ZBL741-9511A-125

ALUMINUM LOOK

INDUSTRIAL RUST, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9583A-090
7/16	ZBL741-9583A-110
1/2	ZBL741-9583A-125

ALUMINUM LOOK

COAL BLACK, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9562A-090
7/16	ZBL741-9562A-110
1/2	ZBL741-9562A-125

ALUMINUM LOOK

DARK CHOCOLATE, TEXTURED
POWDER-COATED


Pack: 1 pc.

h/in.	Part no.
11/32	ZBL741-9582A-090
7/16	ZBL741-9582A-110
1/2	ZBL741-9582A-125



DECOLINE


DECOLINE is a profile that provides decorative borders for tiled walls. DECOLINE can be combined with the corresponding finish in the QUARTER CIRCLE TILE TRIM for corners for a coordinated and professional installation. The DECOLINE made from stainless steel is durable enough to be used as accents in floor tile installation.



Advantages:
One size fits tile as thin as 3/16" - suitable for mosaic tiles


BRASS CHROME-PLATED Length: 8.0 feet Pack: 2 pcs.		8.0		STAINLESS STEEL BRUSHED Length: 8.0 feet Pack: 2 pcs.		8.0		ALUMINUM SATIN GOLD, ANODIZED Length: 8.0 feet Pack: 2 pcs.		8.0	
h/in.		Part no.		h/in.		Part no.		h/in.		Part no.	
1		ZBL622-340-25250		1		ZBL622-280B-25250		1		ZBL622-420-25250	

ALUMINUM SHINY GOLD, ANODIZED Length: 8.0 feet Pack: 2 pcs.		8.0		ALUMINUM SATIN SILVER, ANODIZED Length: 8.0 feet Pack: 2 pcs.		8.0		ALUMINUM SHINY SILVER, ANODIZED Length: 8.0 feet Pack: 2 pcs.		8.0	
h/in.		Part no.		h/in.		Part no.		h/in.		Part no.	
1		ZBL622-480-25250		1		ZBL622-410-25250-1		1		ZBL622-430-25250	



CORNER PRO

The CORNER PRO is designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The profile creates a strong edge with a clean and decorative finish for outside wall corners.



STAINLESS STEEL BRUSHED Length: 8.0 feet Pack: 1 pc.		8.0		STAINLESS STEEL BRUSHED Length: 6.7 feet Pack: 1 pc.		6.7		STAINLESS STEEL BRUSHED Length: 4.11 feet Pack: 1 pc.		4.11	
h/in.		Part no.		h/in.		Part no.		h/in.		Part no.	
5/16		ZBL197-280-08025		5/16		ZBL197-280-0802		5/16		ZBL197-280-08015	
3/8		ZBL197-280-10025		3/8		ZBL197-280-1002		3/8		ZBL197-280-10015	

CORNER ANGLE

The CORNER ANGLES are designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The stainless steel profile creates a strong edge with a clean and decorative finish for outside wall corners. The double-backed glue strips allow CORNER ANGLE profiles to adhere directly to the wall tile for easy installation.



STAINLESS STEEL 8.0 BRUSHED, WITH GLUE STRIP

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-03025-1
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-04025
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL364-280-06025

STAINLESS STEEL 6.7 BRUSHED, WITH GLUE STRIP


Length: 6.7 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-0302
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-0402
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL364-280-0602

STAINLESS STEEL 4.11 BRUSHED, WITH GLUE STRIP

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL364-280-03015
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL364-280-04015
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL364-280-06015



STAINLESS STEEL 8.0 BRUSHED, WITHOUT GLUE STRIP

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-03025
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-04025
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL448-280-06025

STAINLESS STEEL 6.7 BRUSHED, WITHOUT GLUE STRIP

Length: 6.7 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-0302
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-0402
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL448-280-0602

STAINLESS STEEL 4.11 BRUSHED, WITHOUT GLUE STRIP

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL448-280-03015
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL448-280-04015
2 $\frac{3}{16}$ × 2 $\frac{3}{16}$	ZBL448-280-06015

CORNER ANGLE PLUS

The CORNER ANGLE PLUS is designed where tiled wall corners need to be protected from mechanical impact in industrial and professional environments. The stainless steel profile creates a strong edge with a clean and decorative finish for outside wall corners.



STAINLESS STEEL 8.0 BRUSHED, WITHOUT GLUE STRIP


Length: 8.0 feet Pack: 1 pc.


h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL451-280-03025
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL451-280-04025

STAINLESS STEEL 6.7 BRUSHED, WITHOUT GLUE STRIP

Length: 6.7 feet Pack: 1 pc.


h/in.	Part no.
1 $\frac{3}{16}$ × 1 $\frac{3}{16}$	ZBL451-280-03020
1 $\frac{3}{8}$ × 1 $\frac{3}{8}$	ZBL451-280-04020





SILL PROFILE

The SILL PROFILE of stainless steel is specifically designed to cover the tiled edge of stairs and countertops where there is a buildup of exposed substrate and underlayment. The brushed exposed face of the profile creates a visually attractive finish while providing long lasting low maintenance protection for the tile edge.




STAINLESS STEEL			10.0	STAINLESS STEEL			3.3
BRUSHED				BRUSHED			
Inner height: 3/8 inch; length: 10 feet			Pack: 1 pc.	Inner height: 3/8 inch; length: 3.3 feet			Pack: 1 pc.
h1/in.	h2/in.	Part no.		h1/in.	h2/in.	Part no.	
53/64	3/8	ZBL757-280B-10213		53/64	3/8	ZBL757-280B-10211	
1	19/32	ZBL757-280B-10263		1	19/32	ZBL757-280B-10261	
1 3/16	3/4	ZBL757-280B-10313		1 3/16	3/4	ZBL757-280B-10311	
1 1/2	1 3/8	ZBL757-280B-10463		1 1/2	1 3/8	ZBL757-280B-10461	

STAINLESS STEEL			10.0	STAINLESS STEEL			3.3
BRUSHED				BRUSHED			
Inner height: 1/2 inch; length: 10 feet			Pack: 1 pc.	Inner height: 1/2 inch; length: 3.3 feet			Pack: 1 pc.
h1/in.	h2/in.	Part no.		h1/in.	h2/in.	Part no.	
9/10	3/8	ZBL757-280B-12233		9/10	3/8	ZBL757-280B-12231	
1 1/10	19/32	ZBL757-280B-12283		1 1/10	19/32	ZBL757-280B-12281	
1 3/10	3/4	ZBL757-280B-12333		1 3/10	3/4	ZBL757-280B-12331	
1 9/10	1 3/8	ZBL757-280B-12483		1 9/10	1 3/8	ZBL757-280B-12481	



F-PROFILE

F-PROFILE is an aluminum tile trim that creates a 1/2" wide channel that can be used for the decorative purposes of creating a shadow gap. This unique trim can also be used for supporting glass walls, and is available in different heights to work with your tile selection.



ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
5/32	ZBL292-410-07025	
11/32	ZBL292-410-09025	
7/16	ZBL292-410-11025	







NEW YORK EDITION

The tried-and-trusted design, plus daring new trend-setting colours and surface textures are compelling features of the NEW YORK series of profiles. As they combine perfectly with the latest tiling trends, the profile series is precisely the right choice for those who prefer design-oriented styles. In addition to the proven tile edge protection and the new color schemes, the high-quality surface textures offer a new tactile experience.

The brushed version of the edge protector trim of the NEW YORK EDITION is available in Satin Gold, Satin Silver, Titanium Bronze, Royal Champagne and Matte Black. The profile is also available with Stone Gray, Oxide, Sand Tropez and Graphite textured finishes. The design-oriented profile line CUBELINE offers a Satin Silver anodized, cross-brushed version, as well as versions in Sugar White, Oyster White, Quartz, Industrial Rust, Dark Chocolate and Coal Black.

No matter whether you prefer classic, modern or avant-garde, with this unique profile design: ***You will be thrilled with the NEW YORK EDITION and its proven design and daring, trend-setting colors.***

NEW YORK EDITION

EDGE PROTECTOR TRIM

ALUMINUM 8.0	
SATIN GOLD, BRUSHED ANODIZED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-42GB-08025
3/8	ZBL300-42GB-10025
7/16	ZBL300-42GB-11025
1/2	ZBL300-42GB-12525

ALUMINUM 8.0	
SATIN SILVER, BRUSHED ANODIZED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-410B-08025
3/8	ZBL300-410B-10025
7/16	ZBL300-410B-11025
1/2	ZBL300-410B-12525

ALUMINUM 8.0	
TITANIUM BRONZE, BRUSHED ANODIZED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-446B-08025
3/8	ZBL300-446B-10025
7/16	ZBL300-446B-11025
1/2	ZBL300-446B-12525

ALUMINUM 8.0	
ROYAL CHAMPAGNE, BRUSHED ANODIZED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-470B-08025
3/8	ZBL300-470B-10025
7/16	ZBL300-470B-11025
1/2	ZBL300-470B-12525

ALUMINUM 8.0	
STONE GRAY, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-4591A-08025
3/8	ZBL300-4591A-10025
7/16	ZBL300-4591A-11025
1/2	ZBL300-4591A-12525

ALUMINUM 8.0	
OXIDE, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-4581A-08025
3/8	ZBL300-4581A-10025
7/16	ZBL300-4581A-11025
1/2	ZBL300-4581A-12525

ALUMINUM 8.0	
SAND TROPEZ, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-4571A-08025
3/8	ZBL300-4571A-10025
7/16	ZBL300-4571A-11025
1/2	ZBL300-4571A-12525

ALUMINUM 8.0	
GRAPHITE, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-4561A-08025
3/8	ZBL300-4561A-10025
7/16	ZBL300-4561A-11025
1/2	ZBL300-4561A-12525

ALUMINUM 8.0	
MATTE BLACK, BRUSHED ANODIZED	
Length: 8.0 feet	Pack: 10 pcs.
h/in.	Part no.
5/16	ZBL300-416B-08025
3/8	ZBL300-416B-10025
7/16	ZBL300-416B-11025
1/2	ZBL300-416B-12525

ALUMINUM 8.0	
SUGAR WHITE, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4512A-08025
3/8	ZBL300-4512A-10025
1/2	ZBL300-4512A-12525

NEW ALUMINUM 8.0	
QUARTZ, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4521A-08025
3/8	ZBL300-4521A-10025
1/2	ZBL300-4521A-12525

NEW ALUMINUM 8.0	
OYSTER WHITE, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4511A-08025
3/8	ZBL300-4511A-10025
1/2	ZBL300-4511A-12525

ALUMINUM 8.0	
INDUSTRIAL RUST, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4583A-08025
3/8	ZBL300-4583A-10025
1/2	ZBL300-4583A-12525

NEW ALUMINUM 8.0	
COAL BLACK, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4562A-08025
3/8	ZBL300-4562A-10025
1/2	ZBL300-4562A-12525

NEW ALUMINUM 8.0	
DARK CHOCOLATE, TEXTURED POWDER-COATED	
Length: 8.0 feet	Pack: 5 pcs.
h/in.	Part no.
5/16	ZBL300-4582A-08025
3/8	ZBL300-4582A-10025
1/2	ZBL300-4582A-12525

CUBELINE

ALUMINUM 8.0SATIN GOLD,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-42GB-04525
5/32	ZBL740-42GB-07025
11/32	ZBL740-42GB-09025
7/16	ZBL740-42GB-11025
1/2	ZBL740-42GB-12525
17/32	ZBL740-42GB-14025

ALUMINUM 8.0ROYAL CHAMPAGNE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-470B-04525
5/32	ZBL740-470B-07025
11/32	ZBL740-470B-09025
7/16	ZBL740-470B-11025
1/2	ZBL740-470B-12525
17/32	ZBL740-470B-14025

ALUMINUM 8.0SAND TROPEZ, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4571A-09025
7/16	ZBL740-4571A-11025
1/2	ZBL740-4571A-12525

ALUMINUM 8.0SUGAR WHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4512A-09025
7/16	ZBL740-4512A-11025
1/2	ZBL740-4512A-12525

ALUMINUM 8.0SATIN SILVER,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-410B-04525
5/32	ZBL740-410B-07025
11/32	ZBL740-410B-09025
7/16	ZBL740-410B-11025
1/2	ZBL740-410B-12525
17/32	ZBL740-410B-14025

ALUMINUM 8.0STONE GRAY, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4591A-09025
7/16	ZBL740-4591A-11025
1/2	ZBL740-4591A-12525

ALUMINUM 8.0GRAPHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4561A-09025
7/16	ZBL740-4561A-11025
1/2	ZBL740-4561A-12525

ALUMINUM 8.0QUARTZ, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4521A-09025
7/16	ZBL740-4521A-11025
1/2	ZBL740-4521A-12525

ALUMINUM 8.0TITANIUM BRONZE,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-446B-04525
5/32	ZBL740-446B-07025
11/32	ZBL740-446B-09025
7/16	ZBL740-446B-11025
1/2	ZBL740-446B-12525
17/32	ZBL740-446B-14025

ALUMINUM 8.0OXIDE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4581A-09025
7/16	ZBL740-4581A-11025
1/2	ZBL740-4581A-12525

ALUMINUM 8.0MATTE BLACK,
BRUSHED ANODIZED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
3/16	ZBL740-416B-04525
5/32	ZBL740-416B-07025
11/32	ZBL740-416B-09025
7/16	ZBL740-416B-11025
1/2	ZBL740-416B-12525
17/32	ZBL740-416B-14025

ALUMINUM 8.0OYSTER WHITE, TEXTURED
POWDER-COATED

Length: 8.0 feet Pack: 5 pcs.

h/in.	Part no.
11/32	ZBL740-4511A-09025
7/16	ZBL740-4511A-11025
1/2	ZBL740-4511A-12525





ALUMINUM		8.0
INDUSTRIAL RUST, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
11/32	ZBL740-4583A-09025	
7/16	ZBL740-4583A-11025	
1/2	ZBL740-4583A-12525	

ALUMINUM		8.0
COAL BLACK, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
11/32	ZBL740-4562A-09025	
7/16	ZBL740-4562A-11025	
1/2	ZBL740-4562A-12525	

ALUMINUM		8.0
DARK CHOCOLATE, TEXTURED POWDER-COATED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
11/32	ZBL740-4582A-09025	
7/16	ZBL740-4582A-11025	
1/2	ZBL740-4582A-12525	

CUBELINE, CORNER PIECE (INNER AND OUTER CORNER)

ALUMINUM		
SATIN GOLD, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	
3/16	ZBL741-42GB-045	
9/32	ZBL741-42GB-070	
11/32	ZBL741-42GB-090	
7/16	ZBL741-42GB-110	
1/2	ZBL741-42GB-125	
17/32	ZBL741-42GB-140	

ALUMINUM		
SATIN SILVER, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	
3/16	ZBLZBL741-410B-045	
9/32	ZBLZBL741-410B-070	
11/32	ZBLZBL741-410B-090	
7/16	ZBLZBL741-410B-110	
1/2	ZBLZBL741-410B-125	
17/32	ZBLZBL741-410B-140	

ALUMINUM		
TITANIUM BRONZE, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	
3/16	ZBL741-446B-045	
9/32	ZBL741-446B-070	
11/32	ZBL741-446B-090	
7/16	ZBL741-446B-110	
1/2	ZBL741-446B-125	
17/32	ZBL741-446B-140	

ALUMINUM		
ROYAL CHAMPAGNE, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	
3/16	ZBL741-470B-045	
9/32	ZBL741-470B-070	
11/32	ZBL741-470B-090	
7/16	ZBL741-470B-110	
1/2	ZBL741-470B-125	
17/32	ZBL741-470B-140	

ALUMINUM LOOK		
STONE GRAY, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	
11/32	ZBL741-9591A-090	
7/16	ZBL741-9591A-110	
1/2	ZBL741-9591A-125	

ALUMINUM LOOK		
OXIDE, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	
11/32	ZBL741-9581A-090	
7/16	ZBL741-9581A-110	
1/2	ZBL741-9581A-125	

ALUMINUM LOOK		
SAND TROPEZ, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	
11/32	ZBL741-9571A-090	
7/16	ZBL741-9571A-110	
1/2	ZBL741-9571A-125	

ALUMINUM LOOK		
GRAPHITE, TEXTURED POWDER-COATED		
		Pack: 1 pc.
h/in.	Part no.	
11/32	ZBL741-9561A-090	
7/16	ZBL741-9561A-110	
1/2	ZBL741-9561A-125	

ALUMINUM		
MATTE BLACK, BRUSHED ANODIZED		
		Pack: 1 pc.
h/in.	Part no.	\$/pc.
3/16	ZBL741-416B-045	
9/32	ZBL741-416B-070	
11/32	ZBL741-416B-090	
7/16	ZBL741-416B-110	
1/2	ZBL741-416B-125	
17/32	ZBL741-416B-140	

ALUMINUM LOOK
SUGAR WHITE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9512A-090
$\frac{7}{16}$	ZBL741-9512A-110
$\frac{1}{2}$	ZBL741-9512A-125

ALUMINUM LOOK
QUARTZ, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9521A-090
$\frac{7}{16}$	ZBL741-9521A-110
$\frac{1}{2}$	ZBL741-9521A-125

ALUMINUM LOOK
OYSTER WHITE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9511A-090
$\frac{7}{16}$	ZBL741-9511A-110
$\frac{1}{2}$	ZBL741-9511A-125

ALUMINUM LOOK
INDUSTRIAL RUST, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9583A-090
$\frac{7}{16}$	ZBL741-9583A-110
$\frac{1}{2}$	ZBL741-9583A-125

ALUMINUM LOOK
COAL BLACK, TEXTURED
POWDER-COATED


Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9562A-090
$\frac{7}{16}$	ZBL741-9562A-110
$\frac{1}{2}$	ZBL741-9562A-125

ALUMINUM LOOK
DARK CHOCOLATE, TEXTURED
POWDER-COATED

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{32}$	ZBL741-9582A-090
$\frac{7}{16}$	ZBL741-9582A-110
$\frac{1}{2}$	ZBL741-9582A-125





Marquesa™ | Floret, Blanc



LUXURY LINE

LUXURY CLASS TILING ACCESSORIES

LUXURY LINE is a byword for elegance and exclusiveness. With this range of particularly enhanced products, high-class aesthetics that satisfy even the most exacting demands go hand in hand with elegant luxury. The profiles are available in 18 carat rose gold, 24 carat gold as well as black platinum effect to set stylish statements in modern architecture. Thanks to the exclusive nature of these products, they lend individuality to the design of your room and in combination with current trends in tiles, they represent an accomplished symbiosis. With a luxury class of tiling accessories, we are able to fulfill the highest standards of quality.




STAIR PROFILES



42 ANTI-SKID STEP STRIP



45 DECO STAIR NOSE
PROFILE



ANTI-SKID STEP STRIP

The ANTI-SKID STEP STRIP is the ideal stair edging for stairways exposed to high traffic and wet conditions. An ANTI-SKID STEP STRIP PVC insert is fitted into an aluminum base to form a durable, safe, and attractive stair nose.

ALUMINUM 8.0		ALUMINUM 4.11		ALUMINUM 8.0	
INCL. PVC INSERT, GRAY		INCL. PVC INSERT, GRAY		INCL. PVC INSERT, BEIGE	
Length: 8.0 feet		Length: 4.11 feet		Length: 8.0 feet	
Pack: 1 pc.		Pack: 1 pc.		Pack: 1 pc.	
h/in.	Part no.	h/in.	Part no.	h/in.	Part no.
1/32	ZBL458-509-09025-1	1/32	ZBL458-509-0915	1/32	ZBL458-508S-09025
7/16	ZBL458-509-11025	7/16	ZBL458-509-1115	7/16	ZBL458-508S-11025

ALUMINUM 4.11		ALUMINUM 8.0		ALUMINUM 4.11	
INCL. PVC INSERT, BEIGE		INCL. PVC INSERT, GRAPHITE BLACK		INCL. PVC INSERT, GRAPHITE BLACK	
Length: 4.11 feet		Length: 8.0 feet		Length: 4.11 feet	
Pack: 1 pc.		Pack: 1 pc.		Pack: 1 pc.	
h/in.	Part no.	h/in.	Part no.	h/in.	Part no.
1/32	ZBL458-508S-0915	1/32	ZBL458-506-09025	1/32	ZBL458-506-0915
7/16	ZBL458-508S-1115	7/16	ZBL458-506-11025-1	7/16	ZBL458-506-1115

ANTI-SKID STEP STRIP (INSERT REPLACEMENT)

PVC 8.0		PVC 8.0		PVC 8.0	
GRAY		BEIGE		GRAPHITE BLACK	
Length: 8.0 feet		Length: 8.0 feet		Length: 8.0 feet	
Pack: 1 pc.		Pack: 1 pc.		Pack: 1 pc.	
h/in.	Part no.	h/in.	Part no.	h/in.	Part no.
1/32	ZBL459-509-09025	1/32	ZBL459-508S-09025	1/32	ZBL459-506-09025
7/16	ZBL459-509-11025	7/16	ZBL459-508S-11025	7/16	ZBL459-506-11025

ANTI-SKID STEP STRIP (SIDE COVER)

PVC GRAY		PVC BEIGE		PVC GRAPHITE BLACK	
Pack: 2 pcs.		Pack: 2 pcs.		Pack: 2 pcs.	
h/in.	Part no.	h/in.	Part no.	h/in.	Part no.
1/32	ZBL456-509-090	1/32	ZBL456-508S-090	1/32	ZBL456-506-090
7/16	ZBL456-509-110	7/16	ZBL456-508S-110	7/16	ZBL456-506-110

HD ANTI-SKID STEP STRIP

The HD ANTI-SKID STEP STRIP is engineered to provide protection and skid resistance for tiled steps in commercial applications exposed to heavy foot traffic. The HD ANTI-SKID STEP STRIP combines the strength and durability of extruded aluminum at the edge of the step where impact and wear is the severest. The inserts are available in 3 colors and are easily visible at the step edge to alert sight-impaired pedestrians.



ALUMINUM 8.0

INCL. PVC INSERT, GRAY

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
3/16	ZBL441-419-08025
3/8	ZBL441-419-10025

ALUMINUM 4.0

INCL. PVC INSERT, GRAY

Length: 4.11 feet Pack: 1 pc.


h/in.	Part no.
3/16	ZBL441-419-080125
3/8	ZBL441-419-100125

ALUMINUM 8.0

INCL. PVC INSERT, BROWN

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
3/16	ZBL441-418-08025
3/8	ZBL441-418-10025



ALUMINUM 4.0

INCL. PVC INSERT, BROWN

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.
3/16	ZBL441-418-080125
3/8	ZBL441-418-100125

ALUMINUM 8.0

INCL. PVC INSERT, GRAPHITE BLACK

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
3/16	ZBL441-416-08025
3/8	ZBL441-416-10025

ALUMINUM 4.0

INCL. PVC INSERT, GRAPHITE BLACK

Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.
3/16	ZBL441-416-080125
3/8	ZBL441-416-100125

ALUMINUM 8.0

WITHOUT INSERT

Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.
3/16	ZBL442-410-080
3/8	ZBL442-410-100

HD STAIR INSERT (ONLY INSERT)

PVC 8.0

GRAY

Length: 8.0 feet Pack: 1 pc.

Part no.
ZBL443-509-1

PVC 8.0

BROWN

Length: 8.0 feet Pack: 1 pc.


Part no.
ZBL443-508-1

PVC 8.0

GRAPHITE BLACK

Length: 8.0 feet Pack: 1 pc.

Part no.
ZBL443-506-1



HD STAIR INSERT (SIDE COVER)

METAL

BLACK, POWDER-COATED

Pack: 5 pairs


h/in.	Part no.
3/16, 3/8	ZBL563-166





CLASSIC STAIR NOSE

The CLASSIC STAIR NOSE is a decorative stair nosing profile specifically to trim stairs and countertop tile installations. This classic shape adds an attractive accent, increases visibility, and provides excellent protection against high impact. Available in chrome-plated brass, stainless steel, and aluminum, the CLASSIC STAIR NOSE is compatible with a wide range of design motifs.



BRASS		8.0	BRASS		4.0	STAINLESS STEEL		8.0
CHROME-PLATED			CHROME-PLATED			NATURAL		
Length: 8.0 feet		Pack: 1 pc.	Length: 4.0 feet		Pack: 1 pc.	Length: 8.0 feet		Pack: 2 pcs.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
5/16	ZBL460-340-08025		5/16	ZBL460-340-080125		1/32	ZBL460-280-09025	
3/8	ZBL460-340-10025		3/8	ZBL460-340-100125		7/16	ZBL460-280-11025	
1/2	ZBL460-340-12525		1/2	ZBL460-340-125125				
19/32	ZBL460-340-15025		19/32	ZBL460-340-150125				

STAINLESS STEEL		8.0	ALUMINUM		8.0	ALUMINUM		4.11
BRUSHED			SATIN SILVER, ANODIZED			SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 2 pcs.	Length: 8.0 feet		Pack: 2 pcs.	Length: 4.11 feet		Pack: 2 pcs.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
1/32	ZBL460-280B-09025		5/16	ZBL460-410-08025		5/16	ZBL460-410-08015	
7/16	ZBL460-280B-11025		3/8	ZBL460-410-10025		3/8	ZBL460-410-10015	
			1/2	ZBL460-410-12525		1/2	ZBL460-410-12515	

ALUMINUM		4.0
SATIN SILVER, ANODIZED		
Length: 4.0 feet		Pack: 2 pcs.
h/in.	Part no.	
5/16	ZBL460-410-080125	
3/8	ZBL460-410-100125	
1/2	ZBL460-410-125125	

DECO STAIR NOSE PROFILE

The DECO STAIR NOSE PROFILE combines decorative, contemporary design with the strength and beauty of stainless steel. This trim accents and protects stair edges and countertops for increased durability and visibility.



STAINLESS STEEL 8.0 BRUSHED

Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.
3/16	ZBL462-280-8025
3/8	ZBL462-280-1025
1/2	ZBL462-280-12525

STAINLESS STEEL 4.0 BRUSHED

Length: 4.0 feet Pack: 2 pcs.

h/in.	Part no.
3/16	ZBL462-280-8125
3/8	ZBL462-280-1125
1/2	ZBL462-280-125125

STAINLESS STEEL 8.0 POLISHED


Length: 8.0 feet Pack: 2 pcs.

h/in.	Part no.
3/16	ZBL462-286-8025
3/8	ZBL462-286-1025
1/2	ZBL462-286-12525

STAINLESS STEEL 4.0 POLISHED

Length: 4.0 feet Pack: 2 pcs.

h/in.	Part no.
3/16	ZBL462-286-8125
3/8	ZBL462-286-1125
1/2	ZBL462-286-125125





STEPLINE

STEPLINE is a high-quality profile made for protecting stair edges. The anti-slip tread is integrated into the stainless steel surface for increased safety and durability. STEPLINE can be used on step treads in combination with ceramics and natural stone fixed according to the thin bed method. This profile is especially effective in commercial applications and high traffic areas.

STAINLESS STEEL 8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
$\frac{1}{2}$	ZBL841-280-090250
$\frac{7}{16}$	ZBL841-280-110250
$\frac{17}{32}$	ZBL841-280-135250

STAINLESS STEEL 4.11


Length: 4.11 feet Pack: 1 pc.

h/in.	Part no.
$\frac{1}{2}$	ZBL841-280-090150
$\frac{7}{16}$	ZBL841-280-110150
$\frac{17}{32}$	ZBL841-280-135150

STAINLESS STEEL 4.0

Length: 4.0 feet Pack: 1 pc.

h/in.	Part no.
$\frac{1}{2}$	ZBL841-280-090125
$\frac{7}{16}$	ZBL841-280-110125-1
$\frac{17}{32}$	ZBL841-280-135125



STEPLINE, COVER CAP

STAINLESS STEEL

NATURAL

Pack: 1 pc.

h/in.	Part no.
$\frac{1}{2}$ / $\frac{7}{16}$ / $\frac{17}{32}$	ZBL842-280





TRANSITION & RENOVATION PROFILES



50 ADJUSTABLE TRANSITION
PROFILE




51 DRIVE



ADJUSTABLE TRANSITION PROFILE

Due to an innovative design, the ADJUSTABLE TRANSITION PROFILE can be used for transition from ceramic tile to any floor surface with a height difference of up to 1/2". The ADJUSTABLE TRANSITION PROFILE is comprised of a rigid PVC base which is color coded to designate the corresponding tile height, and an aluminum cap profile which is inserted into the base after the adjoining floor surface has been installed. The aluminum transition arm is then pressed down to rest on the adjacent floor surface.




ALUMINUM 8.0		ALUMINUM 4.0		ALUMINUM 8.0	
SATIN SILVER, ANODIZED		SATIN SILVER, ANODIZED		BRONZE, ANODIZED	
Length: 8.0 feet		Length: 4.0 feet		Length: 8.0 feet	
Pack: 1 pc.		Pack: 1 pc.		Pack: 1 pc.	
h/in.	Part no.	h/in.	Part no.	h/in.	Part no.
¼	ZBL423-980-060-1	¼	ZBL423-980-060125	¼	ZBL423-950-060
⅝	ZBL423-980-080	⅝	ZBL423-980-080125	⅝	ZBL423-950-080
¾	ZBL423-980-100-1	¾	ZBL423-980-100125	¾	ZBL423-950-100-1
1	ZBL423-980-125	1	ZBL423-980-125125	1	ZBL423-950-125-1

ALUMINUM 4.0	
BRONZE, ANODIZED	
Length: 4.0 feet	
Pack: 1 pc.	
h/in.	Part no.
¼	ZBL423-950-060125
⅝	ZBL423-950-080125
¾	ZBL423-950-100125-1
1	ZBL423-950-125125



SELF-ADHESIVE TRANSITION PROFILE

The SELF-ADHESIVE TRANSITION PROFILE is easy to apply and adheres to many different surface types including ceramic, wood, vinyl and commercial grade carpet. Because the SELF-ADHESIVE TRANSITION PROFILE goes in after both adjoining surfaces are installed, it is ideal for renovations where the ceramic tile is already in place.



STAINLESS STEEL 8.8	
NATURAL	
Length: 8.8 feet	
Pack: 10 pcs.	
w/in.	Part no.
1 3/8	ZBL434-280-030
2	ZBL434-280-050

T-TRANSITION PROFILE (JOINT COVER)

The T-TRANSITION PROFILE is available in aluminum, brass, chrome-plated brass, or stainless steel for attractive, decorative transitions.

BRASS NATURAL 8.0

Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{17}{32}$	ZBL449-300-1425
$\frac{7}{8}$	ZBL449-300-2025

ALUMINUM NATURAL 8.0

Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{17}{32}$	ZBL449-400-1425
$\frac{7}{8}$	ZBL449-400-2025-1

BRASS CHROME-PLATED 8.0

Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{17}{32}$	ZBL449-340-1425
$\frac{7}{8}$	ZBL449-340-2025

ALUMINUM SATIN SILVER, ANODIZED 8.0


Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{17}{32}$	ZBL449-410-1425
$\frac{7}{8}$	ZBL449-410-2025

STAINLESS STEEL BRUSHED 8.0

Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{17}{32}$	ZBL449-280B-1425
1	ZBL449-280B-2525




DRIVE

DRIVE is a transition and renovation profile for transitions exposed to small wheel and roll-on traffic. Ideal for connections from tile to concrete or PVC floorings that require a gradual slope to reduce mechanical stress and eliminate trip hazards.

ALUMINUM SATIN SILVER, ANODIZED 8.0

Length: 8.0 feet Pack: 1 pc.

w/in.	Part no.
$\frac{7}{8}$	ZBL580-410-10025-1
$\frac{1}{2}$	ZBL580-410-12525-1
$\frac{19}{32}$	ZBL580-410-15025-1




Important note:

This profile is ADA compliant.



REDUCER TRIM

The REDUCER TRIM is designed to transition from ceramic tile and stone to flooring at lower elevations. The REDUCER TRIM provides a gradual slope to eliminate trip hazards and is available in brass, stainless steel and aluminum finishes. The REDUCER TRIM is appropriate for a wide range of applications from residential to heavy-load commercial.



STAINLESS STEEL		8.0
BRUSHED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/32	ZBL217-280B-09025	
7/16	ZBL217-280B-11025	
1/2	ZBL217-280B-12525	

ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL217-410-08025-1	
3/8	ZBL217-410-10025	
1/2	ZBL217-410-12525	


ALUMINUM		8.0
TITANIUM BRONZE, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL217-446-08025	
3/8	ZBL217-446-10025	
1/2	ZBL217-446-12525	

ALUMINUM		8.0
ROYAL CHAMPAGNE, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL217-470-08025	
3/8	ZBL217-470-10025	
1/2	ZBL217-470-12525	



CARPET TRIM

The CARPET TRIM is an ideal transition from hard tile to lower flooring, especially carpet. The sloped nose of the profile covers the edge of the carpet to prevent carpet fraying while protecting the tile edge. The CARPET TRIM is available in aluminum, brass and stainless steel with strength suitable for both residential and commercial applications.



STAINLESS STEEL		8.0
BRUSHED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL4831-280-08025	
3/8	ZBL4831-280-10025	

ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL218-410-08025-1	
3/8	ZBL218-410-10025-1	
1/2	ZBL218-410-12525-1	

ALUMINUM		8.0
TITANIUM BRONZE, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL218-446-08025	
3/8	ZBL218-446-10025	
1/2	ZBL218-446-12525	


ALUMINUM		8.0
ROYAL CHAMPAGNE, ANODIZED		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL218-470-08025	
3/8	ZBL218-470-10025	
1/2	ZBL218-470-12525	

SKIRTING

The SKIRTING is an anodized aluminum cove profile that is designed to provide attractive interior wall protection. The aluminum profile is available in two different finishes with inner and outer corners for both sizes.

ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL221-410-060	

ALUMINUM		8.0
WHITE, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL221-450-060	



SKIRTING, INNER CORNERS, OUTER DIMENSION 1 3/16"

ALUMINUM		
SATIN SILVER, ANODIZED		
Pack: 2 pcs.		
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL222-410-060	


ALUMINUM		
WHITE, POWDER-COATED		
Pack: 2 pcs.		
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL222-450-060	



SKIRTING, OUTER CORNERS, OUTER DIMENSION 1 3/16"

ALUMINUM		
SATIN SILVER, ANODIZED		
Pack: 2 pcs.		
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL223-410-060	


ALUMINUM		
WHITE, POWDER-COATED		
Pack: 2 pcs.		
h/in.	Part no.	
2 $\frac{1}{2}$ s	ZBL223-450-060	





COVE


The stainless steel and new aluminum cove profile COVE is designed to solve transition problems between inside wall-to-floor tiled corners. The cove-shaped profile makes cleaning simple, repels water, and provides an attractive and smooth finish between 90° tiled surfaces. Perfect for commercial and residential installations, COVE is constructed with high-grade anodized aluminum and stainless steel.



Stainless steel

STAINLESS STEEL		8.0
NATURAL		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
½	ZBL424-280-12525	

STAINLESS STEEL		8.0
BRUSHED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
½	ZBL424-280B-12525	



Aluminum

NEW ALUMINUM		8.0
SATIN SILVER, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
⅝	ZBL424-410-08025	
¾	ZBL424-410-10025	
½	ZBL424-410-12525	

NEW ALUMINUM		8.0
BRUSHED NICKEL, ANODIZED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
⅝	ZBL424-420B-08025	
¾	ZBL424-420B-10025	
½	ZBL424-420B-12525	

NEW ALUMINUM		8.0
TITANIUM BRONZE		
Length: 8.0 feet		Pack: 5 pcs.
h/in.	Part no.	
⅝	ZBL424-446-08025	
¾	ZBL424-446-10025	
½	ZBL424-446-12525	

COVE INNER CORNER



Important note:

One size of the COVE outside/inside corners and end caps fits all COVE profiles.

STAINLESS STEEL		
NATURAL		
		Pack: 2 pcs.
h/in.	Part no.	
½	ZBL426-280-125	

STAINLESS STEEL		
BRUSHED		
		Pack: 2 pcs.
h/in.	Part no.	
½	ZBL426-280B-125	

NEW ALUMINUM		
SATIN SILVER, ANODIZED		
		Pack: 2 pcs.
h/in.	Part no.	
½	ZBL426-410	

NEW ALUMINUM		
BRUSHED NICKEL		
		Pack: 2 pcs.
h/in.	Part no.	
½	ZBL426-420B	

NEW ALUMINUM		
TITANIUM BRONZE		
		Pack: 2 pcs.
h/in.	Part no.	
½	ZBL426-446	

COVE OUTER CORNER

STAINLESS STEEL
NATURAL

Pack: 2 pcs.

h/in.	Part no.
½	ZBL425-280-125

STAINLESS STEEL
BRUSHED

Pack: 2 pcs.

h/in.	Part no.
½	ZBL425-280B-125

ALUMINUM
SATIN SILVER, ANODIZED

Pack: 2 pcs.

h/in.	Part no.
½	ZBL425-410

NEW
ALUMINUM
BRUSHED NICKEL


Pack: 2 pcs.

h/in.	Part no.
½	ZBL425-420B

NEW
ALUMINUM
TITANIUM BRONZE

Pack: 2 pcs.

h/in.	Part no.
½	ZBL425-446

**Important note:**

One size of the COVE outside/inside corners and end caps fits all COVE profiles.

COVE END CAP

ALUMINUM
SATIN SILVER, ANODIZED

Pack: 2 pcs.

h/in.	Part no.
½	ZBL427-410

NEW
ALUMINUM
BRUSHED NICKEL

Pack: 2 pcs.

h/in.	Part no.
½	ZBL427-420B

NEW
ALUMINUM
TITANIUM BRONZE

Pack: 2 pcs.

h/in.	Part no.
½	ZBL427-446

**Important note:**

One size of the COVE outside/inside corners and end caps fits all COVE profiles.



EXPANSION JOINTS & SCREED ACCESSORIES



59 HEAVY DUTY
EXPANSION JOINT




60 V-SCREED
EXPANSION JOINT



FLOOREX

FLOOREX is an expansion joint that provides tile edge protection while absorbing movement. The vertical legs of the FLOOREX consist of a durable hard PVC while the upper and lower expansion zones are made with low-gloss PVC in colors that match grout joints for coordinated installations.



PVC		8.0
LIGHT GRAY		
Joint width: 3/16 inch		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/32	ZBL315-509-09025	
7/16	ZBL315-509-11025	
1/2	ZBL315-509-12525	

PVC		8.0
MEDIUM GRAY		
Joint width: 3/16 inch		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/32	ZBL315-5095-09025	
7/16	ZBL315-5095-11025	
1/2	ZBL315-5095-12525	

PVC		8.0
SAND GRAY		
Joint width: 3/16 inch		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/32	ZBL315-5093-09025	
7/16	ZBL315-5093-11025	
1/2	ZBL315-5093-12525	

PVC		8.0
ANTHRACITE		
Joint width: 3/16 inch		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/32	ZBL315-5099-09025-1	
7/16	ZBL315-5099-11025	
1/2	ZBL315-5099-12525	

PVC		8.0
BAHAMA BEIGE		
Joint width: 3/16 inch		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/32	ZBL315-5071-09025	
7/16	ZBL315-5071-11025	
1/2	ZBL315-5071-12525	

HEAVY DUTY EXPANSION JOINT

The HEAVY DUTY EXPANSION JOINT is constructed with aluminum or stainless steel edges and is filled with a colored silicone. This silicone movement zone is available in multiple colors to coordinate with grout color and helps to absorb movement caused by shrinkage, structure settling, substrate expansion and contraction, and vibration.



STAINLESS STEEL 8.0 GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-280-06025
3/16	ZBL355-280-08025
3/8	ZBL355-280-10025
1/2	ZBL355-280-12525
19/32	ZBL355-280-15025
3/4	ZBL355-280-18525
7/8	ZBL355-280-22025
1	ZBL355-280-25025
1 3/16	ZBL355-280-30025

STAINLESS STEEL 8.0 GRANITE GRAY SILICONE


Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-2894-06025
3/16	ZBL355-2894-08025
3/8	ZBL355-2894-10025
1/2	ZBL355-2894-12525
19/32	ZBL355-2894-15025
3/4	ZBL355-2894-18525
7/8	ZBL355-2894-22025
1	ZBL355-2894-25025
1 3/16	ZBL355-2894-30025

STAINLESS STEEL 8.0 BLACK SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-286-06025
3/16	ZBL355-286-08025
3/8	ZBL355-286-10025
1/2	ZBL355-286-12525
19/32	ZBL355-286-15025
3/4	ZBL355-286-18525
7/8	ZBL355-286-22025
1	ZBL355-286-25025
1 3/16	ZBL355-286-30025



ALUMINUM 8.0 GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-409-06025
3/16	ZBL355-409-08025
3/8	ZBL355-409-10025
1/2	ZBL355-409-12525
19/32	ZBL355-409-15025
3/4	ZBL355-409-18525
7/8	ZBL355-409-22025
1	ZBL355-409-25025
1 3/16	ZBL355-409-30025

ALUMINUM 8.0 GRANITE GRAY SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-4094-06025
3/16	ZBL355-4094-08025
3/8	ZBL355-4094-10025
1/2	ZBL355-4094-12525
19/32	ZBL355-4094-15025
3/4	ZBL355-4094-18525
7/8	ZBL355-4094-22025
1	ZBL355-4094-25025
1 3/16	ZBL355-4094-30025

ALUMINUM 8.0 BLACK SILICONE

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1/4	ZBL355-406-06025
3/16	ZBL355-406-08025
3/8	ZBL355-406-10025
1/2	ZBL355-406-12525
19/32	ZBL355-406-15025
3/4	ZBL355-406-18525
7/8	ZBL355-406-22025
1	ZBL355-406-25025
1 3/16	ZBL355-406-30025

Advantages:

- > Expansion joint for ceramic tiles
- > Specially developed to absorb heavy traffic loads
- > Optimal suitability for industrial use
- > Excellent resistance to grease, oil and cleaning chemicals
- > Available in aluminum or stainless steel

Important note:

Heavy Duty Expansion Joints are made to order. Lead times and freight charges will vary depending on the item and quantity ordered. Please contact your sales representative for details regarding variables when ordering this product.


SILICONE COLORS





SCREED EXPANSION JOINT

The SCREED EXPANSION JOINT is a profile manufactured with hard and soft coextruded PVC. This profile protects tile edges and absorbs any movement from expansion and contraction in medium to thick slabs. The SCREED EXPANSION JOINT is used with screeds where there may be compression, shear, and tensile strengths. The soft PVC between the two hard PVC sides forms the expansion zone.




PVC

PVC		8.0
GRAY		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	
1 3/16	ZBL392-509-03025	
1 3/8	ZBL392-509-04025	
2	ZBL392-509-05025	
2 3/8	ZBL392-509-06025	



V-SCREED EXPANSION JOINT

The V-SCREED EXPANSION JOINT is a profile made of hard and soft coextruded PVC and is used where movement joints are needed in tiles, bricks, or pavers installed in a thick mortar bed. The V-SCREED EXPANSION Joint absorbs stresses caused by system movements and the hard PVC edges protect the tile edges from wear and tear. These movement joints can also be pounded into a sawcut after installation (i.e. when renovating older buildings).



PVC

PVC		8.0
GRAY		
Length: 8.0 feet		Pack: 10 pcs.
h/in.	Part no.	
1 3/16	ZBL584-509-03025	
1 3/8	ZBL584-509-04025	
2	ZBL584-509-05025	
2 3/8	ZBL584-509-06025	






AQUA PROFILES



64 AQUA-KEIL



66 AQUA-KEIL WALL




68 AQUA-GLASS



AQUA-KEIL

AQUA-KEIL is the perfect solution for transition from a sloped tiled shower floor to a level adjacent floor where a glass partition or wall is needed. It is particularly useful for showers with a constant pitch down to a linear drain. Left and right versions are available.




Advantages:

- > Easy to install; profile is pre-sloped (2%)
- > Eliminates odd angled cuts of wall tile at base of shower wall
- > Facilitates cleaning and shower maintenance
- > Provides a sleek seamless contemporary finish to wall/floor connections

Attention:

It is very important that the AQUA-KEIL does not damage the waterproofing material. Different slopes can be created by using different heights of tiles. (Image 1)



LEFT VERSION

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

6.7

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/8	1 3/8	ZBL844-280B-100-L
7/16	1 3/8	ZBL844-280B-110-L
1/2	1 3/8	ZBL844-280B-125-L

RIGHT VERSION

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/8	1 3/8	ZBL844-280B-100-R
7/16	1 3/8	ZBL844-280B-110-R
1/2	1 3/8	ZBL844-280B-125-R

LEFT VERSION

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

4.10

Pack: 1 pc.

h1/in.	h2/in.	Part no.
5/16	1 1/32	ZBL755-280B-080-L
3/8	1 1/32	ZBL755-280B-100-L
7/16	1 1/32	ZBL755-280B-110-L
1/2	1 1/32	ZBL755-280B-125-L

RIGHT VERSION

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
5/16	1 1/32	ZBL755-280B-080-R
3/8	1 1/32	ZBL755-280B-100-R
7/16	1 1/32	ZBL755-280B-110-R
1/2	1 1/32	ZBL755-280B-125-R

LEFT VERSION

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

3.215

Pack: 1 pc.

h1/in.	h2/in.	Part no.
5/16	1 5/16	ZBL754-280B-080-L
3/8	1 5/16	ZBL754-280B-100-L
7/16	1 5/16	ZBL754-280B-110-L
1/2	1 5/16	ZBL754-280B-125-L

RIGHT VERSION

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
5/16	1 5/16	ZBL754-280B-080-R
3/8	1 5/16	ZBL754-280B-100-R
7/16	1 5/16	ZBL754-280B-110-R
1/2	1 5/16	ZBL754-280B-125-R

LEFT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

6.7

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/8	1 3/8	ZBL844-2840-100-L
7/16	1 3/8	ZBL844-2840-110-L
1/2	1 3/8	ZBL844-2840-125-L

RIGHT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/8	1 3/8	ZBL844-2840-100-R
7/16	1 3/8	ZBL844-2840-110-R
1/2	1 3/8	ZBL844-2840-125-R



Swiss II™ | Rhone

LEFT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

4.10

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{9}{16}$	$1\frac{1}{32}$	ZBL755-2840-080-L
$\frac{3}{8}$	$1\frac{1}{32}$	ZBL755-2840-100-L
$\frac{7}{16}$	$1\frac{1}{32}$	ZBL755-2840-110-L
$\frac{1}{2}$	$1\frac{1}{32}$	ZBL755-2840-125-L

RIGHT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

4.10

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{9}{16}$	$1\frac{1}{32}$	ZBL755-2840-080-R
$\frac{3}{8}$	$1\frac{1}{32}$	ZBL755-2840-100-R
$\frac{7}{16}$	$1\frac{1}{32}$	ZBL755-2840-110-R
$\frac{1}{2}$	$1\frac{1}{32}$	ZBL755-2840-125-R

LEFT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

3.215

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{9}{16}$	$1\frac{5}{16}$	ZBL754-2840-080-L
$\frac{3}{8}$	$1\frac{5}{16}$	ZBL754-2840-100-L
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL754-2840-110-L
$\frac{1}{2}$	$1\frac{5}{16}$	ZBL754-2840-125-L

RIGHT VERSION

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

3.215


Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{9}{16}$	$1\frac{5}{16}$	ZBL754-2840-080-R
$\frac{3}{8}$	$1\frac{5}{16}$	ZBL754-2840-100-R
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL754-2840-110-R
$\frac{1}{2}$	$1\frac{5}{16}$	ZBL754-2840-125-R



AQUA-KEIL WALL

AQUA-KEIL WALL, the sloped (2%) edge profile constructed from easy to maintain stainless steel, provides the perfect solution to connect straight cut tiled shower walls to sloped shower floors where linear drains are installed.



LEFT VERSION

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

6.7

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/16	1 3/4	ZBL840-280B-080-L
3/8	1 3/4	ZBL840-280B-100-L
7/16	1 3/4	ZBL840-280B-110-L
1/2	1 3/4	ZBL840-280B-125-L

RIGHT VERSION

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

6.7

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/16	1 3/4	ZBL840-280B-080-R
3/8	1 3/4	ZBL840-280B-100-R
7/16	1 3/4	ZBL840-280B-110-R
1/2	1 3/4	ZBL840-280B-125-R

Advantages:

- > Easy to install - slope of 2% included
- > Other slopes can be realized by using different heights of tiles
- > Oblique cuts of tiles are not necessary
- > Versions for left and right transition are available

LEFT VERSION

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

4.10

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/16	1 1/2	ZBL846-280B-080-L
3/8	1 1/2	ZBL846-280B-100-L
7/16	1 1/2	ZBL846-280B-110-L
1/2	1 1/2	ZBL846-280B-125-L

RIGHT VERSION

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

4.10

Pack: 1 pc.

h1/in.	h2/in.	Part no.
3/16	1 1/2	ZBL846-280B-080-R
3/8	1 1/2	ZBL846-280B-100-R
7/16	1 1/2	ZBL846-280B-110-R
1/2	1 1/2	ZBL846-280B-125-R



LEFT VERSION**3.215**

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-280B-080-L
$\frac{3}{8}$	$1\frac{3}{16}$	ZBL845-280B-100-L
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL845-280B-110-L
$\frac{1}{2}$	$1\frac{3}{4}$	ZBL845-280B-125-L

RIGHT VERSION**3.215**

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-280B-080-R
$\frac{3}{8}$	$1\frac{3}{16}$	ZBL845-280B-100-R
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL845-280B-110-R
$\frac{1}{2}$	$1\frac{3}{4}$	ZBL845-280B-125-R

LEFT VERSION**6.7**

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{8}$	ZBL840-2840-080-L
$\frac{3}{8}$	$1\frac{1}{4}$	ZBL840-2840-100-L
$\frac{7}{16}$	$1\frac{3}{8}$	ZBL840-2840-110-L
$\frac{1}{2}$	$1\frac{1}{2}$	ZBL840-2840-125-L

RIGHT VERSION**6.7**

STAINLESS STEEL, CHROME-PLATED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{8}$	ZBL840-2840-080-R
$\frac{3}{8}$	$1\frac{1}{4}$	ZBL840-2840-100-R
$\frac{7}{16}$	$1\frac{3}{8}$	ZBL840-2840-110-R
$\frac{1}{2}$	$1\frac{1}{2}$	ZBL840-2840-125-R

LEFT VERSION**4.10**

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{32}$	ZBL846-2840-080-L
$\frac{3}{8}$	$1\frac{1}{16}$	ZBL846-2840-100-L
$\frac{7}{16}$	$1\frac{1}{8}$	ZBL846-2840-110-L
$\frac{1}{2}$	$1\frac{1}{4}$	ZBL846-2840-125-L

RIGHT VERSION**4.10**

STAINLESS STEEL, CHROME-PLATED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{32}$	846-2840-080-R
$\frac{3}{8}$	$1\frac{1}{16}$	846-2840-100-R
$\frac{7}{16}$	$1\frac{1}{8}$	846-2840-110-R
$\frac{1}{2}$	$1\frac{1}{4}$	846-2840-125-R

LEFT VERSION**3.215**

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-2840-080-L
$\frac{3}{8}$	$1\frac{3}{16}$	ZBL845-2840-100-L
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL845-2840-110-L
$\frac{1}{2}$	$1\frac{3}{4}$	ZBL845-2840-125-L


RIGHT VERSION**3.215**

STAINLESS STEEL, CHROME-PLATED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	h2/in.	Part no.
$\frac{3}{16}$	$1\frac{1}{16}$	ZBL845-2840-080-R
$\frac{3}{8}$	$1\frac{3}{16}$	ZBL845-2840-100-R
$\frac{7}{16}$	$1\frac{5}{16}$	ZBL845-2840-110-R
$\frac{1}{2}$	$1\frac{3}{4}$	ZBL845-2840-125-R




- Advantages:**
- > Elegant finish for floor-level showers
 - > Provides a sleek, seamless, contemporary appearance of floor-level showers
 - > Avoids oblique cuts of tiles

AQUA-DECO

AQUA-DECO is a sleek profile which is installed above a linear drain. This unique profile eliminates angled cuts of tile and creates the perfect finish for linear shower drains in combination with the AQUA-KEIL, AQUA-KEIL GLASS or AQUA-KEIL WALL.

STAINLESS STEEL 4.0		STAINLESS STEEL 4.0	
CHROME-PLATED		BRUSHED	
Length: 4.0 feet		Length: 4.0 feet	
Pack: 1 pc.		Pack: 1 pc.	
h/in.	Part no.	h/in.	Part no.
1 5/16	ZBL622-2840-241	1 5/16	ZBL622-280B-24125
1 1/4	ZBL622-2840-321	1 1/4	ZBL622-280B-32125
1 3/8	ZBL622-2840-401	1 3/8	ZBL622-280B-40125



- Advantages:**
- > Easy installation without having to cut tiles. Install the AQUA-GLASS in the joint between the tile for a secure connection.
 - > Install with thinset. No need to mechanically fix to the substrate and compromise the waterproofing layer.
 - > Can be installed both on walls and on level floors.

AQUA-GLASS (WALL AND FLOOR)

AQUA-GLASS (Wall and Floor), made from durable, maintenance free, stainless steel, is designed to securely hold glass partitions to tiled walls and level floors without having to drill into the wall or otherwise compromise the waterproofing layer under the tile. AQUA-GLASS can be combined with the AQUA-KEIL and AQUA-DECO products for a professionally finished and aesthetically pleasing installation.

STAINLESS STEEL 6.9		STAINLESS STEEL 6.9	
CHROME-PLATED		BRUSHED	
Length: 6.9 feet		Length: 6.9 feet	
Pack: 1 pc.		Pack: 1 pc.	
h1/in.	h2/in.	Part no.	Part no.
1	1 5/32	ZBL204-2840-210	ZBL204-280B-210



AQUA-GLASS >

< AQUA-KEIL WALL

AQUA-DECO
v


AQUA-KEIL GLASS
v

Marble | Winter Frost & Silver



AQUA-KEIL GLASS (SLOPED FLOOR)

AQUA-KEIL GLASS (Sloped Floor) is the perfect solution for transition from a sloped tiled shower floor to a level adjacent floor where a glass partition or wall is needed. It is particularly useful for showers with a constant pitch down to a linear drain. Left and right versions are available.



LEFT VERSION STAINLESS STEEL, CHROME-PLATED Length: 6.7 feet h1/in. Part no. 2 25 ZBL193-2840-200-L	6.7 Pack: 1 pc.	RIGHT VERSION STAINLESS STEEL, CHROME-PLATED Length: 6.7 feet h1/in. Part no. 2 25 ZBL193-2840-200-R	6.7 Pack: 1 pc.
LEFT VERSION STAINLESS STEEL, CHROME-PLATED Length: 4.10 feet h1/in. Part no. 1 21 32 ZBL193-2840-148-L	4.10 Pack: 1 pc.	RIGHT VERSION STAINLESS STEEL, CHROME-PLATED Length: 4.10 feet h1/in. Part no. 1 21 32 ZBL193-2840-148-R	4.10 Pack: 1 pc.
LEFT VERSION STAINLESS STEEL, CHROME-PLATED Length: 3.9 feet h1/in. Part no. 1 29 64 ZBL193-2840-120-L	3.9 Pack: 1 pc.	RIGHT VERSION STAINLESS STEEL, CHROME-PLATED Length: 3.9 feet h1/in. Part no. 1 29 64 ZBL193-2840-120-R	3.9 Pack: 1 pc.
LEFT VERSION STAINLESS STEEL, CHROME-PLATED Length: 3.215 feet h1/in. Part no. 1 11 32 ZBL193-2840-098-L	3.215 Pack: 1 pc.	RIGHT VERSION STAINLESS STEEL, CHROME-PLATED Length: 3.215 feet h1/in. Part no. 1 11 32 ZBL193-2840-098-R	3.215 Pack: 1 pc.



LEFT VERSION**6.7**

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	Part no.
2 ²³ / ₆₄	ZBL193-280B-200-L

RIGHT VERSION**6.7**

STAINLESS STEEL, BRUSHED

Length: 6.7 feet

Pack: 1 pc.

h1/in.	Part no.
2 ²³ / ₆₄	ZBL193-280B-200-R

LEFT VERSION**4.10**

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	Part no.
1 ²¹ / ₃₂	ZBL193-280B-148-L

RIGHT VERSION**4.10**

STAINLESS STEEL, BRUSHED

Length: 4.10 feet

Pack: 1 pc.

h1/in.	Part no.
1 ²¹ / ₃₂	ZBL193-280B-148-R

LEFT VERSION**3.9**

STAINLESS STEEL, BRUSHED

Length: 3.9 feet

Pack: 1 pc.

h1/in.	Part no.
1 ²⁹ / ₆₄	ZBL193-280B-120-L

RIGHT VERSION**3.9**

STAINLESS STEEL, BRUSHED

Length: 3.9 feet

Pack: 1 pc.

h1/in.	Part no.
1 ²⁹ / ₆₄	ZBL193-280B-120-R

LEFT VERSION**3.215**

STAINLESS STEEL, BRUSHED

Length: 3.215 feet

Pack: 1 pc.

h1/in.	Part no.
1 ¹¹ / ₃₂	ZBL193-280B-098-L


RIGHT VERSION**3.215**


STAINLESS STEEL, BRUSHED

Length: 3.215 feet


Pack: 1 pc.

h1/in.	Part no.
1 ¹¹ / ₃₂	ZBL193-280B-098-R






WATERPROOFING SYSTEMS




74 ULTRA-DRAIN



ULTRA-DRAIN

The ULTRA-DRAIN is the first drain mat system that can be installed without a thick mortar bed and offers all the stress absorption properties of an uncoupling system. The superior drainage properties prevent freeze/thaw damage caused by the accumulation of moisture in exterior tile installations and help reduce unsightly efflorescence. Although only 1/4" thick, it provides superior compressive and tensile strength when compared to other drain mats and uncoupling systems.




ULTRA-DRAIN

15 sheets per carton = 97.5 sq.ft.		Pack: 1 carton
1 sheet = 6.5 sq.ft.		
width/length	Art. no.	
2' x 3.2'	ZBL528-904	

- Important note:**
Particularly suitable for exterior use
- Advantages:**
- > Prevents freeze/thaw damage and efflorescence
 - > Provides superior compressive and tensile strength
 - > Provides crack isolation properties


- 1** Tile adhesive
2 ULTRA-DRAIN PROFILE
3 Approved Waterproof Adhesive
4 Tile adhesive
5 Approved Waterproof Membrane
6 Tile adhesive
7 ULTRA-DRAIN
8 Permeable mortar
9 Tile adhesive
10 Tile








BALCONY & TERRACE PROFILES



82 BALCONYEDGE
PROTECTOR PRO



87 GRAVEL
DECK EDGE




DE PROFILE


The innovative DE PROFILE is a powder-coated aluminum profile with weep holes to allow for drainage while giving tile installations a subtle and protective finish. Essential for any terrace or balcony job, the DE PROFILE can be easily used in conjunction with drainage mats for the ultimate in protection against water damage and stress to tile edges.

ALUMINUM		8.0	ALUMINUM		8.0	ALUMINUM		8.0
GRAY, POWDER-COATED			OLD COPPER BROWN, POWDER-COATED			STAINLESS STEEL METALLIC, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.	Length: 8.0 feet		Pack: 1 pc.	Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.		h/in.	Part no.		h/in.	Part no.	
7/16	ZBL302-4591-11025		7/16	ZBL302-4581-11025		7/16	ZBL302-4502-11025	
1/2	ZBL302-4591-12525		1/2	ZBL302-4581-12525		1/2	ZBL302-4502-12525	
3/4	ZBL302-4591-18525		3/4	ZBL302-4581-18525		3/4	ZBL302-4502-18525	
13/16	ZBL302-4591-20025		13/16	ZBL302-4581-20025		13/16	ZBL302-4502-20025	
7/8	ZBL302-4591-22025		7/8	ZBL302-4581-22025		7/8	ZBL302-4502-22025	
15/16	ZBL302-4591-30025		15/16	ZBL302-4581-30025		15/16	ZBL302-4502-30025	

- 1 Tile adhesive
- 2 BALCONY-Gutter Edge Protector
- 3 Waterproof Tile Adhesive/Sealant
- 4 Tile adhesive
- 5 Waterproofing Membrane
- 6 Tile adhesive
- 7 DE PROFILE
- 8 ULTRA-DRAIN
- 9 Permeable mortar
- 10Tile adhesive
- 11Tile



- 1 Tile adhesive
- 2 BALCONY EDGE PROTECTOR PLUS
- 3 Waterproof Tile Adhesive/Sealant
- 4 Tile adhesive
- 5 Waterproofing Membrane
- 6 Tile adhesive
- 7 DE PROFILE
- 8 ULTRA-DRAIN
- 9 Permeable mortar
- 10Tile adhesive
- 11Tile



BALCONY-GUTTER QUARTER CIRCLE TRIM


This BALCONY TRIM is designed to protect the edge of the tile installed over our underlayment, and to cover the edge of the exposed balcony/terrace substrate. The profile features an overhang extension deflecting water running off the tile installation from the balcony substrate. This extension can also hold additional components of the BALCONY system including the gutter holder and gutter shield. Drainage holes allow for run-off of moisture collected by the drain mat system.



ALUMINUM		8.0
GRAY, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/16	ZBL430-4591-180	

ALUMINUM		8.0
OLD COPPER BROWN, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/16	ZBL430-4581-180	

ALUMINUM		8.0
STAINLESS STEEL METALLIC, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
1/16	ZBL430-4502-180	



JOINER

ALUMINUM		
GRAY, POWDER-COATED		
Width: 1 3/16"		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL432-4591-180	

ALUMINUM		
OLD COPPER BROWN, POWDER-COATED		
Width: 1 3/16"		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL432-4581-180	


ALUMINUM		
STAINLESS STEEL METALLIC, POWDER-COATED		
Width: 1 3/16"		Pack: 5 pcs.
h/in.	Part no.	
1/16	ZBL432-4502-180	

OUTER CORNER JOINER 90°, OUTER DIMENSION 9 1/2" × 9 1/2"

ALUMINUM		90°
GRAY, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4591-180090	

ALUMINUM		90°
OLD COPPER BROWN, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4581-180090	

ALUMINUM		90°
STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4502-180090	




OUTER CORNER JOINER 135°, OUTER DIMENSION 9 1/2" × 9 1/2"

ALUMINUM		135°
GRAY, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4591-180135	

ALUMINUM		135°
OLD COPPER BROWN, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4581-180135	

ALUMINUM		135°
STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL433-4502-180135	



INNER CORNER JOINER 90°, OUTER DIMENSION 5 1/8" × 5 1/8"

ALUMINUM		90°
GRAY, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL649-4591-180090	

ALUMINUM		90°
OLD COPPER BROWN, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL649-4581-180090	

ALUMINUM		90°
STAINLESS STEEL METALLIC, POWDER-COATED		
Pack: 1 pc.		
h/in.	Part no.	
3/4	ZBL649-4502-180090	





UNIVERSAL JOINER

METAL
ZINC PLATED


Pack: 10 pcs.

width/length	Art. no.
1 1/16" x 3"	ZBL436-110



BALCONY-GUTTER EDGE PROTECTOR

This balcony trim is designed to protect the edge of the balcony substrate and the edge of tile installed over a waterproofing fabric. This balcony edge features an overhang extension deflecting water running off the tile installation from the balcony substrate. Accessories such as joiners are available.




ALUMINUM	8.0
MEDIUM GRAY, POWDER-COATED	
Length: 8.0 feet	Pack: 1 pc.
h/in.	Part no.
5/12	ZBL445-4591-105

JOINER

OUTER CORNER JOINER
90°, OUTER DIMENSION 9 1/2" - 9 1/2"

UNIVERSAL JOINER



ALUMINUM	
MEDIUM GRAY, POWDER-COATED	
Height: 3/8"	Pack: 5 pcs.
h/in.	Part no.
1 3/16	ZBL437-4591-105


ALUMINUM	90°
MEDIUM GRAY, POWDER-COATED	
	Pack: 1 pc.
h/in.	Part no.
3/12	ZBL446-4591-105090

METAL	
ZINC PLATED	
	Pack: 10 pcs.
width/length	Art. no.
1 1/16" x 3"	ZBL436-110






Xtra® | Travertine Beige



BALCONY-EDGE PROTECTOR PRO

The BALCONY-Edge Protector PRO is designed to protect the edge of the balcony substrate and the edge of tile installed over a water proofing fabric. This balcony edge features a drain lip that helps deflect water from the balcony substrate. Accessories such as connecting and corner joiners are available for ease of installation.



ALUMINUM		8.0
MEDIUM GRAY, POWDER-COATED		
h to be covered 3 3/8"		Pack: 1 pc.
h/in.	Part no.	
3/8	ZBL592-4591-105	
1/2	ZBL592-4591-125	

ALUMINUM		8.0
MEDIUM GRAY, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	
1/2	ZBL406-4591-085	
3/8	ZBL406-4591-105	

ALUMINUM		8.0
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 3 3/8"		Pack: 1 pc.
h/in.	Part no.	
3/8	ZBL592-4502-105	
1/2	ZBL592-4502-125	

ALUMINUM		8.0
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	
3/8	ZBL406-4502-105	

ALUMINUM		8.0
OLD COPPER BROWN, POWDER-COATED		
h to be covered 3 3/8"		Pack: 1 pc.
h/in.	Part no.	
3/8	ZBL592-4581-105	
1/2	ZBL592-4581-125	

ALUMINUM		8.0
OLD COPPER BROWN, POWDER-COATED		
h to be covered 2"		Pack: 1 pc.
h/in.	Part no.	
3/8	ZBL406-4581-105	

JOINER

ALUMINUM		
MEDIUM GRAY, POWDER-COATED		
h to be covered 3 3/8"		Pack: 5 pcs.
h/in.	Part no.	
3/8	ZBL594-4591-105	
1/2	ZBL594-4591-125	

ALUMINUM		
MEDIUM GRAY, POWDER-COATED		
h to be covered 2"		Pack: 5 pcs.
h/in.	Part no.	
1/2	ZBL407-4591-085	
3/8	ZBL407-4591-105	

ALUMINUM		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 3 3/8"		Pack: 5 pcs.
h/in.	Part no.	
3/8	ZBL594-4502-105	
1/2	ZBL594-4502-125	

ALUMINUM		
STAINLESS STEEL METALLIC, POWDER-COATED		
h to be covered 2"		Pack: 5 pcs.
h/in.	Part no.	
3/8	ZBL407-4502-105	

ALUMINUM		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 3 3/8"		Pack: 5 pcs.
h/in.	Part no.	
3/8	ZBL594-4581-105	
1/2	ZBL594-4581-125	

ALUMINUM		
OLD COPPER BROWN, POWDER-COATED		
h to be covered 2"		Pack: 5 pcs.
h/in.	Part no.	
3/8	ZBL407-4581-105	

OUTER CORNER JOINER 90°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM 90°
MEDIUM GRAY,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4591-105090
1/2	ZBL596-4591-125090

ALUMINUM 90°
MEDIUM GRAY,
POWDER-COATED


h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4591-085090
1/2	ZBL447-4591-105090

ALUMINUM 90°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4502-105090
1/2	ZBL596-4502-125090

**ALUMINUM** 90°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4502-105090

ALUMINUM 90°
OLD COPPER BROWN,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4581-105090
1/2	ZBL596-4581-125090

ALUMINUM 90°
OLD COPPER BROWN,
POWDER-COATED

h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4581-105090

OUTER CORNER JOINER 135°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM 135°
MEDIUM GRAY,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4591-105135
1/2	ZBL596-4591-125135

ALUMINUM 135°
MEDIUM GRAY,
POWDER-COATED


h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4591-105135

ALUMINUM 135°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4502-105135
1/2	ZBL596-4502-125135

**ALUMINUM** 135°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4502-105135

ALUMINUM 135°
OLD COPPER BROWN,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL596-4581-105135
1/2	ZBL596-4581-125135

ALUMINUM 135°
OLD COPPER BROWN,
POWDER-COATED

h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL447-4581-105135

INNER CORNER JOINER 90°, OUTER DIMENSION 5 9/10" · 5 9/10"

ALUMINUM 90°
MEDIUM GRAY,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL648-4591-105090
1/2	ZBL648-4591-125090

ALUMINUM 90°
MEDIUM GRAY,
POWDER-COATED


h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL645-4591-105090

ALUMINUM 90°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL648-4502-105090
1/2	ZBL648-4502-125090

**ALUMINUM** 90°
STAINLESS STEEL METALLIC,
POWDER-COATED

h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL645-4502-105090

ALUMINUM 90°
OLD COPPER BROWN,
POWDER-COATED

h to be covered 3/8" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL648-4581-105090
1/2	ZBL648-4581-125090

ALUMINUM 90°
OLD COPPER BROWN,
POWDER-COATED


h to be covered 2" Pack: 1 pc.

h/in.	Part no.
3/8	ZBL645-4581-105090



BALCONY-EDGE PROTECTOR

The BALCONY-EDGE PROTECTOR provides an attractive cover for concrete balconies and terrace slabs. Straight and corner joiner pieces can be used to easily connect two BALCONY-EDGE PROTECTOR lengths.




STAINLESS STEEL		8.0
NATURAL		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 3⁄8	ZBL341-280-06025	
3 1⁄8	ZBL341-280-08025	
4	ZBL341-280-10025	

ALUMINUM		8.0
WHITE, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 3⁄8	ZBL341-450-06025	
3 1⁄8	ZBL341-450-08025	
4	ZBL341-450-10025	

ALUMINUM		8.0
MEDIUM GRAY, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 3⁄8	ZBL341-45919-06025	
3 1⁄8	ZBL341-45919-08025	
4	ZBL341-45919-10025	

ALUMINUM		8.0
BROWN, POWDER-COATED		
Length: 8.0 feet		Pack: 1 pc.
h/in.	Part no.	
2 3⁄8	ZBL341-460-06025	
3 1⁄8	ZBL341-460-08025	
4	ZBL341-460-10025	

JOINER



STAINLESS STEEL		
NATURAL		
Length: 3 1⁄8"		Pack: 1 pc.
h/in.	Part no.	
1 3⁄8	ZBL351-280-040	
2 9⁄16	ZBL351-280-060	
3 1⁄8	ZBL351-280-080	
3 23⁄32	ZBL351-280-100	

ALUMINUM		
WHITE, POWDER-COATED		
Length: 3 1⁄8"		Pack: 1 pc.
h/in.	Part no.	
2 9⁄16	ZBL351-450-060	
3 1⁄8	ZBL351-450-080	
3 23⁄32	ZBL351-450-100	
4 23⁄32	ZBL351-450-125	

ALUMINUM		
MEDIUM GRAY, POWDER-COATED		
Length: 3 1⁄8"		Pack: 1 pc.
h/in.	Part no.	
1 3⁄8	ZBL351-45919-040	
2 9⁄16	ZBL351-45919-060	
3 1⁄8	ZBL351-45919-080	
3 23⁄32	ZBL351-45919-100	
4 23⁄32	ZBL351-45919-125	

ALUMINUM		
BROWN, POWDER-COATED		
Length: 3 1⁄8"		Pack: 1 pc.
h/in.	Part no.	
2 9⁄16	ZBL351-460-060	
3 1⁄8	ZBL351-460-080	
3 23⁄32	ZBL351-460-100	
4 23⁄32	ZBL351-460-125	

CORNER JOINER 90°

STAINLESS STEEL 90°
NATURAL

Length: 3½" Pack: 1 pc.

h/in.	Part no.
1½	ZBL352-280-040
2½ ₂₅	ZBL352-280-060
3½	ZBL352-280-080
3¾ ₂₅	ZBL352-280-100

ALUMINUM 90°
WHITE, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.
2½ ₂₅	ZBL352-450-060
3½	ZBL352-450-080
3¾ ₂₅	ZBL352-450-100
4¾ ₂₅	ZBL352-450-125

ALUMINUM 90°
MEDIUM GRAY, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.
1½	ZBL352-45919-040
2½ ₂₅	ZBL352-45919-060
3½	ZBL352-45919-080
3¾ ₂₅	ZBL352-45919-100
4¾ ₂₅	ZBL352-45919-125

ALUMINUM 90°
BROWN, POWDER-COATED

Length: 3½" Pack: 1 pc.

h/in.	Part no.
2½ ₂₅	ZBL352-460-060
3½	ZBL352-460-080
3¾ ₂₅	ZBL352-460-100
4¾ ₂₅	ZBL352-460-125

BALCONY-EDGE PROTECTOR PLUS

The BALCONY-EDGE PROTECTOR PLUS facilitates quick and simple expansion in balcony renovations and when building balconies. Connectors and corners complete this fully developed system.

ALUMINUM 8.0
WHITE, POWDER-COATED

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
2½ ₂₅	ZBL341-450P-08025
3½	ZBL341-450P-10025
3¾ ₂₅	ZBL341-450P-12525

ALUMINUM 8.0
MEDIUM GRAY, POWDER-COATED


Length: 8.0 feet Pack: 1 pc.


h/in.	Part no.
2½ ₂₅	ZBL341-45919P08025
3½	ZBL341-45919P10025
3¾ ₂₅	ZBL341-45919P12525

ALUMINUM 8.0
BROWN, POWDER-COATED

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
2½ ₂₅	ZBL341-460P-08025
3½	ZBL341-460P-10025
3¾ ₂₅	ZBL341-460P-12525





BALCONY-GRAVEL DECK EDGE PRO

The BALCONY-GRAVEL DECK EDGE PRO is a balcony profile for tile and stone with a slide-in opening designed for inserting a drain mat. It has weep holes for the optimal drainage of moisture on balconies and terraces. The system is completed by joiners and seamwelded corners.

ALUMINUM 8.0	
MEDIUM GRAY, POWDER-COATED	
Length: 8.0 feet Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL575-4591-060
3 ¹ / ₂	ZBL575-4591-080

ALUMINUM 8.0	
OLD COPPER BROWN, POWDER-COATED	
Length: 8.0 feet Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL575-4581-060
3 ¹ / ₂	ZBL575-4581-080

ALUMINUM 8.0	
STAINLESS STEEL METALLIC, POWDER-COATED	
Length: 8.0 feet Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL575-4502-060
3 ¹ / ₂	ZBL575-4502-080

JOINER

ALUMINUM	
MEDIUM GRAY, POWDER-COATED	
Length 1 ³ / ₄ feet Pack: 5 pcs.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL577-4591-060
3 ¹ / ₂	ZBL577-4591-080

ALUMINUM	
OLD COPPER BROWN, POWDER-COATED	
Length 1 ³ / ₄ feet Pack: 5 pcs.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL577-4581-060
3 ¹ / ₂	ZBL577-4581-080

ALUMINUM	
STAINLESS STEEL METALLIC, POWDER-COATED	
Length 1 ³ / ₄ feet Pack: 5 pcs.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL577-4502-060
3 ¹ / ₂	ZBL577-4502-080

CORNER JOINER 90°, OUTER DIMENSION 9 29/64" · 9 29/64"




ALUMINUM 90°	
MEDIUM GRAY, POWDER-COATED	
Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL578-4591-060090
3 ¹ / ₂	ZBL578-4591-080090

ALUMINUM 90°	
OLD COPPER BROWN, POWDER-COATED	
Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL578-4581-060090
3 ¹ / ₂	ZBL578-4581-080090

ALUMINUM 90°	
STAINLESS STEEL METALLIC, POWDER-COATED	
Pack: 1 pc.	
h/in.	Part no.
2 ²⁵ / ₃₂	ZBL578-4502-060090
3 ¹ / ₂	ZBL578-4502-080090

CORNER JOINER 135°, OUTER DIMENSION 9 29/64" · 9 29/64"



ALUMINUM

MEDIUM GRAY,
POWDER-COATED

135°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
2 ²⁵ / ₃₂	ZBL578-4591-060135	
3 ¹ / ₂	ZBL578-4591-080135	

ALUMINUM

OLD COPPER BROWN,
POWDER-COATED

135°

Pack: 1 pc.

h/in.	Part no.	\$/pc.
2 ²⁵ / ₃₂	ZBL578-4581-060135	
3 ¹ / ₂	ZBL578-4581-080135	

ALUMINUM

135°

STAINLESS STEEL METALLIC,

POWDER-COATED

Pack: 1 pc.

h/in.	Part no.	\$/pc.
2 ²⁵ / ₃₂	ZBL578-4502-060135	
3 ¹ / ₂	ZBL578-4502-080135	

INNER CORNER JOINER 90°, OUTER DIMENSION 5 1/8" · 5 1/8"

ALUMINUM
MEDIUM GRAY,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
2 5/8	ZBL650-4591-060090
3 1/8	ZBL650-4591-080090

ALUMINUM
OLD COPPER BROWN,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
2 5/8	ZBL650-4581-060090
3 1/8	ZBL650-4581-080090

ALUMINUM
STAINLESS STEEL METALLIC,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
2 5/8	ZBL650-4502-060090
3 1/8	ZBL650-4502-080090



UNIVERSAL JOINER

METAL
ZINC PLATED

Pack: 10 pcs.

width/length	Art. no.
1 1/8" × 3"	ZBL436-110



GRAVEL DECK EDGE

The GRAVEL DECK EDGE has specially designed drainage holes allowing moisture to escape while containing terrace and balcony deck substrates consisting of loose gravel layered on drainage mat system. Available in durable aluminum or stainless steel.

**STAINLESS STEEL**
BRUSHED

8.0

Length: 8.0 feet Pack: 1 pc.


h/in.	Part no.
1 3/8	ZBL345-280B-035
2 5/8	ZBL345-280B-065
3	ZBL345-280B-075

ALUMINUM
MEDIUM GRAY, POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
1 3/8	ZBL345-45919-035
2 5/8	ZBL345-45919-065
3	ZBL345-45919-075



JOINER

STAINLESS STEEL
BRUSHED

Length: 3 1/2" Pack: 1 pc.

h/in.	Part no.
1 3/8	ZBL499-280B-035
2 5/8	ZBL499-280B-065
3	ZBL499-280B-075

ALUMINUM
MEDIUM GRAY, POWDER-COATED

Length: 3 1/2" Pack: 1 pc.

h/in.	Part no.
1 3/8	ZBL499-45919-035
2 5/8	ZBL499-45919-065
3	ZBL499-45919-075



CORNER JOINER 90°, OUTER DIMENSION 3 1/6" · 3 1/6"

STAINLESS STEEL
BRUSHED

Pack: 1 pc.

h/in.	Part no.
1 3/8	ZBL501-280B-035
2 3/8	ZBL501-280B-065
3	ZBL501-280B-075

ALUMINUM
MEDIUM GRAY, POWDER-COATED


Pack: 1 pc.

h/in.	Part no.
1 3/8	ZBL501-45919-035
2 3/8	ZBL501-45919-065
3	ZBL501-45919-075



COVECOVER

The COVECOVER is a cove profile that is designed to provide attractive interior wall protection. The innovative and durable design protects exterior baseboards.

ALUMINUM
MEDIUM GRAY,
POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
4	ZBL639-4591

ALUMINUM
OLD COPPER BROWN,
POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
4	ZBL639-4581

ALUMINUM
STAINLESS STEEL METALLIC,
POWDER-COATED

8.0

Length: 8.0 feet Pack: 1 pc.

h/in.	Part no.
4	ZBL639-4502

JOINER

ALUMINUM
MEDIUM GRAY,
POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.
4	ZBL640-4591

ALUMINUM
OLD COPPER BROWN,
POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.
4	ZBL640-4581

ALUMINUM
STAINLESS STEEL METALLIC,
POWDER-COATED

Length 1 3/8 feet Pack: 5 pcs.

h/in.	Part no.
4	ZBL640-4502

Advantages:

- > Durable attractive alternative when covebase tile is not available or too expensive.
- > Hollow channels on the back ideal for »hiding« electric cords, cables, etc.
- > Convenient corners and joiners are available for achieving a professional finish

Expert tip:

For rapid, secure attachment to walls etc.

CORNER JOINER 90°, OUTER DIMENSION 9 1/2" · 9 1/2"

ALUMINUM
MEDIUM GRAY,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
4	ZBL641-4591-090

ALUMINUM
OLD COPPER BROWN,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
4	ZBL641-4581-090

ALUMINUM
STAINLESS STEEL METALLIC,
POWDER-COATED

90°

Pack: 1 pc.

h/in.	Part no.
4	ZBL641-4502-090





ALUMINUM, NATURAL

Thanks to the wide range of material surfaces in the product systems, you will find the right design for every requirement and every taste. However, there are differences in the properties of the various surface options. For example, untreated aluminum has limited use indoors with low mechanical load. It oxidises and should be thoroughly cleaned after grouting. Not every grout or adhesive is compatible with aluminum, so the following basic principle applies: Before installation, you must check that the products used are compatible with aluminum.



NATURAL - 400




ALUMINUM LOOK,
CROSS BRUSHED
SHINY SILVER

ALUMINUM, ANODIZED

Anodized aluminum can be used inside at low mechanical stress. Not recommended for commercial floor applications because the silver/gold finish can be scratched or worn-off by heavy traffic. By deforming (bending) anodized aluminum there may be slight changes in color.




SATIN GOLD - 420



SHINY GOLD - 480



BRONZE




ROYAL CHAMPAGNE - 470



SATIN SILVER - 410



SHINY SILVER - 430



TITANIUM BRONZE - 446



MATTE BLACK - 416



SILVER CROSS BRUSHED



BRUSHED NICKEL - 420B



OIL RUBBED BRONZE

ALUMINUM, POWDER-COATED


The aluminum profiles go through several stages of pre-treatment, then they are powder coated and fired. This gives the profiles a high quality protective coating, which can also come in a range of different colours. The high regularity of shape, value and protective function of the acrylic coat-ed surfaces thus offer a number of additional functions. However the profiles are not mechanically strong which must be considered during processing.



OLD COPPER BROWN



BROWN




JASMINE



MANHATTAN GRAY



GRAY



WHITE - 450



STAINLESS STEEL METALLIC




GRAPHITE BLACK

ALUMINUM, TEXTURED POWDER-COATED

The aluminum profiles go through several stages of pre-treatment, then they textured powder-coated and fired.



SAND TROPEZ



OXIDE



GRAPHITE



STONE GRAY



QUARTZ



OYSTER WHITE



INDUSTRIAL RUST



COAL BLACK




DARK CHOCOLATE



SUGAR WHITE

ALUMINUM, BRUSHED ANODIZED

Anodized aluminum can be used indoors where there is little mechanical loading. The anodized layer largely protects against oxidation. After installation with mortar or adhesive, residue should always be removed immediately, otherwise the surface could be stained. Anodized surfaces are very easily scratched. Be careful when installing. During bending work with anodized aluminum some slight discolouration may occur.



BRASS

Solid brass can be used inside and outside and is mechanically strong and stressable. Recommended for floors exposed to heavy loads (i.e. forklifts and heavy stocking carts). Exposure to moisture may cause a slight tarnishing which can be removed by polishing. Ideal for residential and commercial applications where trafficloads are light to moderate and extruded brass is more than the budget will allow. Also, provides a very attractive accent to complement polished



CHROME-PLATED

Generally speaking, chrome surfaces show good load capacities. After installing, immediately remove adhesive and grout residues. To maintain a high-quality appearance for years to come, protect chrome-plated surfaces from scratching or exposure to grit and rough contact. Do not use abrasive cleaners that contain hydrochloric, formic or acetic acids. Cleaners containing hydrofluoric acid or chlorine bleach should never be used. Citric acid or sulfamic acid that are compatible with the material can be used for cleaning. Generally speaking, after cleaning rinse the surface with abundant clean water.



STAINLESS STEEL

Made by roll-forming 0.8 mm thick stainless steel. Highly recommended for commercial applications with strict sanitary requirements and where surfaces are exposed to strong chemicals and high mechanical stress (i.e. hospitals, food processing facilities, commercial kitchens and swimming pools).



STAINLESS STEEL/
(ACID-RESISTANT/AISI 316) - 285



POLISHED



BRUSHED - 280B



STAINLESS STEEL LOOK



STAINLESS STEEL LOOK,
POLISHED - 286



STAINLESS STEEL LOOK,
BRUSHED



CHROME-PLATED - 284O



CROSS BRUSHED

PVC

In the interior plastic can be used at low stress. The plastic is made of completely coloured UV resistant PVC in different color shades.



ANTHRACITE



BAHAMA BEIGE - 5071



SILVER GRAY - 5092



GRAPHITE BLACK - 506



GRAY - 509



BEIGE



LIGHT GRAY



JASMINE - 2011




MANHATTAN GRAY - 5091



BROWN - 508




MEDIUM GRAY



SAND GRAY



BLACK



WHITE - 501

COMMON COLOR/ FINISH CODES *

300 - Brass, natural
 340 - Brass, chrome plated
 280 - Stainless steel, natural
 280B - Stainless steel, brushed
 2840 - Stainless steel, chrome plated
 285 - Stainless steel, acid-resistant/AISI 316
 286 - Stainless steel, polished
 400 - Aluminum, natural
 410 - Aluminum, satin silver, anodized
 416 - Aluminum, matte black, anodized
 420 - Aluminum, satin gold, anodized
 420B - Aluminum, brushed nickel, anodized
 430 - Aluminum, shiny silver, anodized
 446 - Aluminum, titanium bronze, anodized
 450 - Aluminum, white, powder-coated
 456 - Aluminum, black, powder-coated
 470 - Aluminum, royal champagne, anodized
 480 - Aluminum, shiny gold, anodized
 501 - PVC, white
 506 - PVC, graphite black
 508 - PVC, brown
 509 - PVC, gray
 5011 - PVC, jasmine
 5071 - PVC, bahama beige
 5091 - PVC, manhattan gray
 5092 - PVC, silver gray

HEIGHT CONVERSION CHART (IN. - MM)

1/32" - 0.8	17/32" - 14.0
1/17" - 1.5	19/32" - 15.0
1/16" - 2.0	5/8" - 16.0
1/8" - 3.0	3/4" - 18.5
3/16" - 4.5	13/16" - 20.0
1/4" - 6.0	7/8" - 22.0
9/32" - 7.0	31/32" - 23.0
5/16" - 8.0	1" - 25.0
11/32" - 9.0	13/16" - 30.0
3/8" - 10.0	13/5" - 40.0
7/16" - 11.0	29/25" - 60.0
1/2" - 12.5	


* Additional colors/finishes available - please refer to catalog for details.

PART NUMBER IDENTIFICATION SYSTEM

Tile trims have specific part numbers made up of three components that notate important information such as the shape, finish, and size of each trim. To better understand this identification system, please refer to the following examples.


EXAMPLE 1:

PART NO. ZBL300-410-10025



EXAMPLE 2:

PART NO. ZBL347-501-12525



FREIGHT AND SHIPPING CHARGES:

Orders under \$1350 shipping to customer may be subject to a freight charge. Next day air is not available on Signature Series, but other expedited freight may be available at the customers expense if required. Check with your Emser Tile representative for details.

