		iranite					h	1.0
Product ID Website	absolute black www.emser.com	Cla	ssification	09 30 00.0	00 Finishes: T	Health Prod DECLARATI		
Manufacturer Address	Emser Tile LLC 8431 Santa Monica Blvd West Hollywood, CA 900 United States	Titl	one	Paul Makowski Commercial Manager 323-650-2000 ext227 paulmakowski@emser.com				
Description	Visually striking with an a durability and aesthetic qu		ole surface, granite	is a popular ch	noice for coun	tertops and	I floors due to its hig	lh
Release Date	2015-04-15		Self-declared					
Expiry Date HPD URL	-		Second Party Certifier Third Party Certificat					
SUMMARY DISC	LOSURE							
The content of this p	roduct was assessed for he	ealth hazard wa	rnings as require	d using Pharo	S			
Residuals Disclosure		Ful	I Disclosure of In	tentional Ingr	edients	Yes	□ _{No}	
Measured 100 ppm		Full Disclosure of Known Hazards				Yes	s 🗆 No	
Measured 1000 ppm Disclosure Notes								
51	·							
As per MSDS (1,00	·							
As per MSDS (1,00	·							
As per MSDS (1,00 Not disclosed Other Contents in Descend	·	BLE						
As per MSDS (1,00 Not disclosed Other Contents in Descend SILICA GEL , CRYST, Hazards	00 & 10,000 ppm) Iing Order of Quantity ALLINE SILICAS - RESPIRA	Highest concer	n GreenScreen s □ Land					
As per MSDS (1,00 Not disclosed Other Contents in Descend SILICA GEL , CRYST, Hazards	00 & 10,000 ppm) Iing Order of Quantity ALLINE SILICAS - RESPIRA	Highest concer	Land		nslator Bench Unutiple			
As per MSDS (1,00 Not disclosed Other Contents in Descend SILICA GEL , CRYST Hazards PBT (Persistent Bioaccumulative Toxic)	D0 & 10,000 ppm)	Highest concer	□ Land □ Physi	toxicity	Multiple			
As per MSDS (1,00 Not disclosed Other Contents in Descend SILICA GEL , CRYST. Hazards PBT (Persistent Bioaccumulative Toxic) Cancer	D0 & 10,000 ppm)	Highest concer Highest concer Highest concer	□ Land □ Physi □ Globa	toxicity cal hazard	Multiple			
As per MSDS (1,00 Not disclosed Other Contents in Descend SILICA GEL , CRYST Hazards PBT (Persistent Bioaccumulative Toxic) Cancer Gene Mutation Total VOC Content	D0 & 10,000 ppm)	Highest concer Neurotoxicity Mammal Skin or Eye Aquatic toxici	☐ Land ☐ Physi ☐ Globa ty ☐ Ozon	toxicity cal hazard I warming e depletion	Multiple		□ No	
SILICA GEL , CRYST	D0 & 10,000 ppm)	Highest concer Neurotoxicity Mammal Skin or Eye Aquatic toxici	□ Land □ Physi □ Globa	toxicity cal hazard I warming e depletion bt VOCs?	Multiple Unknow	m	□ No □ No	

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; RC: Recycled Content, PC: Post Consumer, PI: Post Industrial (Pre-consumer), BO: Both; Nano: comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role	
Hazard A	Warning A						
Hazard B	Warning B						
Hazard C	Warning C						
Hazard D	Warning D						
Hazard E	Warning E						
Notes							
SILICA GEL	112926-00-8	0 - 90 %	LT-U	Ν	Y	in tile glaze	
None found	No warnings found on HPD Priority lists						
please refer to TCNA handbook as it pertains to tile cutting							
CRYSTALLINE SILICAS - RESPIRABLE		0 - 10 %	LT-1	PC	U	tile body glaze	
CANCER	IARC: Group 1: Agent is carcinogenic to humans - inhaled from occupational sources (also in MAK, NTP-RoC, Prop 65)						
please refer to TCNA handbook as it pertains to cutting tile							

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Туре	Standard or Certification			Certifier or Laboratory					
	Certifying Party	Issue Date	Expiry Date	Certificate URL					
	Applicable	Facilitie	s						
	Notes								
VOC	Not tested								
Emissions									
VOC	N/A								
Content									
Recycled	Not tested								
Content									
		2011- 06-21		www.emser.com/index.php? tabs=installationAndPetterns&id1=collectionDetails&name=PIETRE_DEL_NORD(TM)&id0=ceramic_porcelain&index=56&scrollMenuporcelain=422					
	8431 Santa	Monica	Blvd Los A	Angeles CA 90069					

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration				
Condition when required or recommended and/or other notes					
grout/mortar					
grout, mortar, or other waterproofing membranes will be needed during installation					

NOTES

product may contain less than .1% of SARA elements that may be exposed from cutting tile.