

Potassium nitrate

Section 1. Chemical Product and Company Identification

Product name Trade name	 Potassium nitrate Potassium nitrate, Multi-K. 	Manufactured/supplied Haifa Chemicals Ltd.
Synonym Fertilizer formula Chemical formula Material uses	 Nitric acid, potassium salt; Nitrate of potash Not applicable. KNO₃ Fertilizer. Glass (cathodes ray tubes, liquid crystal). 	P.O. Box 10809, Haifa Bay 26120, Israel Tel: 972-4-8469961 Fax: 972-4-8469955 Email: info@haifachem.co.il
Emergency telephone number	Pyrotechnics, propellants (rocket fueloxidizers). Heat treatment salts (steel and rubber manufacture), oxidizing flux (in metallurgy). Heat transfer salts, energy storage.Ceramics (tiles, glazes). : 972-4-8469603/4	

Section 2. Hazards identification

Physical state	: Solid. (Crystalline./Powder.)
Emergency overview	: Warning!
	OXIDIZER.
	MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: MUCOUS MEMBRANES. CONTACT WITH ORGANIC MATERIAL MAY CAUSE FIRE.
	Store in tightly-closed container. Avoid contact with combustible materials.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effe	
Eyes	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: Practically non-toxic if swallowed.
Potential chronic health	: Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.
effects	Mutagenic effects: Not applicable.
	Teratogenic Effects: Not applicable.
Medical conditions	: Repeated or prolonged exposure to the substance can produce target organs damage.
aggravated by over- exposure	
	Induction may cause apatrointectinal irritation, vemiting and diarrhad
Over-exposure signs/symptoms	: Ingestion may cause gastrointestinal irritation, vomiting and diarrhea.
See toxicological information	tion (section 11)

Section 3. Composition, Information on Ingredients

	CAS number	Concentration
United States		
Potassium nitrate	7757-79-1	94 - 100 (Fertilizer) 99.5 - 100 (Technical)

This material is classified as hazardous under OSHA regulations. See Sections 8, 11 and 14 for details.

Section 4. First aid measures

Eye contact	: Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
Skin contact	: Wash with soap and water. Get medical attention if symptoms occur.
Inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
Ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
Notes to physician	: No specific antidote. Medical staff must contact Poison Control Center.

Section 5. Fire fighting measures

Flammability of the product	: Non-flammable.	
Products of combustion	: Not combustible. Thermal decomposition products are dependent on temperature conditions. These products are water, oxides of potassium and oxides of nitrogen.	
Fire-fighting media and instructions	: Use an extinguishing agent suitable for the surrounding fire.	
	This material increases the risk of fire and may aid combustion. Contact with combustible material may cause fire.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathin apparatus (SCBA) with a full face-piece operated in positive pressure mode.	g
Special remarks on explosion hazards	: Non-explosive under normal conditions.	

Section 6. Accidental release measures

Personal precautions	:	Immediately contact emergency personnel. Eliminate all ignition sources. Keep unnecessary personnel away. Use suitable protective equipment. Do not touch or walk through spilled material.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	:	If emergency personnel are unavailable, carefully scoop up spilled materials and use a non-sparking or explosion-proof means to transfer material to an appropriate container for disposal by incineration. Avoid creating dusty conditions and prevent wind dispersal.

Section 7. Handling and storage

Handling	: Store in tightly-closed container. Avoid contact with combustible materials.	
Storage	: Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalis, reducing agents and combustibles.	е

Section 8. Exposure controls, personal protection

Engineering controls	: Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal protection	
Eyes	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Safety glasses.
Respiratory	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Dust respirator.
Hands	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. >8 hour/hours (breakthrough time): Natural rubber (latex).
Skin/Body	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Body: Recommended: Lab coat.
Personal protection in case of a large spill	: Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.
Product name United States	Exposure limits
Potassium nitrate	ACGIH TLV (United States). TWA: 5 mg/m ³ 8 hour/hours, Form: Dust

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Physical state	: Solid. (Crystalline./Powder.)
Color	: White.
Odor	: Odorless.
Molecular weight	: 101.1 g/mole
Molecular formula	: KNO ₃
рН	: 6 to 10.5 (Conc. (% w/w): 10) [Basic.]
Melting/freezing point	: 333.85°C (632.9°F)
Bulk density	: 1.1 g/cm ³
Vapor pressure	: <0.1 kPa (<1 mm Hg) (at 20°C)
Vapor density	: Non-volatile.
Volatility	: Non-volatile.
Odor threshold	: Not available.
Evaporation rate	: Non-volatile.
VOC	: Not an organic solvent.
Viscosity	: Non-viscous substance.
LogK _{ow}	: The product is more soluble in water; log(octanol/water) <1.
Solubility	: 31.6 g/100 ml of water at 20°C (68°F).

Section 10. Stability and reactivity

Stability and reactivity	:	The product is stable.
Conditions of instability	1	Excessive heating.
Incompatibility with various substances	:	Reactive with reducing agents, organic materials, acids. Slightly reactive with moisture.
Hazardous decomposition products	:	Under fire - oxides of nitrogen, oxides of potassium.
Hazardous polymerization	:	Will not occur.

Section 11. Toxicological information

Toxicity data						
Ingredient name Potassium nitrate		<mark>Test</mark> LD50 LD50	<mark>Result</mark> 3750 mg/kg 1901 mg/kg	<u>Route</u>	Oral Oral	<mark>Species</mark> Rat Rabbit
Acute Effects		LDJU	1901 Hig/kg		Ulai	Rabbit
Eyes	1	No known significa	nt effects or critical	hazard	S.	
Skin	1	No known significant effects or critical hazards.				
Inhalation	:	No known significant effects or critical hazards.				
Ingestion Potential chronic health effects	 Practically non-toxic if swallowed. Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH. Mutagenic effects: Not applicable. Teratogenic Effects: Not applicable. 					
Target organs	:	May cause damage		rgans: n	nucous memb	oranes.
Special remarks on chronic effects on humans	:	Not classified or lis	ted by IARC, NTP,	OSHA,	EU and ACG	ilH.

Section 12. Ecological information

Ecotoxicity data					
Ingredient name	Species	Period	Result		
Potassium nitrate	Poecilia reticulata (LC50) Poecilia reticulata (LC50)	96 hour/hours 96 hour/hours	180 mg/l 188 mg/l		
	Poecilia reticulata (LC50)	96 hour/hours	191 mg/l		
	Poecilia reticulata (LC50)	96 hour/hours	200 mg/l		
Biodegradable/OECD	: Not applicable.				
Mobility	: Soluble in cold water, hot water.				
Persistence/degradability Other adverse effects	Not applicable, since inorganic substance.Substances, which contribute to eutrophication: Nitrates.				

Section 13. Disposal considerations

Waste disposal: The generation of waste should be avoided or minimized wherever possible. Avoid
dispersal of spilled material and runoff and contact with soil, waterways, drains and
sewers. Disposal of this product, solutions and any by-products should at all times
comply with the requirements of environmental protection and waste disposal legislation
and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information Classification DOT/ IMDG/ IATA: UN number **Proper shipping name** Class Packing group UN1486 POTASSIUM NITRATE Ш 5.1 : 140 **NAERG** Label **UN/Other regulations** DOT **Additional information** DOT ΙΑΤΑ Passenger and Cargo Limited quantity AircraftQuantity Yes. limitation: 25 kg Packaging **Cargo Aircraft Only** instruction Quantity limitation: 100 Passenger aircraft kq Quantity limitation: 25 Limited Quantities kq Passenger Aircraft Quantity limitation: 10 Cargo aircraft kg Quantity limitation: 100 kg Special provisions A1, A29, IB8, IP3 Section 15. Regulatory information **United States HCS Classification** : Oxidizing material Target organ effects **U.S. Federal regulations** : TSCA 8(b) inventory: Potassium nitrate SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Potassium nitrate SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Potassium nitrate: Fire hazard, Delayed (chronic) health hazard Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found. Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found. **SARA 313** Product name **CAS** number Concentration 94 - 100 Form R - Reporting ÷ Potassium nitrate 7757-79-1 (Fertilizer) requirements 99.5 - 100 (Technical)

Continued on next page

Potassium nitrate		Page: 6/6
Supplier notification	: Potassium nitrate 7757-79	9-1 94 - 100 (Fertilizer) 99.5 - 100 (Technical)
	SARA 313 notifications must not be detached from the MSE redistribution of the MSDS shall include copying and redistri to copies of the MSDS subsequently redistributed.	
State regulations	: Pennsylvania RTK: Potassium nitrate: (generic environment Massachusetts RTK: Potassium nitrate New Jersey: Potassium nitrate	tal hazard)
International regulations International lists	: All components listed are listed on major international inven being listed in Australia (AICS), Europe (EINECS/ELINCS), (METI/MOL), Philippines (RA6969).	
Section 16. Other	information	
Label requirements	: OXIDIZER. MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: M CONTACT WITH ORGANIC MATERIAL MAY CAUSE FIRE	
Hazardous Material Information System (U.S.A.)	Health1Fire hazard0Reactivity1Personal protectionC	
National Fire Protection Association (U.S.A.)	: Health 1 Special	
References	ANSI Z400.1, MSDS Standard, 2004 Manufacturer's Material Safety Data Sheet 29CFR Part1910.1200 OSHA MSDS Requirements 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG.	
Date of issue Date of previous issue Version	: 06/24/2009 : 2005 : 3	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.