

# Portable Industrial Spot Cooling Airconditioner - 2.7Kw

TRADEQUIP
the trusted brand in equipment

Product Code: 1031T

TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioners are designed for economical spot cooling in workshops, service rooms, warehouses and offices especially where other electrical equipment creates a heat load. These TradeQuip Portable Industrial Spot Cooling Air Conditioners are completely self-contained and housed within an insulated cabinet. The unit's exterior is constructed of galvanized steel and protected with a tough powder-coated, polyester finish. All models are equipped standard with heavy-duty castors for easy portability. TradeQuip Portable Industrial Spot Cooling Air Conditioners bring in air from an outside source to cool its condenser, cycling hot air to an outside source. This provides a fresh cool air room temperature with high efficienc. Just wheel it in, plug it in and it goes to work immediately, giving high cooling capacity to help wherever and at whatever point you require it

With its compact size, this TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioning unit is perfectly suited to smaller work areas, yet still delivers an impressive amount of air output.

The 1031T is the smallest unit in size and capacity in the TradeQuip "Made for the Trade" series portable air conditioners. The 1031T has an extremely small foot print that is ideal for spot cooling people or equipment in a high ambient environment, like in a workshop or office space. The TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioners offer a quick cooling solution with "plug and play" technology that tops the competition with its small size, strong air flo , and easy installation. These portable air conditioners achieve up to 10°C temperature differential across its coil. This means that 39°C input air will instantly produce 29°C. output air. For spot cooling applications at a work station the unit will effectively cool a person or equipment within 2-5m of the unit.

The 1031T runs on a standard 240V/10A circuit with automatic restart after a power failure. The unit comes with a 5-Litre self-contained condensation tank, that is manually emptied. Installation takes less than ten minutes for easy set up.

With the substantial 'instant' changes in the air temperature, a portable industrial air conditioner is perfect for cooling hard working people or spot cooling of rooms, workshops, factories, laundries, schools, agricultural sheds, and more.



#### **Features**

Compact yet powerful
Runs on 240V 10A circuit
Wide operating range of 18°- 45°C
Single duct system for easy installation
5 Litre self-contained condensation tank for easy removal and emptying
Capillary tube construction for simplicity
Heavy duty compressor with automatic restart and short cycle protection
Motors and compressors have overload protection
Durable and long lasting steel construction
Heavy duty locking castors and handles for easy manoeuvrability



Cooling Capacity: 2.7KW / 9200Btu

Power Unit: 240V 50Hz Rated Power: 950W Rated Current: 4.2A Max. Air Flow: 400m3 per hour

Noise Level: 55dB(A) Operating Temperature: 18° - 45°C Suction Pressure: 2.5Mpa (Max.) Discharge Pressure: 4.5Mpa (Max.)

Speed Control: 2-speed Refrigerant: R410/460g

Condensation Tank Capacity: 5 Litres Castor Wheels: 75mm Dia (2 with brakes) Dimension: 855(H) x 430(W) x 405(D)

Nett Weight 42kg

















# Portable Industrial Spot Cooling Airconditioner - 4.5Kw

19 THADEUUIP the trusted brand in equipment

Product Code: 1032T

TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioners are designed for economical spot cooling in workshops, service rooms, warehouses and offices especially where other electrical equipment creates a heat load. These TradeQuip Portable Industrial Spot Cooling Air Conditioners are completely self-contained and housed within an insulated cabinet.

The unit's exterior is constructed of galvanized steel and protected with a tought powder-coated, polyester finish. All models are equipped standard with heavy-duty castors for easy portability. TradeQuip Portable Industrial Spot Cooling Air Conditioners bring in air from an outside source to cool its condenser, cycling hot air to an outside source. This provides a fresh cool air room temperature with high efficienc. Just wheel it in, plug it in and it goes to work immediately, giving high cooling capacity to help wherever and at whatever point you require it.

With its compact size, this TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioning unit is perfectly suited to smaller work areas, yet still delivers an impressive amount of air output.

The 1032T is the medium unit in size and capacity in the TradeQuip "Made for the Trade" series portable air conditioners. The 1032T has a small foot print that is ideal for spot cooling people or equipment in a high ambient environment, like in a workshop or office space. The TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioners offer a quick cooling solution with "plug and play" technology that tops the competition with its small size, strong air flo , and easy installation. These portable air conditioners achieve up to 10°C temperature differential across its coil. This means that 39°C input air will instantly produce 29°C. output air. For spot cooling applications at a work station the unit will effectively cool a person or equipment within 2-5m of the unit.

The 1032T runs on a standard 240V/15A circuit with automatic restart after a power failure. The unit comes with a 5-Litre self-contained condensation tank, that is manually emptied. Installation takes less than ten minutes for easy set up.

With the substantial 'instant' changes in the air temperature, a portable industrial air conditioner is perfect for cooling hard working people or spot cooling of rooms, workshops, factories, laundries, schools, agricultural sheds, and more.



### **Features**

Compact yet powerful
Runs on 240V 15A circuit
Wide operating range of 18°- 45°C
Single duct system for easy installation
5 Litre self-contained condensation tank for easy removal and emptying
Capillary tube construction for simplicity
Heavy duty compressor with automatic restart and short cycle protection
Motors and compressors have overload protection
Durable and long lasting steel construction
Heavy duty locking castors and handles for easy manoeuvrability



Cooling Capacity: 4.5KW / 15300Btu Power Unit: 240V 50Hz Rated Power: 2000W Rated Current: 9.0A Max. Air Flow: 800m3 per hour Noise Level: 60dB(A)

Operating Temperature: 18° - 45°C Suction Pressure: 2.5Mpa (Max.) Discharge Pressure: 4.5Mpa (Max.) Speed Control: 2-speed

Refrigerant: R410/800g Condensation Tank Capacity: 5 Litres Castor Wheels: 75mm Dia (2 with brakes) Dimension: 1035(H) x 520(W) x 480(D)

Nett Weight 70kg







TRADEQUIP









# Portable Industrial Spot Cooling Airconditioner - 6.5Kw

TRADEQUIP
the trusted brand in equipment

Product Code: 1033T

TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioners are designed for economical spot cooling in workshops, service rooms, warehouses and offices especially where other electrical equipment creates a heat load. These TradeQuip Portable Industrial Spot Cooling Air Conditioners are completely self-contained and housed within an insulated cabinet. The unit's exterior is constructed of galvanized steel and protected with a tough powder-coated, polyester finish. All models are equipped standard with heavy-duty castors for easy portability. TradeQuip Portable Industrial Spot Cooling Air Conditioners bring in air from an outside source to cool its condenser, cycling hot air to an outside source. This provides a fresh cool air room temperature with high efficienc. Just wheel it in, plug it in and it goes to work immediately, giving high cooling capacity to help wherever and at whatever point you require it.

With its compact size, this TradeQuip "Made for the Trade" Portable Industrial Spot Cooling Air Conditioning unit is perfectly suited to smaller work areas, yet still delivers an impressive amount of air output.

The 1033T is the large unit in size and capacity in the TradeQuip "Made for the Trade" series portable air conditioners. The 1033T has a foot print that is ideal for spot cooling people or equipment in a high ambient environment, like in a workshop or office space. The TradeQuip "Made for the Trade" Portable Spot Cooling Air Conditioners offer a quick cooling solution with "plug and play" technology that tops the competition with its small size, strong air flo , and easy installation. These poratable air conditioners achieve up to 10°C temperature differential across its coil. This means that 39°C input air will instantly produce 29°C. output air. For spot cooling applications at a work station the unit will effectively cool a person or equipment within 2-5m of the unit.

The 1033T runs on a standard 240V/15A circuit with automatic restart after a power failure. The unit comes with a 5-Litre self-contained condensation tank, that is manually emptied. Installation takes less than ten minutes for easy set up.

With the substantial 'instant' changes in the air temperature, a portable industrial air conditioner is perfect for cooling hard working people or spot cooling of rooms, workshops, factories, laundries, schools, agricultural sheds, and more.



Compact yet powerful
Runs on 240V 15A circuit
Wide operating range of 18°- 45°C
Single duct system for easy installation
5 Litre self-contained condensation tank for easy removal and emptying
Capillary tube construction for simplicity
Heavy duty compressor with automatic restart and short cycle protection
Motors and compressors have overload protection
Durable and long lasting steel construction
Heavy duty locking castors and handles for easy manoeuvrability

### Specific tions

Cooling Capacity: 6.5KW / 22200Btu Power Unit: 240V 50Hz Rated Power: 3000W Rated Current: 13.5A Max. Air Flow: 1200m3 per hour Noise Level:65dB(A) Operating Temperature: 18° - 45°C Suction Pressure: 2.5Mpa (Max.)

Discharge Pressure: 4.5Mpa (Max.)

Speed Control: 2-speed Refrigerant: R410/800g

Condensation Tank Capacity: 5 Litres Castor Wheels: 75mm Dia (2 with brakes) Dimension: 1245(H) x 640(W) x 560(D)

Nett Weight 100kg















