LIFT TRUCKS

STANDARD FEATURES

- 5,000lb Base Capacity
- 3 Stage Mast
- Full Free Lift
- 85" Lowered Mast Height
- 189" Max Raised Fork Height
- Premium Air Pneumatic tires
- 48V Electric Battery Powered
- Curtis Controller
- Backup Alarm
- Rear View Mirrors
- LED Front and Rear Lights
- Integrated LED Turn Signals
- Tilt Steering Column
- Twin USB Power Ports for Electric personal or Business Devices
- Digital Systems Monitor Display
- Rubber Floor mat
- Load Backrest
- 3 Way Hydraulics Plumbed to Carriage
- 12mo/2000hr Manufacturer Warranty

SPECIFICATIONS

POWER TYPE

BASE CAPACITY

CAPACITY 24" LC @189"

SERVICE WEIGHT

TIRE SIZE (FRONT)

TIRE SIZE (REAR)

WHEELBASE

MAST TILT ANGLE (F/R)

LIFT HEIGHT (3 STAGE)

LOWERED HEIGHT

FREE LIFT

LENGTH (LESS FORKS)

WIDTH

HEIGHT TO OVERHEAD GUARD

TURNING RADIUS

GROUND CLEARANCE

MAX GRADABILITY

TRANSMISSION

TRANSMISSION SPEEDS

48V BATTERY 5000 LBS 3900 LBS 10580 LBS

7.00-12

18 x 7 - 8

59.5"

6/12

189"

93"

88.25"

82"

4.33"

15%

AUTO

1FWD/1RVS









2023

FB25

PICK YOUR COLOR!

ORANGE

RED

GREEN

ACID GREEN

SKY BLUE

ROYAL BLUE

SILVER

FROST GREY

FACTORY INSTALLED OPTIONS*

SOLID TIRES (4)
SIDE SHIFTER

SIDE SHIFT FORK POSITIONER

DUAL DRIVE W/WIDE CARRIAGE

FULL SUSPENSION SEAT

CAB W/HEAT, WIPERS, LED LIGHTS

FIRE EXTINGUISHER

STROBE LIGHT

REAR WORK LIGHT

4TH VALVE, LEVER AND HOSING

REAR HORN HANDLE/BUTTON

EATON STEERING













OIL FILTER

GENUINE PART



GENUINE PART



NUINE PARTS