



HORNET
BUILT FOR GAMING



YouTube

Scan the QR Code to watch the
Youtube video and learn more
about your Orzly product!

https://orzly.tech/RX250-PC_Bundle

orzly

RX250
ESSENTIAL PACK

Product Features

- **Advanced anti-ghosting:** 19-key rollover support for enhanced command readings ·
- **Water resistant:** keyboard is designed to drain quickly in case of accidental spillage ·
- **Ergonomics:** streamlined mouse shape accommodates various grip styles ·
- **On-the-fly:** dedicated DPI button allows quick selection without interruption ·
- **Immersive sound:** closed, over-ear headset design for rich audio, high clarity and powerful bass ·
- **Pro-grade mat:** optimised for high tracking accuracy - compatible with both laser optical sensors ·
- **Spectrum:** multi-colour back-lighting with see-through characters and accents ·

**SYSTEM REQUIREMENTS: PC WITH 2 AVAILABLE USB PORTS AND SOUND CARD
OS SUPPORT: WINDOWS 7 OR LATER**

RX250-M


GAMING MOUSE



Mouse Specs:

- Sensor: Optical · DPI: 800-1600-2400-3200 · Buttons: 4 · Switch Rating: 1 million clicks ·
- Backlight: 7 Colours · Interface: USB 2.0 · Cable length: 1.5m ·

GAMEPAD



Gamepad Specs:

- Anti-skid rubber base · Size: 287 * 244 * 3mm ·
- Anti-Sweat design ·



RX250-K

GAMING KEYBOARD



Keyboard Shortcuts

*Functions may vary depending on Operating System

Lights

COLOUR MODE / OFF  INCREASE BRIGHTNESS [PG ↑] + [FN]

BREATHING MODE  + [FN] DECREASE BRIGHTNESS [PG ↓] + [FN]

Multimedia Controls

PLAY/ PAUSE [F7] + [FN] NEXT TRACK [F8] + [FN]

STOP [F5] + [FN] PREVIOUS TRACK [F6] + [FN]

VOLUME UP [F3] + [FN] VOLUME UP [F2] + [FN]

MUTE [F4] + [FN] MUSIC PLAYER [F1] + [FN]

Multimedia Controls

E-MAIL [F9] + [FN] WEB BROWSER [F10] + [FN]

KEY LOCK [F11] + [FN] CALCULATOR [F12] + [FN]

Keyboard Specs:

- Keys: 104 · Switch Type: Membrane · Switch Rating: 8 Million Presses ·
- Key Route: 2.2 ± 0.5mm · Operating Force: 70 ± 10g · Backlight: Mixed Colours (Rainbow) ·
- Interface: USB 2.0 · Cable Length: 1.4m · Dimensions 431 X 131 X 30mm ·

RX250-H

GAMING HEADSET



PC: Plug the two 3.5 mm jack into their respective ports. If there is only on port use the Adapter (included).



Headset



Mic

Console: Plug the two 3.5 mm jack into the Adaptor (included). Then into your controller

Headset Specs:

- Sound: Stereo · Frequency Response: 20Hz - kHz · Speaker Size: 40mm · Sensitivity: 92 dB ·
- Impedance: 32 Ω · Mic. Type: Omnidirectional · Size: 6 X 5mm · Sensitivity: -54db \pm 2db ·
- Connectors: 2x 3.5mm Jack · Cable Length: 2.1m ·

USAGE

Please do not take apart or exchange any component except where marked in the user manual.

Please do not submerge the product in water or any liquid. This product is not waterproof.

If product does come into contact with water please disconnect and cease use until properly checked. Continued use may cause a fire or electric shock.

During installation/use/disassembly please make sure that hands are dry to avoid damage to you and the product.

Do not expose the product to heat sources or fires directly.

Keep away from strong magnetic forces as these can cause the product to become non operational.



RX250
GAMING ESSENTIAL PACK

TROUBLESHOOTING

If your devices cannot be recognised or are not functioning as expected

- Please check if the USB/ Jack Ports are damaged both at the computer and on the device.
- Make sure the USB/ Jack are fully inserted into the correct port.
- Check your computer settings are correct.
- Disconnect and reinsert; Restart your computer.

If the above cannot solve the problems, please contact your retailer.

FIND OUT MORE

Please visit the official Orzly website to get more information about our latest products and other information www.orzly.com

Thank you for choosing Orzly!

WARRANTY CARD

Product Model:

Product Serial No:

Date of Purchase:

Customer Name:

Tel.:

Address:

Distributor Name:

Tel.:

Your Warranty Card is an important certificate for after-sale of Orzly Products. Please store in a safe place



PRODUCT WARRANTY

Thank you for your interest in the products from Orzly. This Limited Warranty applies to physical goods, and only for physical goods, purchased from Orzly (the "Physical Goods").

What does this limited warranty cover?

This Limited Warranty covers any defects in material or workmanship under normal use during the Warranty Period. During the Warranty Period, Orzly will repair or replace, at no charge, products or parts of a product that proves defective because of improper material or workmanship, under normal use and maintenance.

What will we do to correct problems?

Orzly will either repair the Product at no charge, using new or refurbished replacement parts.

How long does the coverage last?

The Warranty Period for Physical Goods purchased from Orzly is 365 days from the date of purchase. A replacement Physical Good or part assumes the remaining warranty of the original Physical Good or 365 days from the date of replacement or repair, whichever is longer.

What does this limited warranty not cover?

This Limited Warranty does not cover any problem that is caused by:

- Exceeding the Expiry Date of service and free maintenance period.
- Breakdown or malfunction caused by improper use/maintenance/storage not in accordance with the manual instructions.
- Breakdown or malfunction caused by other maintenance agency without our authorisation.
- No seal or information of the distributor shows on the Warranty Card.
- Unauthorised alteration of the Three Guarantees.
- Failure or damage caused by force majeure such as natural disasters.
- Failure or damage caused by human factor (such as operation error, collision, inappropriate input voltage, etc.)
- Failure or damage caused by other non product design, technology, manufacturing, quality and other issues

What do you have to do?

To obtain warranty service, you must first contact us to determine the problem and the most appropriate solution for you.



At Orzly, we're proud of our products and their durability. Register today to activate your free warranty!
orzly.tech/warranty



find us on social media

