



# FEKA - NOVA

## SUBMERSIBLE PUMPS





# 40

1979-2019

## NOVA FEKA

YEARS ANNIVERSARY *Celebration*



With **40 years' experience and over 4,000,000 pumps sold** **The NOVA and FEKA pumps** can solve all issues relating to the drainage of waste water for domestic and residential applications. The new **NOVA and FEKA** were redesigned to mark the occasion of forty years on the market and to make them even more reliable, robust and ergonomic.



### RESIDENTIAL BUILDING SERVICE

- Domestic waste water
- Rainwater or groundwater
- Emptying of wells or collection tanks
- Emptying of swimming pools or rooms prone to flooding



**NEW DESIGN**

## REASONS TO CHOOSE THE NEW NOVA AND FEKA SUBMERSIBLE PUMPS

### HIGH PERFORMANCE

NOVA and FEKA have professional features such as the oil chamber triple seal and lubricated bearings.

### BETTER PROTECTION AGAINST CORROSION

Motor in AISI 304 stainless steel and shaft in AISI 431 steel for better protection against corrosion.

### EASE OF USE

Light and compact, suitable for fixed and mobile installations with connectors for vertical delivery and a horizontal delivery port in metal.



# NOVA



The **NOVA line** with open impeller is suited to all **clean and waste water with solids measuring up to 0.4" (10 mm)**.

It can be used to empty tanks, vats or cisterns, drain flooded basements, cellars and garages, and prevent flooding when installed in rainwater wells.

It can also be used as a portable pump in emergencies to drain water out of flooded rooms.

### OPERATING RANGE

Flow rate up to 67 gpm ( 256 l/min )  
with head up to 33 ft ( 10.1 m )

### LIQUID TEMPERATURE RANGE

for domestic use  
from 32 °F to 95 °F ( 0 °C to +35 °C )  
for other uses  
from 32 °F to 122 °F ( 0 °C to +50 °C )

### OUTPUT

1" ¼ F



# FEKA



The **FEKA line** with back flowing impeller is suited to all **clean and waste water loaded with solids measuring up to 1" (25 mm)**.

It can be used to empty tanks, vats or cisterns, drain flooded basements, cellars and garages, and prevent flooding when installed in rainwater wells.

It can also be used as a portable pump in emergencies to drain water out of flooded rooms where there is mud or detritus.

### OPERATING RANGE

Flow rate up to 61 gpm ( 233 l/min )  
with head up to 27 ft ( 8.3 m )

### LIQUID TEMPERATURE RANGE

for domestic use  
from 32 °F to 95 °F ( 0 °C to +35 °C )  
for other uses  
from 32 °F to 122 °F ( 0 °C to +50 °C )

### OUTPUT

1" ¼ F




## TECHNICAL DATA

MODEL	P2 [KW]	H MAX	Q MAX	FREE PASSAGE
NOVA 180	0.14	16.1 ft ( 4.9 m )	40.0 gpm ( 151 l/min )	0.2" ( 5 mm )
NOVA 200	0.21	18.7 ft ( 5.7 m )	47.0 gpm ( 178 l/min )	0.2" ( 5 mm )
NOVA 300	0.21	18.7 ft ( 5.7 m )	52.8 gpm ( 200 l/min )	0.4" ( 10 mm )
NOVA 600	0.48	33.1 ft ( 10.1 m )	67.6 gpm ( 256 l/min )	0.4" ( 10 mm )


MODEL	P2 [KW]	H MAX	Q MAX	FREE PASSAGE
FEKA 300	0.22	16.4 ft ( 5.0 m )	44.1 gpm ( 167 l/min )	1" ( 25 mm )
FEKA 600	0.46	27.2 ft ( 8.3 m )	61.5 gpm ( 233 l/min )	1" ( 25 mm )

# NOVA



1 - NOVA 180 2 - NOVA 200 3 - NOVA 300 4 - NOVA 600

# FEKA



1 - FEKA 300 2 - FEKA 600



**DAB PUMPS LTD.**  
6 Gilbert Court  
Newcomen Way  
Severalls Business Park  
Colchester  
Essex  
CO4 9WN - UK  
salesuk@dwtgroup.com  
Tel. +44 0333 777 5010



**DAB PUMPS IBERICA S.L.**  
Calle Verano 18-20-22  
28850 - Torrejón de Ardoz - Madrid  
Spain  
Info.spain@dwtgroup.com  
Tel. +34 91 6569545  
Fax: + 34 91 6569676



**DAB PUMPS SOUTH AFRICA**  
Twenty One industrial Estate,  
16 Purlin Street, Unit B, Warehouse 4  
Olifantsfontein -1666 - South Africa  
info.sa@dwtgroup.com  
Tel. +27 12 361 3997



**DAB PUMPS BV**  
"Hofveld 6 C1  
1702 Groot Bijgaarden - Belgium  
info.belgium@dwtgroup.com  
Tel. +32 2 4668353



**DAB PUMPS HUNGARY KFT.**  
H-8800  
Nagykanizsa, Buda Ernő u.5  
Hungary  
Tel. +36 93501700



**DAB PUMPS (QINGDAO) CO. LTD.**  
No.40 Kaituo Road, Qingdao Economic & Technological  
Development Zone  
Qingdao City, Shandong Province - China  
PC: 266500  
sales.cn@dwtgroup.com  
Tel. +86 400 186 8280  
Fax +86 53286812210



**DAB PUMPS POLAND Sp. z o.o.**  
Ul. Janka Muzykanta 60  
02-188 Warszawa - Poland  
polska@dabpumps.com.pl



**DAB PUMPS DE MÉXICO, S.A. DE C.V.**  
Av Amsterdam 101 Local 4  
Col. Hipódromo Condesa,  
Del. Cuauhtémoc CP 06170  
Ciudad de México  
Tel. +52 55 6719 0493



**DAB PUMPS B.V.**  
Albert Einsteinweg, 4  
5151 DL Drunen - Nederland  
info.netherlands@dwtgroup.com  
Tel. +31 416 387280  
Fax +31 416 387299



**OOO DAB PUMPS**  
Novgorodskaya str. 1, block G  
office 308, 127247, Moscow - Russia  
info.russia@dwtgroup.com  
Tel. +7 495 122 0035  
Fax +7 495 122 0036



**DAB PUMPEN DEUTSCHLAND GmbH**  
Tackweg 11  
D - 47918 Tönisvorst - Germany  
info.germany@dwtgroup.com  
Tel. +49 2151 82136-0  
Fax +49 2151 82136-36



**DAB PUMPS INC.**  
3226 Benchmark Drive  
Ladson, SC 29456 - USA  
info.usa@dwtgroup.com  
Tel. 1- 843-797-5002  
Fax 1-843-797-3366



**DAB PUMPS OCEANIA PTY LTD**  
426 South Gippsland Hwy,  
Dandenong South VIC 3175 - Australia  
info.oceania@dwtgroup.com  
Tel. +61 1300 373 677