

## QUICKTRONIC PROStart T5HO 347-480V High Temperature

51481 / QHE4X54T5HO/347-480 PSN HT SCL



### Product family features

- High Efficiency Series
- Type CC
- Program Rapid-Start
- 90°C maximum case temp.
- 90°C maximum case temp, 347-480V input voltage range, -20°F (-29°C) min. starting temp.
- Operates at >42 kHz to reduce potential interference with infrared control systems

### Areas of application

- Industrial high-bay
- Commercial
- Retail
- Hospitality
- Institutional
- New construction

## Product datasheet

---

### Technical data

#### General product information

Product Name	QHE4X54T5HO347480PSNHTSCL 10/CS 1/SKU
Ordering Abbreviation	QHE4X54T5HO/347-480 PSN HT SCL
Brand Name	OSRAM
General Description	High efficiency 4 lamp Program Start 347-480V 54W electronic ballast runs 10 per case, runs 4 or 3 lamps
Product Number	51481

#### Electrical data

Nominal Total Max Wattage	241.00 W
Power Factor	>0.97
Open Circuit Voltage (V)	<600 V
Wiring Method	Leads

#### Dimensions & weight

Dimensions	Slim Can L
Ballast Height (in)	1.1800 in
Ballast Length (in)	16.7300 in
Ballast Width (in)	1.6800 in

#### Temperatures & operating conditions

Starting Temperature - Celsius	-29 C
Starting Temperature - Fahrenheit	-20.2 F
Maximum Case Temperature	70 C

#### Additional product data

Sound Rating	A
Starting Method	Programmed Start
Primary Lamp Type 1	FP54T5HO
Total Harmonic Distortion (THD)	<10


#### Light management & control

Circuit Type	Series
--------------	--------

## Product datasheet



Detail



Detail

### Packaging Information

Item number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
51481	0046135514814	Unpacked (SKU)	1		
51481	10046135514811	Shipping box (Case)	10	18.2 in x 12.8 in x 2.6 in	26.2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

For information on specific product warranties, visit [www.osram.us/warranty](http://www.osram.us/warranty). Specifications are subject to change without notice. OSRAM and QUICKTRONIC are registered trademarks of OSRAM GmbH. SYLVANIA is a registered trademark of OSRAM SYLVANIA Inc. SUBSTITRONIC is a trademark of OSRAM SYLVANIA Inc. All other trademarks are those of their respective owners.