


## QUICKTRONIC PROStart T5HO 347-480V High Temperature

51485 / QHE 2x54T5HO-347-480 PSN-HT



### Product family features

- High Efficiency Series
- Type CC
- Program Rapid-Start
- 90°C maximum case temp.
- 90°C maximum case temp, 347-480V input voltage range, -20°F (-29°C) min. starting temp.
- Operates at >42 kHz to reduce potential interference with infrared control systems

### Areas of application

- Industrial high-bay
- Commercial
- Retail
- Hospitality
- Institutional
- New construction

## Technical data

### General product information

Product Name	QHE2x54T5HO347480PSNHT 10/CS 1/SKU
Ordering Abbreviation	QHE 2x54T5HO-347-480 PSN-HT
Brand Name	OSRAM
Family Brand Name	QUICKTRONIC High-Efficiency
General Description	2 or 1 lamp 54wT5HO High Efficiency, Programmed Rapid Start, High Output electronic ballast, 347- 480 Voltage, Hi-Temp. Leads
Product Number	51485

### Electrical data

Nominal Total Max Wattage	121.00 W
Power Factor	>0.97
Open Circuit Voltage (V)	<600 V
Wiring Method	Leads

### Dimensions & weight

Ballast Height (in)	1.0000 in
Ballast Length (in)	16.7300 in
Ballast Width (in)	1.1800 in

### Temperatures & operating conditions

Starting Temperature - Celsius	-29 C
Starting Temperature - Fahrenheit	-20.2 F
Maximum Case Temperature	70 C


### Additional product data

Sound Rating	A
Starting Method	Programmed Start
Primary Lamp Type 1	FP54T5HO
Total Harmonic Distortion (THD)	<10

### Light management & control

Circuit Type	Series
--------------	--------

## Product datasheet



Detail



Detail

### Packaging Information

Item number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
51485	0046135514852	Unpacked (SKU)	1		
51485	10046135514859	Shipping box (Case)	10	17.8 in x 9.2 in x 2.2 in	9.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

For information on specific product warranties, visit [www.osram.us/warranty](http://www.osram.us/warranty). Specifications are subject to change without notice. OSRAM and QUICKTRONIC are registered trademarks of OSRAM GmbH. SYLVANIA is a registered trademark of OSRAM SYLVANIA Inc. SUBSTITRONIC is a trademark of OSRAM SYLVANIA Inc. All other trademarks are those of their respective owners.