

According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03 $\,$

Revision No. 1, Revision Date: 21-Feb-19

Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers:

Product Form: Substance

Product Name: F D & C RED 40 ALUM LAKE LS

 Product Number:
 4.FC.040LS0

 Color Index Name:
 FOOD RED 017

 C.I. No:
 16035:1

 CAS number:
 68583-95-9

Formula/Chemical Family: MONOAZO DYE IN ALUMINA

Synonyms:

Intended Use of the Product

Use Statement:

Foods, Drugs & Cosmetics - in amounts consistent with Good Manufacturing Practices. In Drugs & Cosmetics - including those intended for use in the area of the eye. In Cosmetics, the color additive shall not be exposed to oxidizing or reducing agents or any other conditions which may affect the integrity of the color.

Name, Address, and Telephone of the Responsible Party

Spectra Colors Corporation Telephone 800-527-8588 (USA), 201-997-0606 (Int'I)

25 Rizzolo Road Fax number 201-997-0504

Kearny, NJ 07032 USA Email dyes@spectracolors.com

EMERGENCY TELEPHONE NUMBER

Emergency phone number: Chemtrec 800-424-9300 (USA)

+1 703-527-3887 (Outside USA)

SECTION 2: Hazards Identification

Classification of the substance or mixture

GHS-US Classification

Acute toxicity/inhalation (Cat. 5)

Label Elements

GHS Labelling:

Hazard Pictograms (GHS-US): No Symbol

Signal Word (GHS-US): Warning

Hazard Statements (GHS-US)

H333 - May be harmful if inhaled

Precautionary Statements (GHS-US)

P304 + P312 – IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell



According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03

Revision No. 1, Revision Date: 21-Feb-19
Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

Other Hazards: No data available

Unknown acute toxicity (GHS US): No data available

SECTION 3: Composition/Information on Ingredients

Description of substance:

Name	Product Identifier	Weight%	GHS-US Classification
	CAS No.		
FD&C Red 40 Aluminum Lake (FOOD RED 017)	68583-95-9	32 – 42%	Acute toxicity/inhalation (Cat. 5)
Sodium Chloride, Sodium Sulfate, Water & Alumina		Remainder	

Hazardous components: No hazardous components found under applicable regulations.

Additional information: None

SECTION 4: First Aid Measures

Description of first aid measures

First Aid Measures General: Remove contaminated clothing

First-aid measures after inhalation: Remove to fresh air. If breathing is difficult, give oxygen and get immediate medical attention

First-aid measures after skin contact: Wash affected area thoroughly with soap and water. If any irritation develops, consult a Physician.

First-aid measures after eye contact: Flush with plenty of cool water for at least15 minutes, holding eyelids apart for thorough irrigation. Get immediate medical attention.

First-aid measures after ingestion: Do Not Induce vomiting – seek immediate medical attention.

Most important symptoms and effects, both acute and delayed:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY HAZARDOUS COMMUNICATION STANDARD. HOWEVER, AS WITH ALL CHEMICAL; HANDLE WITH CARE AVOID EYE & SKIN CONTACT, AVOID INHALATION OF DUSTS OR VAPORS. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS CLOSED.

Indication of any immediate medical attention and special treatment needed:

No additional information

SECTION 5: Firefighting Measures

Extinguishing media

Suitable Extinguishing Media: WATER, DRY CHEMICAL, CARBON DIOXIDE, FOAM

Unsuitable Extinguishing Media:

Special hazards arising from the substance or mixture: NONE EXPECTED. FIREFIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS TO GUARD AGAINST POTENTIALLY TOXIC AND IRRITATING

FUMES. AVOID DUSTING. DUST CAN FORM EXPLOSIVE MIXTURES WITH AIR.

Fire Hazard: N/A Explosion Hazard: N/A Reactivity: N/A

Advice for firefighters

Firefighting Instructions: WEAR SELF-CONTAINED BREATHING APPARATUS.

Protection during firefighting: Wear fully protective suit.

SECTION 6: Accidental release measures



According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03

Revision No. 1, Revision Date: 21-Feb-19
Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

Personal precautions, protective equipment and emergency procedures

General Measures: Remove persons from danger area.

For non-emergency personnel

Protective equipment:

Emergency procedures: No additional information

For emergency responders

Protective equipment: See Section 8 for information on personal protection equipment.

Emergency procedures: No additional information

Environmental precautions: Avoid any uncontrolled release of material. Do not empty into drains or the aquatic

environment.

Methods and materials for containment and cleaning up

For containment: Where spills are possible, a comprehensive spill response plan should be developed and implemented. Steps to be taken if material is released or spilled are as follows: Utilize recommended protective clothing and equipment. Spills should be swept by using an absorbent dust control product and placed in containers.

For cleaning up: Spill area can be washed with water. Collect water for approved disposal. In the event of an uncontrolled release of this material, the user should determine if the release is reportable under applicable laws and regulations.

Reference to other sections

No additional information available.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed: N/A Precautions for safe handling: Use Statement:

Foods, Drugs & Cosmetics - in amounts consistent with Good Manufacturing Practices. In Drugs & Cosmetics - including those intended for use in the area of the eye. In Cosmetics, the color additive shall not be exposed to oxidizing or reducing agents or any other conditions which may affect the integrity of the color.

Hygiene measures: N/A

Conditions for safe storage, including any incompatibilities

Technical measures: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Storage conditions: Above is offered as a guide. Consult title 21, Code of Federal Regulations (CFR) as the authoritative source should questions arise. (parts 1-99) Color additive Regulations are updated each year as of April 1.

Incompatible products: Keep away from heat. Keep away from sources of ignition.

Incompatible materials:

Storage area: Keep away from strong oxidizing and reducing agents

Special rules on packaging: None

Specific end use(s): Use Statement:

Foods, Drugs & Cosmetics - in amounts consistent with Good Manufacturing Practices. In Drugs & Cosmetics - including those intended for use in the area of the eye. In Cosmetics, the color additive shall not be exposed to oxidizing or reducing agents or any other conditions which may affect the integrity of the color.

SECTION 8: Exposure controls / personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Exposure controls

Appropriate engineering controls:

The usual precautionary measures are to be adhered to when handling chemicals.



According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03

Revision No. 1, Revision Date: 21-Feb-19
Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

Personal protective equipment:









Hand protection: Wear protective gloves

Eye protection: Tightly sealed safety goggles or full face shield Skin and body protection: Wear suitable protective clothing

Respiratory protection: Dust Mask Thermal hazard protection: N/A

Other information: No additional information

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance		
Physical state, appearance, color, odor	DARK RED ORANGE PDR/NO ODOR	
Odor Threshold:	No data	
pH:	N/A	
Melting Point/Freezing Point:	ND	
Initial boiling point/boiling range:	0.00	
Flashpoint:	NORMALLY STABLE, NOT COMBUSTIBLE NOR FLAMMABLE.	
Evaporation rate:	No data	
Flammability (solid, gas):	NORMALLY STABLE, NOT COMBUSTIBLE NOR FLAMMABLE.	
Upper explosive limits:	N/A	
Lower explosive limits:	N/A	
Vapor pressure:	N/A	
Vapor density:	N/A	
Relative density:	n/a	
Solubility in water:	Insoluble	
Partition coefficient n-octanol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity, dynamic	No data	
Viscosity, cinematic	No data	
Explosive properties	N/A	
Oxidizing properties	N/A	

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity: No data
Chemical stability: Stable
Possibility of hazardous reactions
No additional information available

Conditions to avoid: OXIDIZING & REDUCING AGENTS MAY DESTROY COLOR. **Incompatible materials:** OXIDIZING & REDUCING AGENTS MAY DESTROY COLOR.

Hazardous decomposition products: CO, CO2, OXIDES OF NITROGEN AND OTHER POTENTIALLY TOXIC FUMES.

SECTION 11: Toxicological information



According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03

Revision No. 1, Revision Date: 21-Feb-19

Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

Information on toxicological effects

Oral (Animal): NO DATA AVAILABLE.

Dermal (animal): NO DATA AVAILABLE.

Effects to eyes (Animal): NO DATA AVAILABLE.

Skin irritation (Animal): NO DATA AVAILABLE.

Skin corrosion/irritation: Not classified
Serious eye damage/irritation: Not classified
Respiratory or skin sensitization: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: None expected Symptoms/injuries after ingestion: None expected

SECTION 12: Ecological information

Toxicity:

NO DATA AVAILABLE.

Persistence and degradability:

No additional information available

Bioaccumulative potential:

No additional information available **Mobility in soil:** No Data Available

Other adverse effects: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste): Dispose of only in an approved land-fill area or by controlled incineration in accordance with local and State regulations.

Waste disposal recommendations: Empty bags thoroughly. Carry out the proper recycling, re-usage or disposal. Please refer to the relevant EU regulations, in particular the guidelines/ decisions of the council regarding handling of wastes (e.g. 75/442/EEC, 91/689/EEC, 94/67/EC, 94/904/EC) as implemented in national regulations.

SECTION 14: Transport information

UN number: Not regulated

UN proper shipping name: Not regulated

Transport hazard class(es):

Department of Transportation (DOT): Not hazardous for transportation

IMDG: Not hazardousIATA: Not hazardous



According to OSHA HazCom Standard 29 CFR 1910.1200 (g), Rev 2012 and GHS Rev 03

Revision No. 1, Revision Date: 21-Feb-19

Printing Date: 21-Feb-19

Product: 4.FC.040LS0 F D & C RED 40 ALUM LAKE LS

Hazard labels (DOT)
Packing group (DOT): N/A
DOT Special provisions: N/A

Additional information

Overland transport: non-regulated Transport by sea: non-regulated Air transport: non-regulated

DOT Quantity Limitations Passenger Aircraft: No additional information **DOT Quantity Limitations Cargo Aircraft:** No additional information

SECTION 15: Regulatory information

US Federal regulations:

This substance is listed on United States TSCA (Toxic Substance Control Act) inventory.

US State regulations: None

Other regulations

Chemical Identity TSCA DSL NDSL EINECS ELINCS ENCS CHINA KECL PICCS AICS 68583-95-9 X - - X - - - - - - - - - -

TSCA Status: IN COMPLIANCE

E C Classification: (67/548/EEC – 88/379/EEC) E129

EINECS Number: 247-368-0

REACH Classification:

R-phrases:

Additional Regulatory Information: 21 CFR 74.340: The listing of this color additive includes lakes prepared as described in §82.51 of

this chapter, except that the color additive used is FD&C Red No. 40 and the resultant lakes meet

the specification and labeling requirements prescribed by §82.51 of this chapter.

SECTION 16: Other information

Indication of changes: N/A Other information: N/A

GHS Full Text Phrases:

H333 May be harmful if inhaled

NFPA Rating: N/A

HMIS Rating: Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: A

SPECTRA COLORS CORP. makes every effort to assure that the information herewith enclosed in this transmission is accurate and current, to the best of our knowledge. Beyond the scope of these claims, Spectra Colors makes no promises as to the performance of our products in our customers finished applications; neither can we anticipate end-use characteristics. Likewise it is the end-user's responsibility to assure that Spectra Colors dye products are in compliance with all local, federal and global regulations regarding the storage, the use and the disposal of these same dye products. Spectra Colors Corp. provides these materials for informational purposes only and does not hereby make any express or implied warranty regarding merchantability, fitness for a particular purpose, regulatory compliance, or any other matter.

