



WINTER GRASS KILLER

Product Information Sheet



What is Winter Grass Killer for?

Effective control of Winter grass (*Poa Annua*) can be achieved by two different ways of chemicals management. These are with pre emergent or selective post emergent. Pre emergent control means spraying the lawn before the weeds have germinated. Post emergent sprays are used after the weed has formed and before the seed heads appear.

Amgrow Winter Grass Killer is a post emergent herbicide. Apply when winter grass is becoming evident, use 2-3 sprays spaced 10-14 days apart in late winter to early spring. It is important to spray before seed heads form as new germinations will have to be re-treated.



Features of Winter Grass Killer

- ✓ Selective herbicide for control of winter grass
- ✓ Breaks down quickly - no residue in soil
- ✓ Economical to use - 15mL treats 100 square metres of lawn
- ✓ Suitable for use on couch, bent, buffalo, ryegrass, brown top, bluegrass
- ✓ Available in 100mL concentrate pack.



Active Ingredient

175g/L Endothal present as the Dipotassium Salt

> About

Winter Grass (*Poa Annua*) is a grassy winter annual with perennial and biennial bio-types observed in some regions. Light green in colour with a tufted growth habit and a white panicle inflorescence germinating from late winter throughout spring and summer. Leaf blades possess a folded venation with a long ligule and boat shaped leaf tips that curl up at the ends. A highly adaptive weed that can thrive in shaded areas and full sun depending on moisture conditions. Tolerates low mowing heights and can persist in golf greens all year round. Plants reach maturity quickly and seed profusely making them an aggressive weed that can be difficult to control.

The spray time for the control of winter grass it is extremely important. Spray early in its life cycle in May before seed heads appear. Once winter grass goes to seed, they will be present again in your turf the following year and the cycle will continue.

SITUATION	RATE	HOW TO APPLY
Blue couch Common couch, Bent, Buffalo & Brown Top lawns	15mL per 10L water per 100 square metres.	Apply in Autumn to Spring before seed heads appear. Apply 2-3 applications spaced 10 - 14 days apart. Apply evenly as a fine spray. After 2 weeks resow bare areas. Do not add wetter. Do not use when temperatures exceed 25 degrees Celcius.

> Mixing

Mixes readily with water. Shake original container before use. Agitate to ensure thorough mixing before and during application. Only mix sufficient chemical for each day's work.

> First Aid & Safety Directions

Always read the full product label before use.

FOR MORE INFORMATION SPEAK TO YOUR AMGROW TERRITORY MANAGER.