





### Aduro wood burning stoves

Clear view of the fire. Effective air-wash system prevents soot on the glass

Environmentally friendly combustion

Comfortable and effective heating (convection)

Great value for money due to effective production and distribution

Simple maintenance

Get the most out of your firewood with the innovative Aduro-tronic, Aduro Smart Response and Aduro DraftOptimizer

Free warranty extension, enjoy up to 5 years warranty. Register your stove at adurofire.com/warranty

10 years of spare parts guarantee. Visit aduroshop.com

We have everything for your wood burning stove – in one place

# Experience Aduro Online

We have created an inviting showroom with all our products that can both introduce, inspire and hopefully seduce you. Take a look at our large selection and get tips and tricks – whenever it suits you best.

Read what customers say about Aduro, try our 360° pictures and get good advice on how to use your wood burning stove effectively, among other things.

We help you from the initial research to the stove is installed – and long after that.

You can also visit our Facebook site or Youtube channel.

adurofire.com & tips.adurofire.com





# Burn wisely Save up to 40%

### Put firewood in the stove, ignite it and enjoy the warmth

Aduro-tronic automatically regulates the primary air in your wood burning stove after one simple pull. This means simple operation, **up to 40%\* less firewood consumption** and environmentally friendly combustion.


The automatic device is elegantly integrated underneath the combustion chamber and works without electricity. All Aduro wood burning stoves are equipped with Aduro-tronic as a standard.

See more on adurofire.com

#### How does Aduro-tronic work?

- 1. Activate Aduro-tronic by pulling the handle.
- 2. The air supply is now fully open.
- 3. The automatic device will slowly close the air supply within approximately 6 minutes.







\*Tests have shown that an Aduro 1 with an incorrectly adjusted air damper (open primary air damper) uses 40% more wood than the same stove with Aduro-tronic.



### Ratented solution

# The secret to perfect combustion

Aduro Smart Response is a device with two sensors that communicate wirelessly with an app on your smartphone or tablet. In the app, you can always see when you should add more firewood, what the temperature in your wood burning stove is and whether the stove is burning at a temperature too low or high.

With Aduro Smart Response, you can put your focus in other places and still operate your wood burning stove optimally. Aduro Smart Response works with all wood burning stoves, regardless of brand and model.



Less smoke out of the chimney



Improved combustion



Reduced firewood consumption





### The environment

Burning firewood is an environmentally friendly way to heat your home. Firewood is  $\mathbf{CO}_2$  neutral and thereby the world's most climate friendly resource. At tips.adurofire.com you can calculate how many kg of  $\mathbf{CO}_2$  you can save every year with a modern, environmentally friendly wood burning stove.

All Aduro stoves meet the requirements of **Ecodesign 2022**, which is an EU directive created to minimize the emission of particles and thereby improve air quality across the EU's borders. The directive makes demands on the energy efficiency and particle emissions of the product.



### The Nordic Swan Ecolabel

You can help protect nature by choosing the Nordic Swan Ecolabel, which is a common Nordic ecolabel. The Nordic Swan Ecolabel is your guarantee that the product is among the most environmentally friendly on the market and that it meets the highest requirements on efficiency and clean combustion, among other things. Most Aduro wood burning stoves exceed the Nordic Ecolabel requirements and are among the most environmentally friendly stoves in the world, as they emit very little smoke out the chimney.

Wood burning stoves with the Nordic Swan Ecolabel are simply better for the environment. Better for you.

# Install a smoke exhauster

#### Get more out of your wood burning stove

Do you experience problems with ignition? Smoke in the living room when you open the door to the stove? Bad combustion or smoke in the neighborhood? Then, **Aduro DraftOptimizer** is the solution. The smoke exhauster immediately ensures an even draft in the chimney and reduces smoke and smell nuisances. It is installed on top of the chimney and controlled from inside the house. Fits both old and new chimneys.



Less smoke in the living room



Improves combustion
– adjustable draft



Less smoke out of the chimney



Easy lighting of the wood burning stove



24V motor with a low energy consumption




### Aduro stoves with external air supply

Wood burning stoves need a constant air supply to ensure clean and effective combustion. However, this can be a problem in modern, energy-efficient homes, which are often very airtight. Aduro 9 air, 9 Lux Beton, 9.3 Lux, 9.5 Lux, 12, 15 Lux, 17, 17.1 Lux white, 22, 22.1 Lux, 22.3 Lux and 22.5 Lux are therefore fitted with external air supply, which means that air for combustion is brought from the outside and seamlessly led directly into the stove without affecting its appearance.

#### Did you know?

Aduro offers a complete kit for installation of the fresh air system. The kit includes all the components necessary for a standard rear-facing installation.





# Aduro 17 series













With the Aduro 17 series, we have taken all the best qualities from Aduro 9 and designed a series of exclusive wood burning stoves in both black and white. The tasteful details are carefully thought out. The convection vents are integrated into the stove's natural lines, the combustion chamber itself is beautifully

rounded off in the back, the ash tray runs silently on gaskets, there are elegant details in cast iron, and the stove is elevated on a small base. The large glass panels and the elegant handles give the stove an elegant finish. The Aduro 17 series is the perfect match for the modern home.

# Aduro 22 series

Round, slender and elegant are the key words that describe the four variants in the Aduro 22 series, which are ideal for small rooms and houses. The curved glass and the soft, harmonious lines lead your eyes straight into the beautiful fire. Special characteristics for the stove include the elegant handles and the beautifully rounded combustion chamber.





# Aduro 15 series

luro 15 Lux | Aduro 15.3 | Aduro 19



The primary goal with the Aduro 15 series has been to create a stove with a very wide combustion chamber that can accommodate logs up to 50 cm long. The elegant elliptical shape was an obvious way to widen the shape while maintaining a minimal depth. This has given the stove a very elegant appearance. Nothing disrupts the broad view of the fire, as handles and levers for air regulation are fully integrated into the stove.

The series consists of 7 models that all offer effective combustion, an impressive view of the flames as well as good thermal comfort.













The Aduro 9 series consists of 11 models that give you the freedom to design your home the way you are dreaming of. For instance, you can choose a tall stove, one with glass on three sides, one that is wall-mounted, one on a pedestal, one covered in concrete and one with heat-absorbent stones.

The Lux models are the newly developed addition to the series. They are characterized by an elegant, black glass door and newly developed handles. The large, curved glass door catches the eye with its polished and shiny look, and the discrete appearance of the handles leaves you with an undisturbed view of the flames.







13

# Aduro 1.1 series

The Aduro 1.1 series is a natural continuation of door that allows a clear view into the flames. Aduro the chimney. The front is completely smooth. The door handle and the airflow adjustment handle are fully integrated into the stove, giving it a stylish and elegant look. The stove has a large, curved glass

1.1 is available with a drawer, in a tall edition with a firewood compartment and covered with soapstone or limestone tiles. The series is created for you who like a simple and timeless design.









## See the full selection online











# Aduro Outdoor Products







We are also lighting fires under the open sky. With Aduro Outdoor products, you can create your very own outdoor universe. Enjoy the warmth from the outdoor fireplace or light a fire in the fire basket.

## Specifications

In the next three pages, you will find specifications for every Aduro wood burning stove. See the separate brochure for Aduro Hybrid and Aduro Pellet Stoves.























	Aduro 1.1	Aduro 1.1SK*	Aduro 1.4	Aduro 5.1	Aduro 7.2	Aduro 9	Aduro 9 air	Aduro 9 Lux Beton	Aduro 9.1	Aduro 9.3	Aduro 9.3 Lux
Article number	50215	50315	50217	50453	50273	50291	50296	50303	50292	50294	50301
Nominal power	6 kW	6 kW	6 kW	7 kW	7 kW	6 kW	6 kW	6 kW	6 kW	6 kW	6 kW
Operational area	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW
Heats	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>
Dimensions in cm											
Flue outlet, diameter	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear
Outer dimensions (HxWxD)	101.5 x 50 x 45	104.5 x 50 x 45	114 x 50 x 45	57.4 x 63.5 x 46	105.8 x 49.7 x 43.4	95.8 x 50 x 44.7	95.8 x 50 x 44.7	139.9 x 54.4 x 50	95.8 x 50 x 44.7	104 x 50 x 49	114 x 50 x 45.8
Distance to combustible material behind the stove	17	17	17	25	25	20	15	15	15	15	15
Distance to combustible material behind the stove with insulated flue pipe	12	12	12	-	-	-	10	10	10	10	10
Distance to combustible material to the side	45	45	45	30	70	70	70	45	45	70	70
Distance to combustible material in corner position	30	30	30	-	-	-	-	20	20	-	-
Distance to furniture	100	100	100	110	102.5	80	90	90	90	90	90
Distance from floor to centre of rear outlet	88.8	88.8	101.4	-	92.2	84	84	101	84	92.2	102.2
Distance from centre of exhaust branch to rear edge of stove	19.5	19.5	19.5	19	19.5	19.3	20.3	22.8	19.3	19.3	20.3
Maximum wood length	36	36	36	40	39	39	39	39	39	39	39
Aduro-tronic automatic	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Convection stove	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Air-wash system	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ash pan	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
External air supply	-	-	-	-	-	-	✓	✓	-	-	✓
Efficiency	81.2 %	81.2 %	81.2 %	78.7 %	78 %	81.3 %	81.3 %	81.3 %	81.3 %	81.3 %	81.3 %
Particle emission	1.6 g/kg	1.6 g/kg	1.6 g/kg	3.22 g/kg	1.37 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg
Energy efficiency class	A+	A+	A+	Α	Α	A+	A+	A+	A+	A+	A+
Energy efficiency index	108.7	108.7	108.7	105.1	104.1	108.9	108.9	108.9	108.9	108.9	108.9
Weight	95 kg	113 kg	81 kg	77 kg	95 kg	93 kg	103 kg	167 kg	100 kg	103 kg	108 kg
Colour	Black	Black	Black	Black	Black	Black	Black	White	Black	Black	Black
Certifications	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CI & NS3058					

\*Also available with limestone. Aduro 1.1SK Limestone: 50316

The list continues on the next page

### Aduro accessories

We offer a wide selection of accessories, including everything you need for your wood burning stove.

- Flue pipes in the same colors as the stoves
- Floor hearths/special floor hearths that fit the shape of the
- · Smart solutions for carrying and storing firewood
- · Environmentally friendly firelighters
- Decorative top plates of soapstone, sandstone and limestone
- · Tools that make life with a wood burning stove easier

See our large accessories selection at adurofire.com



Aduro Proline Ø45 in PET, khaki melange



Aduro Proline Ø45 in felt, grey





































	Aduro 9.4	Aduro 9.5	Aduro 9.5 Lux	Aduro 9.6	Aduro 9.7	Aduro 12	Aduro 14	Aduro 14.1	Aduro 15	Aduro 15 Lux	Aduro 15SK*	Aduro 15.2	Aduro 15.3	Aduro 15.4	Aduro 16	Aduro 17	Aduro 17.1 Lux white	Aduro 18	Aduro 19	Aduro 20	Aduro 22	Aduro 22.1 Lux	Aduro 22.3 Lux	Aduro 22.5 Lux
Article number	50295	50299	50302	50298	50300	50523	50541	50542	50551	50558	50556	50553	50554	50555	50561	50571	50572	50581	50591	50201	50221	50222	50224	50225
Nominal power	6 kW	6 kW	6 kW	6 kW	6 kW	6 kW	6.5 kW	6.5 kW	6.5 kW	6.5 kW	6.5 kW	6.5 kW	6.5 kW	6.5 kW	5 kW	6.5 kW	6.5 kW	6.5 kW	5 kW	6.5 kW	5.5 kW	5.5 kW	5.5 kW	5.5 kW
Operational area	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	2-7 kW	3-9 kW	3-9 kW	3-9 kW	2-7 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW	3-9 kW
Heats	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m²	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-120 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-120 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m <sup>2</sup>	30-140 m²	30-140 m <sup>2</sup>	30-140 m²
Dimensions in cm																								
Flue outlet, diameter	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top	Ø15 top/rear	Ø15 top/rear	Ø15 top	Ø15 top	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear	Ø15 top/rear
Outer dimensions (HxWxD)	75.2 x 50 x 46	120 x 50 x 44.7	120 x 50 x 45.8	90 x 50 x 44.7	150 x 50 x 44.7	101.5 x 41.8 /67.8 x 41.8	90 x 51.1 x 37	106.5 x 51.1 x 36.4	84 x 77.9 x 36.6	84 x 77.9 x 36.6	86.4 x 78.3 x 36.6	84 x 77.9 x 36.6	62.8 x 77.9 x 37.85	91 x 77.9 x 36.6	56.4 x 46.2 x 41.9	98.2 x 50 x 45.3	98.2 x 50 x 45.3	99.4 x 77.1 x 38.5	98.5 x 48.7 x 36.4	84 x 70 x 36.3	98.2 x 44 x 40.3	113 x 44 x 40.3	106.1 x 44 x 40.3	113 x 44 x 40.3
Distance to combustible material behind the stove	15	15	15	20	15	25	15	15	20	20	20	20	20	20	30	15	15	22.5	20	20	15	15	15	15
Distance to combustible material behind the stove with insulated flue pipe	10	10	10	-	10	-	7	7	12	12	12	12	12	12	25	10	10	15	10	12	10	10	10	10
Distance to combustible material to the side	70	70	70	70	70	25	25	25	34/11	34/11	34/11	34/11	34/11	34/11	23	70	45	35/11	30	34/11	70	45	70	70
Distance to combustible material in corner position	-	-	-	-	-	25	8	8	-	-	-	-	-	-	13	-	20	-	-	-	-	20	-	-
Distance to furniture	90	90	90	80	90	80	100	100	120	120	120	120	120	120	107.5	90	90	110	85	120	90	90	90	90
Distance from floor to centre of rear outlet	min. 63.4 + 28	108.2	108.2	-	137	91.3	-	-	68.7	68.7	68.7	-	min. 47.5 + 24	75.7	46.3	86.5	86.5	85.2	-	72.7	86.5	101.3	94.4	101.3
Distance from centre of exhaust branch to rear edge of stove	20.8	19.3	20.3	19.3	19.3	20.9	18.5	18.5	18.5	18.5	18.5	18.5	20.6	18.5	10.6	20.3	20.3	19.1	18.2	18.2	18.5	18.5	18.5	18.5
Maximum wood length	39	39	39	39	39	34	37	37	50	50	50	50	50	50	36	39	39	50	32	50	35	35	35	35
Aduro-tronic automatic	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Convection stove	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Air-wash system	V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ash pan	<b>√</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>√</b>	✓
External air supply	-	-	✓	-	-	✓	-	-	-	✓	-	-	-	-	-	✓	✓	-	-	-	✓	✓	✓	✓
Efficiency	81.3 %	81.3 %	81.3 %	81.3 %	81.3 %	82.2 %	80.4 %	80.4 %	78 %	78 %	78 %	78 %	78 %	78 %	78 %	78 %	78 %	78%	82%	78 %	78%	78%	78%	78%
Particle emission	1.9 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg	1.9 g/kg	2.94 g/kg	2.33 g/kg	2.33 g/kg	1.65 g/kg	1.65 g/kg	1.65 g/kg	1.65 g/kg	1.65 g/kg	1.65 g/kg	1.29 g/kg	1.20 g/kg	1.20 g/kg	1.65 g/kg	2.6 g/kg	1.65 g/kg	1.83 g/kg	1.83 g/kg	1.83 g/kg	1.83 g/kg
Energy efficiency class	A+	A+	A+	A+	A+	A+	A+	A+	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	A+	Α	Α	Α	Α	Α
Energy efficiency index	108.9	108.9	108.9	108.9	108.9	112.2	107.6	107.6	104.1	104.1	104.1	104.1	104.1	104.1	104.1	104.1	104.1	104.1	109.9	104.1	104.1	104.1	104.1	104.1
Weight	88 kg	115 kg	120 kg	89 kg	169.2 kg	108 kg	85 kg	90 kg	89 kg	94 kg	114 kg	84 kg	84 kg	81 kg	70 kg	108 kg	110 kg	150 kg	70 kg	104 kg	80 kg	91 kg	85 kg	91 kg
Colour	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	White	Black	Black	Black	Black	Black	Black	Black
Certifications	Ecolabel, Defra, DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN E N13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CE & NS3058	DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	DIN EN13240, CE & NS3058	Ecolabel, Defra, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058	Ecolabel, DIN EN13240, CE & NS3058								

Also available with limestone. Aduro 15SK Limestone: 50557.

#### See updated list online


#### Decoration

Decorate your wood burning stove with an attractive top plate in sandstone, limestone or soapstone (Serpentino).

Fits all models in the Aduro 9 series (except Aduro 9.7) and Aduro 17 series.




### Special floor hearths



Elliptical glass floor hearth For the Aduro 15 series (except Aduro 15.3).

18



Half-moon glass floor hearth For the Aduro 1.1 series, 9 series (except Aduro 9.4) and 17 series.

#### Cleaning



### Easy and fast kindling



Bio-cube

19

Aduro Easy Firelighter





Aduro Easy Firelighter, Bio-wool

Aduro Easy Firelighter,



