

SAFETY DATA SHEET NOVACROSS

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	NOVACROSS
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Cleaning agent.
1.3. Details of the supplier	of the safety data sheet
Supplier Manufacturer	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK
	Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk
1.4. Emergency telephone	
Emergency telephone	Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122
SECTION 2: Hazards ident	ification
2.1. Classification of the su	bstance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412

Classification (67/548/EEC or Xi;R36.

1999/45/EC)

2.2. Label elements

Pictogram	
Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with national regulations.
Contains	BENZALKONIUM CHLORIDE, FATTY ALCOHOL ETHOXYLATE
Supplementary precautionary statements	P321 Specific treatment (see medical advice on this label).
2.3. Other hazards	
Other Hazards	None
SECTION 3: Composition/info	mation on ingredients
3.2. Mixtures	
FATTY ALCOHOL ETHOXYL	ATE 1-5%
CAS number: 160901-19-9	
Classification Eye Dam. 1 - H318 Acute Tox. 4 - H302	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.
BENZALKONIUM CHLORIDE	E 1-5%
CAS number: 68424-85-1	

M factor (Acute) = 10

M factor (Chronic) = 1

Classification Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Classification (67/548/EEC or 1999/45/EC) Xn;R21/22. C;R34. N;R50.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measure	əs
4.1. Description of first aid me	asures
Inhalation	Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	May cause respiratory irritation.
Ingestion	May cause irritation.
Skin contact	May cause skin irritation.
Eye contact	May cause eye irritation.
4.3. Indication of any immediate medical attention and special treatment needed	
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid or minimise the creation of any environmental contamination.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	ns
Reference to other sections	See section 3,8 & 13 for further information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters	
Ingredient comments	WEL = Workplace Exposure Limits
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
SECTION 9: Physical and Chemical Properties	
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Blue. Reddish.
Odour	Characteristic.
рН	6-8
Initial boiling point and range	100°C @ 760 mm Hg
Relative density	1.06 @ 20°C

9.2. Other information

Other information

SECTION 10: Stability and reactivity

None.

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decomposit	on products
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
SECTION 11: Toxicological in	nformation
11.1. Information on toxicolog	jical effects
Acute toxicity - oral	
ATE oral (mg/kg)	16,666.66666667
Acute toxicity - dermal	
ATE dermal (mg/kg)	55,000.0
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following
	overexposure may include the following: Coughing.
Ingestion	overexposure may include the following: Coughing. May cause discomfort if swallowed.
Ingestion Skin contact	
-	May cause discomfort if swallowed.
Skin contact	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes.
Skin contact Eye contact SECTION 12: Ecological Info	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degradability	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. Hability The product is biodegradable.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degrad Persistence and degrad	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability Y The product is biodegradable. ial
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degrad Persistence and degrad Bioaccumulative potential	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. Hability The product is biodegradable.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degradability 12.3. Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability Y The product is biodegradable. ial Not known.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degradability 12.3. Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Mobility	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability The product is biodegradable. ial Not known. The product is soluble in water.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degradability 12.3. Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Mobility 12.5. Results of PBT and vPM	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability The product is biodegradable. ial Not known. The product is soluble in water.
Skin contact Eye contact SECTION 12: Ecological Info Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad Persistence and degradability 12.3. Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Mobility	May cause discomfort if swallowed. Liquid may irritate skin. Irritating to eyes. rmation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. lability The product is biodegradable. ial Not known. The product is soluble in water.

12.6. Other adverse effects

Other adverse effects	None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

Road transport notes	Not classified.
Rail transport notes	Not classified.

- Sea transport notes Not classified.
- Air transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

INU.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	22/01/2016
Revision	6
Supersedes date	29/09/2015
SDS number	BN115
Risk phrases in full	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.