Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards

Ī

SDS Revision: 5.4

SDS Revision Date: 102/03/2023

		1. PRODUCT INDENTIFICATION
1.1	Product Name:	
	V Beauty Pure O	ne Step Gel
1.2	Chemical Name: POLYURETHANI	E (METH)ACRYLATE PREPOLYMER RESIN BLEND
1.3	Synonyms: NA	
1.4	Trade Names:	
	Clear, Rose Peta	and Roseberry
1.5	Product Use: PROFESSIONAL	USE ONLY
1.6	Manufacturer's Na V Beauty Pure	me:
1.7	Manufacturer's Ad	ress:
	West Palm Beach	ı, FL
1.8	Emergency Phone CHEMTREC: +1 7	e: /03 527 3887 / +1 800 424 9300 (CCN 696869)
1.9	Business Phone / 888-390-4259	
		2. HAZARD INDENTIFICATION
	IRRITATION. Ha: Statements (P): P the workplace. I IN EYES - Rince P333 + P313 - If s aid treatment (se	CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE zard Statements (H):H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary 261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. kin reaction or a rash occurs, get medical attention. P337 + P313 - ilf eye irritation persists, P321 - for specific first e section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of there to a licensed treatment, storage or disposal facility (TSDF).
2.2	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
2.3	Effects of Exposu INGESTION: EYES & SKIN:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression. The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflamation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and
	INHALATION:	watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes. welts. dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur.
2.4	Symptoms of Ove	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. PREXPOSURE:
2.4	Symptoms of Ove	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur.
2.4	Symptoms of Ove Symptoms of sk	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. PREXPOSURE:
	Symptoms of Ove Symptoms of sk watering. The p Acute Health Effe	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. erexposure: in overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and roduct can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.
2.5	Symptoms of Ove Symptoms of sk watering. The p Acute Health Effe Moderate irritation Chronic Health Eff	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. PREXPOSURE: in overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and roduct can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure. cts: on to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. fects:
2.5 2.6	Symptoms of Ove Symptoms of sk watering. The p Acute Health Effe Moderate irritation Chronic Health Eff The material market	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. PREXPOSURE: in overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and roduct can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure. cts: on to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.
2.5	Symptoms of Ove Symptoms of sk watering. The p Acute Health Effe Moderate irritation Chronic Health Eff	rashes, welts, dermatitis) upon prolonged or repeated expsoure. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. PREXPOSURE: in overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and roduct can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure. cts: on to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. fects:

		3. COMF	OSITION 8	& INGRE	DIENT	INFC	ORMA						
							LIMITS		(mg/m3))		-	
						CGIH	_	NOHS	С		OSH/		_
						opm	ES-	ppm ES-	ES-		ppm		-1
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	I OTHER
Bis-HEA Poly(1,4-	NA	NA	NA	20-60	NA	NA	NA	NF	NF	NA	NA	NE	
butanediol)-9 / IPDI Copolymer													
Bis-HEMA Polyneopentyl	82339-16-0	NA	NA	20-60	NA	NA	NF	NF	NF	NA	NA	NA	
Glycol Adipate/ IPDI Copolymer													
Trimethylpropane trimethacrylate	3290-92-4	NA	NA	5-20	NA	NA	NF	NF	NF	NA	NA	NA	
Tripropyleneglycol diacrylate	42978-66-5	NA	NA	5-20	NA	NA	NF	NF	NF	NA	NA	NA	
1-Hydroxylcyclohexyl phenyl ketone	947-19-3	NA	213-426-9	0.1 - 5	NA	NA	NF	NF	NF	NA	NA	NA	
Trimethylbenzoyl	75980-60-8	NA	278-355-8	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Diphenylphosphine Oxide	Skin Sens. 1; Ad	quatic Chronic 4; H	1317, H413										
MAY ALSO CONTAIN:	10,400,0777	VD0075000	000 075 5	-1.0		N14							
CI 77891 (Titanium Dioxide)	13463-67-7	XR2275000	236-675-5	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Cl 15850 (Red 6)	17852-98-1	NA	241-806-4	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 47005 (Yellow 10))	8004-92-0 21645-51-2	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77491 (Iron Oxides)	1309-37-1	NO7420000	215-168-2	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI77499 (Iron Oxides)	12227-89-3	NA	215-277-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
** Due to trade sec	ret information, m	ore detailed conce	ntrations of the	ingredients c	annot be	provide	ed.						
			4. FIRS	T AID M	EASI	JRES	\$						
4.1 First Aid: INGESTION:	vomiting, cont Center or local	not induce vomi inue to offer wate emergency num was swallowed.	er or milk. Nev	er give wate	r or mil	k to an	uncon	scious	persor	n. Cor	tact th	e neare	est Poison Contro
SKIN & EYES:	ensure thorou occurs & prod plenty of soak	uct is on the skin	ek immediate ı , rinse thorou ove all contan	medical atte ghly with lu ninated clot	ntion. I kewarm ning ind	f proble water f	em per followe	sists, s ed by a	eek imn thorou	nediat gh wa	e medi Ishing	cal atte of the	se eyelid(s) to ention. If irritation affected area with reuse. If irritation,
INHALATION:		to fresh air at on	ce. If breathin	g stops, per	form ar	tificial r	espira			nediat	e medi	cal atte	ntion.
4.2 Medical Conditions			dia and an att	h a 4a			-)	HEAL					1
Pre-existing derm	matitis, other skin conditions and disorders of the target organs (eyes, skin)					s, skin) FLAMMABILITY PHYSICAL HAZARDS			0				
												-	
								PROT	ECTIV	E EQU	IPMEN		В

5. FIREFIGHTING MEASURES

Upper Explosive Limit (UEL): NA

5.1 Flashpoint & Method:

> 100 °C (> 212 °F)

5.2 Autoignition Temperature:

5.3 Flammability Limits:

5.4 Fire & Explosion Hazards:

When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox)

Lower Explosive Limit (LEL): NA

5.5 Extinguishing Methods:

Water, Foam, CO2, Dry Chemical

5.6 Fire Fighting Procedures:

First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water or other enviormentally sensitive reas. If necessary, rinse contaminated equipment with soapy water before returnign to service.

6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	
-----	---------	--

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers shoiuld be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50 °C (122 °F).

	8. E	XPOSURE CONTROLS & PERSONAL PROTECTION	
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate deconta equipment is available (e.g., sink, safety shower, eye wash station).	imination
8.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia.	
8.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.	
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785 liters]), wear nitrile or imprevious gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.	

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	1.1
9.2	Boiling Point:	NA
9.3	Melting Point:	ND
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	ND
9.6	Molecular Weight:	NE
9.7	Appearance & Color:	Clear or pigmented liquid
9.8	Odor Threashold:	NE
9.9	Solubility:	Notsoluble
9.1	pH:	NA
9.11	Viscosity:	approximately 65,000 cps
9.12	Other Information:	NA

10. STABIL	.ITY &	REACT	IVITY
------------	--------	-------	-------

	Stability:
	Relatively stable under ambient conditions when stored properly.
10.2	Hazardous Decomposition Products:
	If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon
	and nitrogen).
10.3	Hazardous Polymerization:
	Will not occur.
10.4	Conditions to Avoid:
	Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.
10.5	Incompatable Substances:
	Strong oxidizers, peroxides, strong acids or alkalis,

11. TOXICOLOGICAL INFORMATION	5 of 7
11.1 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the produ t which are found in scientific literature. These data have not been presented in this document.	
11.2 Acute Toxicity: See Section 2.5	
11.3 Chronic Toxicity: See Section 2.6	
11.4 Suspected Carcinogen: The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the Internail Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.	
11.5 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans.	
Mutagenicity: <u>This product is not reported to produce mutagenic effects in humans.</u>	
Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.	
Teratogenicity: This products is not reported to cause teratogenic effects in humans.	
11.6 Irritancy of Product: See Section 2.3	
11.7 Biological Exposure Indicies: NE	
11.8 Physician Recommendations: Treat syptomatically	
12. ECOLOGICAL INFORMATION	
12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.	
12.2 Effects on Plants & Animals: There is no specific data availble for this product on plant life.	
12.3 Effects on Aquatic Life: There is no specific data availble for this product on aquatic life.	
13. DISPOSAL CONSIDERATIONS	=
13.1 Waste Disposal:	
Dispose inaccordance with local, state and Federal waste laws. 13.2 Special Considerations:	
This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to local, state and Federal regulations.	
14. TRANSPORTATION INFORMATION	
The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additio descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.	nal
14.1 49 CFR (GRD): NOT REGULATED	
14.2 IATA (AIR): NOT REGULATED	
14.3 IMDG (OCN): NOT REGULATED	
14.4 TDGR (Canadian GND): NOT REGULATED	
14.5 ADR/RID (EU):	
NOT REGULATED 14.6 MEXICO (SCT): NOT DECULATED	
NOT REGULATED 14.7 ADGR (AUS):	
NOT REGULATED	

	<u> </u>	REGULATORY INFORMATION	
	SARA Reporting: NA		
	SARA Threshold Planning Quantity:		
15.3	TSCA Inventory Status: All components of this product are listed in the TSC	CA Inventory or are exempt	
15.4	CERCLA Reportable Quantity (RQ):		
15.5	Other Federal Requirements:	ons of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).	
	Other Canadian Regulations: This product has been classified according to the l	hazard criteria of the CPR and the SDS contains all of the information required sted on the DSL/NDSL. None of the components of this product are on the	1
	Hazardous Substances List (MA), Minnesota Hazard Exposure List (WA). <u>Benzophenone</u> is listed on the of 1.0% or greater, are listed on any of the following Massachusetts Hazardous Substances List (MA), Mi	ng state criteria lists: <u>Titanium Dioxide</u> is listed on the following state criteria list(s) lous Substances List (MN), Pennsylvania Right-to-Know List (PA), Washington Per e following state criteria list(s): MN. No toher ingredients in this product, present in g state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (chigan Critical Substances List (MI), Minnisota Hazardous Substances List (MN), N s List (NY), Pennylvania Right-to-Know List (PA), Washington Permissible Exposur	rmissible n a concentration FL), ew Jersey Right-
		(2003), and GHS Requirements: ed in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): 36/37/38 - ty Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes,	
		16. OTHER INFORMATION	
	gloves and eye/face protection. IF ON SKIN - Wash	ION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. with soap and water. IF IN EYES - Rinse continuously with water for several minu rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not ta DF THE REACH OF CHILDREN.	ites. Remove
	Terms & Definitions: Please see last page of this SDS.		
16.3	Disclaimer: This Safety Data Sheet (SDS) is offered persuant to OSI reviewed for applicability to this product. To the best of prepared; however, accuracy, suitability or completeness	HA's Hazard Communication Standard, 29 CFR §1910.1200. Other governement regulation McConnell Labs' knowledge, the information contained herein is reliable and accurate as s are not guaranteed and no warranties of any type, either expressed or implied, are provide product(s). If this product(s) is combined with other materials, all component properties means sult the latest edition.	of the date it was led. The
	Prepared for: V Beauty Pure, LLC 2257 Vista Parkway, Suite #23 West Palm Beach, Florida 33411 1.888.390.4259		
	Prepared by: McConnell Labs, Inc. 406 SW Umatilla Ave Redmond, OR 97756 USA Tel: +1 541 526 1417 Fax: +1 541 526 1418		

DEFINITION OF TERMS

6 of 7

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	r
--	---

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

stop	iopulmonary resuscitation - method in which a person whose heart has ede receives manual chest compressions and breathing to circulate blood provide oxygen to the body.
------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

A	(G	8			
в			н	\bigcirc			3
с	8		I	Θ			
D	6		J	\bigcirc		Î	
Е			к	I		Ŕ	
F	6		x			pervisor o ling direct	
	8			F		and the	
Sa	fety Glasses	Splash Goggles		e Shield & tive Eyewe	ar	Glove	es
			Я				
	Boots	Synthetic Apron		tive Clothiı Full Suit	ng	Dust Res	pirator
						Î	
Full F	ace Respirator	Dust & Vapor Half- Mask Respirator		all Face spirator		Airline Hoo or SCI	

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Minimum temperature required to initiate combustion in air with no oth Temperature source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
w	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

FLAMMABILITY REACTIVITY HEALTH SPECIAL PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD ₁₀ , LD ₁₀ , & LD ₀ or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL Canadian Non-Domestic Substance List		
PSL Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨	$\textcircled{\begin{subarray}{c} \end{subarray}}$	\mathbf{T}	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		*	*	<u>*</u>	*	×	×
С	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		٩	\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment