Safety Data Sheet

Issue Date 29-Apr-2015

Revision Date 29-May-2015



Version 1

1. IDENTIFICATION

Product identifier Epoxy HP - B **Product Name** Other means of identification **Product Code** UN/ID no. 2735 **Synonyms** Recommended use of the chemical and restrictions on use Recommended Use Concrete Coating. Uses advised against No Data Details of the supplier of the safety data sheet **Distributor Address** Walttools 1246 Leah Rd. Morris, IL 60450 Emergency telephone number **Company Phone Number** 888-263-5895 24 Hour Emergency Phone Number 800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4	
Acute toxicity - Dermal	Category 2	
Acute toxicity - Inhalation (Vapors)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Skin sensitization	Category 1	
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	· · · ·	

Label elements

Emergency Overview

Hazard statements

Toxic to Aquatic Life with Long Lasting Effects Harmful if inhaled Harmful if swallowed Fatal in contact with skin Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not get in eyes, on skin, or on clothing Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Avoid release to the environment

Precautionary Statements - Response

Collect spillage Call a POISON CENTER or doctor/physician if you feel unwell IF IN EYES Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: IF ON CLOTHING Immediately call a POISON CENTER or doctor/physician Remove/Take off immediately all contaminated clothing Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF INHALED Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED Rinse mouth IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Absorb spillage to prevent material damage Collect spillage

Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up. Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Nan	ne	CAS No.	Weight-%	Trade Secret
Benzyl alcoho	bl	100-51-6	30 - 60	*
1,3-Cyclohexanedimet	hanamine	namine 2579-20-6		*
Proprietary		TRADE SECRET	10 - 30	*
*The exact p		ation) of composition has I		secret.
	4. 1	FIRST AID MEASURE	ES	
Description of first aid measur	es			
General advice		Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.		
Eye contact		If eye irritation persists: Get medical advice/attention. IF IN EYES: If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.		
Skin contact	Wash off imm	Wash off immediately with plenty of water for at least 15 minutes.		
Inhalation	breathing. If b	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.		
Ingestion		IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.		
Most important symptoms and	l effects, both acute	e and delayed		
Symptoms	Eye, Skin, an	Eye, Skin, and Respiratory Irritation.		
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

Hazardous combustion productsCarbon dioxide (CO2). Carbon monoxide.

Explosion dataSensitivity to Mechanical Impact Not available.Sensitivity to Static DischargeMay be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Personal precautions P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection. Environmental precautions **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Methods for cleaning up Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations. 7. HANDLING AND STORAGE Precautions for safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to revent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95 degrees F/35 degrees C. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental **Exposure Guidelines** Exposure Levels (WEEL). Appropriate engineering controls **Engineering Controls** General/Local Ventilation Recommended. Individual protection measures, such as personal protective equipment Eve/face protection Tight sealing safety goggles. Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.

Respiratory protection Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid Colorless to yellowish. Transparent Liquid - May have slight color due to performance additives.	Odor Odor threshold	Slight No data available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> Not Relevant Not Available Not Applicable 104 °C 465 °F Not Available Not Relevant	Remarks • Method	
Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	No data No data Not Available Not Available 1.08 @ 70 Degrees F Insoluble in water Not Available Not Available Not Available Not Available Not Available		
Explosive properties Oxidizing properties	Not Available Not Available		
Other Information			
Softening point Molecular weight VOC Content (%) Density Bulk density	Not Relevant Not Available 0 g/L Not Available Not Available		

10. STABILITY AND REACTIVITY

Reactivity

Not Available

Chemical stability Stable under normal conditions. Possibility of Hazardous Reactions None under normal processing. Vapors may travel to a source of ignition and flash back. Conditions to avoid Heat, flames and sparks. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. Hazardous Decomposition Products Hazardous decomposition products formed under fire conditions, carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
1,3-Cyclohexanedimethanamine 2579-20-6	= 880 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

May cause an allergic skin reaction.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Irritating to eyes. Risk of serious damage to eyes.
Irritation	Irritating to eyes, respiratory system and skin.
Sensitization	May cause sensitization by inhalation.
Germ cell mutagenicity	No data available.
Carcinogenicity	No Data Available.
Reproductive toxicity	Not Available.
STOT - single exposure	Not Available.
STOT - repeated exposure	Not Available.
Aspiration hazard	Not Available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

No available data.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50

Persistence and degradability

No data available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Benzyl alcohol	1.1
100-51-6	

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste	treatment	methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and
	regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT	Not regulated
UN/ID no.	2735
Hazard Class	8
Packing Group	II
Marine pollutant	No available data.
UN/ID no.	2375
Hazard Class	8
Packing Group	II
UN/ID no.	2735
Proper shipping name	2735 - Amines, liquid, corrosive, n.o.s.
Hazard Class	8
Packing Group	II
UN/ID no.	2735
Hazard Class	8
Packing Group	II
IATA	Not regulated
UN/ID no.	2735
Proper shipping name	2735 - Amines, liquid, corrosive, n.o.s.
Hazard Class	8
Packing Group	II
IMDG	Not regulated
UN/ID no.	2735
Proper shipping name	2735 - Amines, liquid, corrosive, n.o.s.
Hazard Class	8
Packing Group	II
UN/ID no.	2735
Hazard Class	8
Packing Group	II
UN/ID no.	2735
Hazard Class	8
Packing Group	II
UN Number	2735

Hazard Class	
Packing Group	

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

8 11

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No Data Available
Chronic Health Hazard	No Data Available
Fire hazard	-
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

unknown

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER INFORMATION	ICLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 3	Flammability 1	Instability 1	Physical and Chemical
HMIS	Health hazards 3	Flammability 1	Physical hazards 1	Properties - Personal protection X

Issue Date	29-Apr-2015
Revision Date	29-May-2015
Revision Note	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet