

DUURA

www.DUURA.com
Sales@Duura.com • Techservice@Duura.com

Project Name: _____

Location: _____

Item #: _____ Qty: _____

Model: _____

250lb SELF CONTAINED ICE MAKER (w/ Integrated Ice Bin)

Model: DI250



MIM250
Full Dice Ice Cubes
Inches: 11/16 x 7/8 x 7/8
mm: 18 x 22 x 22

Self contained ice maker. For freestanding or built in, undercounter applications. Can produce up to 260 pounds of ice per day (under the right conditions). Includes a self-contained 75 pound storage bin. Stainless steel construction provides durability to a unit that is low-maintenance and easy to clean. Front breathing design. Vertical evaporator and proven ice making technology assures years of reliable ice production.

ICE PRODUCTION

Air Temp 70°F (21°C) Water Temp 50°F (10°C)
Daily Ice Production: 260 lbs (118kg)

Air Temp 90°F (32°C) Water Temp 70°F (21°C)
Daily Ice Production: 210 lbs (95kg)

Storage Bin holds 75lbs of ice with automatic overflow prevention
Gravity Drain is required.

OPERATING REQUIREMENTS

Ambient Temp Range	50° to 99°F (10° to 37°C)
Water Temp Range	40° to 90°F (4° to 32°C)
Water Usage 100lbs (45.4kg) of Ice	13.3 Gallons (50L)
Water Supply Line Connection	3/8" FPT
Water Pressure Range	
Min PSI 15	Max PSI 80 (above 80 requires a regulator)
Min Bar 1.0	Max Bar 5.5

Energy Consumption: 9.3 kWh/100 lb of ice made at 90° air / 70° water

FEATURES and CONSTRUCTION

- Exterior Material: Stainless Steel with Black Trim
 - Air Cooled Compressor
 - Programmable, solid state, digital electronic control system.
 - Built-In Self Cleaning Mode
 - Includes Scoop
 - Includes 6'(2m) long NEMA 5-15 cord set for simple installation
- * Water Filter Recommended

REFRIGERANT

- CFC & HCFC free R-404A

ELECTRIC

120V/60Hz/1 Ph (NEMA 5-15P)



Intertek
Certified to
ANSI-NSF 7



Intertek
Certified to
ANSI UL 471



DUURA WARRANTY (USA / CANADA)

One (1) year parts/labor
One (1) year compressor (part only)
Administered by DUURA
24/7 tech support provided

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications.

By using the information provided, the user assumes all risks in connection with such use.

The built in performance enhancing functions ensure that given proper attention and preventative maintenance, each DUURA Product will deliver years of trouble free, reliable, low maintenance, efficient operation.

4/25/2018

DUURA

www.DUURA.com
Sales@Duura.com • Techservice@Duura.com


Project Name: _____

Location: _____


Item #: _____ Qty: _____

Model: _____


250lb SELF CONTAINED ICE MAKER (w/ Integrated Ice Bin)




Top View




Front View



Side View



Back View



- Water inlet
3/8" FPT
(Female Pipe Thread)
- Power supply line
- Ice maker drain
1/2" FPT
- Bin drain
1/2" FPT

	DI250
In: External Dimensions W x D X H	24 x 24 x 39
mm: External Dimensions W x D X H	610 x 610 x 991
Peak Amp Draw	12 max (normal or nominal draw 10.4 amps)
Unit Weight	144 lb / 65 kg
Shipping Weight	160 lb / 72.5 kg
Standard Electrical Connection	NEMA 5-15 Outlet / 6' Cord Set Included
Finish	Stainless Steel / Black Trim

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.