

DUURA

www.DUURA.com
Sales@Duura.com • Techservice@Duura.com

Project Name: _____

Location: _____

Item #: _____ Qty: _____

Model: _____

REACH-IN FREEZERS

Model: DVF1

DVF2



DVF1



DVF2

DUURA Reach-In Freezers keep frequently accessed ingredients within reach and at proper storage temperatures. Capacity options range from 23 to 72 cubic feet. Choose from single or multi-door models to accommodate your volume requirements. Each reach-in freezer is constructed from stainless steel and has features that are meant to meet high-demand applications, including an oversized refrigeration system, door operated interior lighting and self closing doors.

FEATURES

- Top-Mounted condenser
- Oversized evaporator and condenser refrigeration system for quick cooling and greater efficiency
- Self-contained, energy efficient refrigeration system
- Automatic defrost system
- Recessed handles
- Automatic interior lighting
- Open door alert, beeps when door has been open for 3 minutes
- Hinged, self closing doors
- Door Locks
- 5" swivel casters (2 lock in place – shorter casters are an option)
- Integral condensate evaporator eliminates need for a floor drain connection

TEMPERATURE

- Holding temperature: -10° to 10°F (-23° to -12°C)
- Digitally controlled system maintains optimum temperature
- LED display on outside is easily viewed up to 15 feet.

REFRIGERANT

- CFC & HCFC free R-404A

DVF1/DVF2



NEMA 5-15

ELECTRIC

DVF1/F2: 120V/60Hz/1 Ph (NEMA 5-15P)

* Plugs into conventional 115V wall outlet

Circuit requires appropriate overload protection of 15 amp breaker or fuse

CONSTRUCTION

- Exterior Material: Stainless Steel
- Interior Material: White, Painted Aluminum
- Comes with 6' NEMA 5-15 (DVF1/DVF2) or L14-20 (DVF3) Cord Set
- Shelving: Heavy duty PE coated wire shelves.
 - DVF1 Three (3) Shelves
 - DVF2 Six (6) Shelves – 3 per door section.



Certified to
ANSI-NSF 7



Certified to
ANSI UL 471



DOE 2017
Compliant

DUURA WARRANTY (USA / CANADA)

One (1) year parts/labor
One (1) year compressor (part only)
Administered by DUURA
24/7 tech support provided

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications.

By using the information provided, the user assumes all risks in connection with such use.

The built in performance enhancing functions ensure that given proper attention and preventative maintenance, each DUURA Product will deliver years of trouble free, reliable, low maintenance, efficient operation.

4/25/2018

DUURA

www.DUURA.com
Sales@Duura.com • Techservice@Duura.com


Project Name: _____

Location: _____

Item #: _____ Qty: _____


Model: _____

REACH-IN FREEZERS



DVF1

DVF2



| | DVF1 | DVF2 |
|---|---------------------|---------------------|
| ** Dimensions include Standard Caster Height** | | |
| In: External Dimensions W x D X H | 26.8 x 32.7 x 82.25 | 53.9 x 32.7 x 82.25 |
| mm: External Dimensions W x D X H | 681 x 831 x 2090 | 1369 x 831 x 2090 |
| Capacity | 23 Cu Ft / 651 L | 49 Cu Ft / 1,387 L |
| Hinged Doors | 1 | 2 |
| Shelves | 3 | 6 |
| Amps (Watts) | 11 (1320) | 12 (1380) |
| Electrical Service | 115V/60Hz/1Ph | 115V/60Hz/1Ph |
| Provided NEMA Cord Set | 5-15 | 5-15 |
| Unit Weight | 305 lb / 138 kg | 468 lb / 212 kg |
| Shipping Weight | 336 lb / 153 kg | 502 lb / 228 kg |

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice.

While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.