

**EMBRACING TODAY...
REINVENTING TOMORROW...**

MADACO SAFETY PRODUCTS, INC.

CATALOG

VOLUME 1688



INDUSTRIAL/
CONSTRUCTION

WORK SAFETY/
RESCUE

TACTICAL



www.madaco.com



ME100 CC

ME100 CC

8B CC

ME100 CC

8B CC



MADACO SAFETY PRODUCTS, INC



ME100 CC

8B CC

ME100 CC

8B CC

ME100 CC

8B CC

ME100 CC

8B CC



MADACO SAFETY PRODUCTS, INC

MADACO FOR LIFE!

Madaco Safety Products (MSP) is a progressive minded company that takes pride in providing top-of-the line safety, rescue and protective gear, founded in 1998 and located in greater Los Angeles area serving and helping workers from safety related hazards nationwide.

What separates MADACO from other competitors?

We offer:

- OEM (Original Equipment Manufacturer) service to customize products
- Quick turnaround time
- Competitive pricing
- Ability to meet & comply with the current applicable standards & regulations
- Great customer service assigned to each account
- Fast delivery
- Well-trained and knowledgeable crew to answer all your questions
- Berry Amendment Compliant - **Proudly made in the USA!**

To contact MADACO or to find a MADACO affiliate Company or Madaco distributors near you:

Phone Number:

Toll-free: 1-877-9-MADACO

TEL: 1-909-614-1756

FAX: 1-909-628-5363

Mailing Address:

MADACO SAFETY PRODUCTS, INC
1313 N Grand Ave #249, Walnut CA 91789

Website:

www.madaco.com
(place your order online 24 hours a day)

We Accept all major credit cards



Use your existing account or open a new one by contacting us.

Thank You,

-The Madaco Team

ANSI/ OSHA STANDARDS

Who is ANSI?

The American National Standards Institute (ANSI) coordinates the development and use of standards in the United States. It is intended as a guide to aid the manufacturer, the consumer, and the general public, a voluntary standardization system that does not possess the ability to enforce its standards.

Fall protection systems for Construction and Demolition Operations (Including safety belts, harnesses, lanyards, lifeline)	ANSI A10.32 - 2004
General Industry for Personal Fall Arrest Systems, Subsystems and Components	ANSI Z359.1-1992 (R1999)
Fixed Ladders	ANSI A14.3-2003
Confined Space	ANSI Z117.1-1989

For Harness:

ANSI Z359.1 requires (but is not limited to):

- D-Rings & O-Rings shall be capable of withstanding a tensile load of 5,000 lbs.
- Adjusters shall be capable of withstanding a tensile load of 4,000 lbs.
- All D-Rings and O-Rings shall be subjected to proof load testing to 3,600 lbs.
- The fall arrest attachment shall be located at the back (dorsal) position.
- Harnesses subjected to impact loading must be removed from service.

For Lanyard:

ANSI Z359.1 requires (but is not limited to):

- Lanyards shall have a minimum breaking strength of 5,000 lbs.
- Snaphooks shall be sized to be compatible with the member to which they are connected to prevent unintentional disengagement of the snaphook.
- Shock-Absorbing lanyards shall limit the maximum arresting force to 900 pounds.
- Shock-Absorbing lanyards shall limit maximum deceleration distance to 3.5 feet.
- Lanyards subjected to impact loading must be removed from service.

For Connector:

ANSI Z359.1 requires (but is not limited to):

- Anchorage connectors shall be capable of withstanding a 5,000 lb. load multiplied by the maximum number of personal fall arrest systems that may be attached to the anchorage connector.
- An anchorage connector shall be attached to no more than one fall arrest system unless certified for such purpose.
- Connectors subjected to impact loading must be removed from service.
- D-Rings, O-Rings, and oval rings shall be capable of withstanding a tensile load of 5,000 lbs.

Newly approved ANSI Z359-2007 for Personal Fall Arrest System listed below:

(effective November 24, 2007) – Key changes and additions

- ANSI Z359.1 section 3.2.1.4: Stronger gate strength requirement for snaphooks and carabiners.



- A** Gate face strength requirement increased from 220 lbs to 3,600 lbs
- B** Gate side strength requirement increased from 350 lbs to 3,600 lbs
- C** Minor Axis strength requirement for both Non captive-eye and captive-eye snaphooks & carabiners increased to 3,600 lbs.

- ANSI Z359.1 section 3.2.2.5a: allows front D-ring to be used in a fall arrest system that: Limits the maximum free fall distance to 2 ft and the arrest force to 900 lbs

ANSI/ OSHA STANDARDS

Who is OSHA?

The Occupational Safety and Health Administration (OSHA) is a federal agency that rules and created to provide U.S. workers with a safe working environment. Non-compliance or violates its regulations can result in serious penalties.

OSHA Regulations under Title 29 of the Code of Federal Regulations for General Industry:

Subpart D, Walking/working surfaces -fixed ladder, ladder safety devices -safety requirement for Scaffolding, Boatswain's Chair	1910.27 (d) (5) 1910.28 (j) (4)
Subpart F -Powered Platforms and Building Maintenance -Personal Fall Arrest system	1910.66 1910.66 Appendix C
Subpart J, Permit-Required Confined Space	1910.146
Subpart R, Special Industries -Agricultural Operations -Telecommunications -Electric Power Generation, Transmission and Distribution	1910.267 1910.268 1910.269

For Construction:

Subpart E, Personal Protective Equipment -Safety Belts, Lifelines and Lanyards -Safety Nets	1926.104 1926.105
Subpart L, Scaffolds	1926.451 (g)
Subpart M, Fall Protection -Scope, Application and definitions -Duty to have fall protection -Fall Protection Systems Criteria and Practices -Training requirements	1926.500 1926.501 1926.502 1926.503
Subpart R, Steel Erection -Fall Protection	1926.750-761

For Harness:

OSHA 29 CFR 1926.502 requires (but is not limited to):

- D-rings shall have a minimum breaking strength of 5,000 lbs.
- D-rings shall be proof tested to 3,600 lbs.
- The attachment point of the harness shall be located in the center of the wearer's back near shoulder level.
- Harnesses subjected to impact loading must be removed from service.

For lanyard:

OSHA 29 CFR 1926.502 requires (but is not limited to):

- Lanyards shall have a minimum breaking strength of 5,000 lbs.
- Snaphooks shall be sized to be compatible with the member to which they are connected to prevent unintentional disengagement of the snaphook.
- Shock-Absorbing lanyards shall limit the maximum arresting force on an employee to 1,800 lbs. when used with a body harness.
- Shock-Absorbing lanyards shall limit maximum deceleration distance to 3.5 feet.
- Lanyards subjected to impact loading must be removed from service.

For Connector:

OSHA 29 CFR 1926.502 requires (but is not limited to):

- D-rings shall have a minimum breaking strength of 5,000 lbs.
- D-rings shall be proof tested to 3,600 lbs.
- Connectors subjected to impact loading must be removed from service.

GUIDE: HOW TO WEAR YOUR HARNESS PROPERLY



EVERY YEAR THOUSANDS OF ACCIDENTS OCCUR FROM INCORRECTLY WORN HARNESSES. HERE'S A HANDY STEP BY STEP GUIDE TO PROPER HARNESS DONNING.

After inspection, pick up harness by dorsal (back) D-Ring & make sure the straps are not tangled.

STEP 1



Slip harness over arms and onto shoulders, making sure the dorsal D-Ring is on the back. Shoulder straps should be across your chest.

STEP 2



Take leg straps & connect through mating or tongue buckle. Pass any excess webbing through the plastic keeper. Leg straps should fit your legs snugly.

STEP 3



Attach Chest strap by mating or quick release buckle. Straps should be six inches below top of shoulders. Pass excess webbing through loop webbing keepers.

STEP 4



Adjust chest & Leg straps by pulling on webbing ends and pushing down on buckles to size.

STEP 5



Attach Lanyard to leech ring if not in use.

STEP 6



COMPLETE.




GUIDE: HARNESS SIZING & FALL PROTECTION ICONS

PROPER FIT IS ESSENTIAL FOR COMFORT & PRODUCTIVITY

Whether you wear a harness 8 hours a day or 14 hours a day, it needs to feel good and fit right for optimum comfort, safety and productivity. MADACO harnesses are designed to fit any body size or shape.

Harness Sizing Chart




KEY ICONS IN THIS CATALOG

There are many options in gear, to help determine which one is right for you, look for these icons:



SUSPENSION SYSTEM

A system used to lower and support a worker while allowing a hands-free work environment. It consists of a personal protective gear, connecting device, and anchor point.



FALL ARREST SYSTEM

A system used to arrest a worker in a fall from a working level. It consists of an anchorage point, connectors, and body harness.



RETRIEVAL SYSTEM

A system used for non-entry rescue from permit-required spaces. It consists of a retrieval line, chest or full-body harness, and a lifting device or anchor.



POSITIONING SYSTEM

A system used to position a worker at an appropriate work level. It consists of an anchorage, body belt or body harness, and connecting device.



ABOUT MADACO SAFETY PRODUCTS, INC.
STANDARDS & REGULATIONS
USER'S GUIDES
CREDIT APPLICATION
TERMS & CONDITIONS

PAGE 1
PAGE 2
PAGE 4
PAGE 72
PAGE 73

1.0 INDUSTRIAL / CONSTRUCTION

1.1 HARNESSES

- 1.1.1 3 POINT HARNESSES
- 1.1.2 5 POINT HARNESSES
- 1.1.3 SPECIALTY HARNESSES
- 1.1.4 RIGGING HARNESSES

1.2 LANYARDS

- 1.2.1 SHOCK ABSORBING LANYARDS
- 1.2.2 TUFF-SHOCK LANYARDS
- 1.2.3 RESTRAINT & POSITION LANYARDS
- 1.2.4 SELF-RETRACTABLE LANYARDS

1.3 COMBO/KITS

- 1.3.1 ROOF KITS
- 1.3.2 COMBO KITS

1.4 ACCESSORIES

- 1.4.1 SWEAT GUARDS & STORAGE BAGS
- 1.4.2 ROPES & ROPE GRABS
- 1.4.3 RESCUE LADDERS
- 1.4.5 FABRICS

2.0 SAFETY / RESCUE

2.1 HEAD & EYE PROTECTION

- 2.1.1 HEAD PROTECTION
- 2.1.2 EYE PROTECTION

2.2 HEARING & HAND PROTECTION

- 2.2.1 HEARING PROTECTION
- 2.2.2 HAND PROTECTION

2.3 SAFETY VESTS & DISPOSABLE WEAR

- 2.3.1 SAFETY VESTS
- 2.3.2 DISPOSABLE GLOVES
- 2.3.3 DISPOSABLE APPAREL

2.4 RESPIRATORS

2.5 WORK & SAFETY

- 2.5.1 FIRST AID KITS
- 2.5.2 EMERGENCY PREPAREDNESS KITS
- 2.5.3 RESCUE KITS
- 2.5.4 HOT STICKS
- 2.5.5 CAUTION TAPE

3.0 TACTICAL

3.1 HARNESSES

- 3.1.1 FULL BODY HARNESSES
- 3.1.2 HALF BODY HARNESSES

3.2 LANYARDS

- 3.2.1 RETENTION LANYARDS

3.3 ACCESSORIES

- 3.3.1 BAGS
- 3.3.2 ROPES & ROPE GRABS
- 3.3.3 RAPPELLING GEAR
- 3.3.4 INSTRUCTOR BELTS
- 3.3.5 MARINE PRODUCTS / SHACKLES & CHAINS

1.1 HARNESSSES

3 POINT HARNESSSES
5 POINT HARNESSSES
SPECIALTY HARNESSSES
RIGGING HARNESSSES



1.2 LANYARDS

SHOCK ABSORBING LANYARDS
TUFF-SHOCK LANYARDS
RESTRAINT & POSITION LANYARDS
SELF RETRACTABLE LANYARDS



1.3 COMBO/ KITS

ROOF KITS
COMBO KITS



1.4 ACCESSORIES

SWEAT GUARDS & STORAGE BAGS
ROPES & ROPE GRABS
RESCUE LADDERS
FABRICS





Feather-Lite™

The Feather-Lite™ series is one of our most popular and cost effective harness line. It is ultra light yet durable for best fit and maximum comfort. Ergonomically designed, full body harness with 3 point adjustments. Featuring single or 3 D-rings based on application, standard quick connect mating buckle or grommet/tongue buckle sub-pelvic straps, lanyard keeper, latch ring and can be used for general fall protection in any industry. Harnesses are made of strong polyester or nylon 1½" webbing for easy maintenance. All hardware is plated for corrosion resistance. Available in oversize and extra padding. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards.



**Strong Plastic
Lanyard Keeper**



**Steel Back
D-Ring**



**Quick Connect
Steel Mating
Buckles**



**Back
Plate**



**Webbing
Protector**



**Sturdy Steel
Latch Ring**

3 POINT HARNESSSES

SPECIFICATIONS:



Proudly Made in the U.S.A

Look for this icon on our products.

INDUSTRIAL /
CONSTRUCTION

HARNESSSES

3 POINT
HARNESSSES

5 POINT
HARNESSSES

SPECIALTY
HARNESSSES

RIGGING
HARNESSSES



Model No.	TB-201A	TB-201B	TB-201C	TB-201D
Name	The Contractor	The Fuego	The Hammer	The Safer
# of D-Rings				
Leg and/or Shoulder Pads	OPTIONAL			
Leg Strap Buckle Style				
	Quick Connect Mating Buckles	Quick Connect Mating Buckles	Grommet & Tongue Buckles	Grommet & Tongue Buckles
Webbing Colors				
6 COLOR CHOICES				
Sizing	UNIVERSAL**			
Application		 		

**CUSTOM SIZING AVAILABLE AT ADDITIONAL CHARGE.



Pro-Tuff™

The Pro-Tuff™ series is an upgrade from our Feather-Lite series with advanced features for best fit and maximum comfort. Ergonomically designed, full body harness with 5 point adjustments. Feature single or 3 D-rings based on application, standard quick connect mating buckle or grommet/tongue buckle sub-pelvic straps, lanyard keeper, latch ring and can be used for general fall protection in any industry. Harnesses are made of strong polyester or nylon 1¾" webbing for easy maintenance. All hardware is plated for corrosion resistance. Available in oversize and extra padding. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards.



Webbing Adjuster buckle



Strong Plastic Lanyard Keeper



Steel Back D-Ring



Quick Connect Steel Mating Buckles



Back Plate



Webbing Protector



Sturdy Steel Latch Ring

5 POINT HARNESSSES

SPECIFICATIONS:



Proudly Made in the U.S.A

Look for this icon on our products.

INDUSTRIAL /
CONSTRUCTION

HARNESSES

3 POINT
HARNESSES

5 POINT
HARNESSES

SPECIALTY
HARNESSES

RIGGING
HARNESSES



Model No.	TB-205A	TB-205B	TB-205B-RT	TB-205C	TB-205D
Name	The Boss	The Resilient	The Resilient-RT	The Compliant	The Burner
# of D-Rings					
Leg and/or Shoulder Pads	OPTIONAL				
Leg Strap Buckle Style	 Quick Connect Mating Buckles			 Grommet & Tongue Buckles	
Webbing Colors	 6 COLOR CHOICES				
Sizing	UNIVERSAL**				
Application		 	 		

**CUSTOM SIZING AVAILABLE AT ADDITIONAL CHARGE.





INDUSTRIAL /
CONSTRUCTION

HARNESSES

3 POINT
HARNESSES

5 POINT
HARNESSES

SPECIALTY
HARNESSES

RIGGING
HARNESSES

Vest Harnesses TB-201-AV & TB-205-AV



SPECIFICATIONS:

TB-201-AV

Ergonomically light weight designed, full body harness with 3 point adjustment. Built-in class II safety vest with horizontal & vertical reflective strips which allows a self rescue maneuver. Quick connect mating buckles on chest and leg straps. Size: S ~ L.

TB-205-AV

Ergonomically light weight designed, full body harness with 5 point adjustment. Built-in class II safety vest with horizontal & vertical reflective strips which allows a self rescue maneuver. Quick connect mating buckles on chest and leg straps. Size: S ~ L.

The MaximusTM TB-205MAX-HV

The Maximus harness is designed for workers in the general construction industry. Ergonomically designed, this full body harness features 5 point adjustment, and sports an EVA X-Shape pad for full back support and moisture wicking ventilation. Quick side-release PrestoTM buckles on chest strap and sub-pelvic straps for fast and easy donning and doffing. One back D-ring for fall arrest. Reflective material throughout the harness for high visibility purpose. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards. Size: S ~ L. All buckle styles and padding can be changed upon request.



PrestoTM quick release buckles & plastic webbing keepers



Steel Latch Ring



Vibrant vest backing with reflective trim with back plate and black steel D-Ring.



EVA Foam Vest & Soft Leg Straps



Webbing Adjuster buckle



- Fall Arrest
- Positioning
- Suspension



SPECIALTY HARNESES

Hyper-FuseTM TB-205K

The Hyper-Fuse harness is designed for the guy in the general construction industry that demands heavy duty usage. Ergonomically designed, full body harness with 5 point adjustments. Featuring high waist EVA 3D contour pad with an integral waist belt and removable shoulder pads for added comfort and support. Tongue buckle style tool belt and sub-pelvic straps. One back D-ring for fall arrest and 2 side D-rings for work positioning. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards. Size: S ~ L. all buckle styles and padding can be changed upon request.



Plastic Webbing Keepers



Steel Latch Ring



Back Plate & Steel D-Rings



3D EVA Foam Waist Pad



Waist Grommet & Tongue Buckle



Durable & Soft Eva shoulder Pads



Quick Connect Steel Mating buckles



HARNESSES

3 POINT HARNESSES

5 POINT HARNESSES

SPECIALTY HARNESSES

RIGGING HARNESSES



- Fall Arrest
- Positioning
- Suspension

The Hyper-Tuff Harness ^{TB-205K-P-X}

The advanced Hyper-Tuff harness is designed for the general construction industry that demands heavy duty usage AND MORE. Ergonomically designed, full body harness with 5 point adjustments. Features a high waist EVA 3D contour pad with an integral waist belt and removable shoulder pads for added comfort and support. X-shape EVA pad is great for full back support and ventilation. Tongue buckle style tool belt. Quick side-release Presto™ buckle on chest strap and sub-pelvic straps. One back D-ring and one 18" extended D-ring for fall arrest and 2 side D-rings for work positioning. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards. Size: S ~ L. all buckle styles and padding can be changed upon request.

INDUSTRIAL /
CONSTRUCTION


HARNESSSES

3 POINT
HARNESSSES

5 POINT
HARNESSSES

SPECIALTY
HARNESSSES

RIGGING
HARNESSSES



Presto™ buckles
& plastic webbing
keepers



Steel Latch
Ring



Back Plate
& extended
Steel D-Ring



3D EVA Foam
Waist Pad



Waist Grommet
& Tongue Buckle



3D Foam Vest
& Leg Support
Straps



Webbing
Adjuster buckle



• Fall Arrest



INDUSTRIAL / CONSTRUCTION

HARNESSES

3 POINT HARNESSES

5 POINT HARNESSES

SPECIALTY HARNESSES

RIGGING HARNESSES

Hydration Harness ^{TB-205-AVH}

To protect workers from dehydration, OSHA recommends that people working under a hot environment should frequently drink small amounts of water. This harness is specifically designed to prevent workers from getting heat-related illnesses. Full body harness with 5 point adjustment. Features EVA mesh X-pad for full back support and ventilation. Vest wicks out the heat and moisture. Comes with 2 liter built-in water bladder system on the back with reflective trim for high visibility. Quick connect mating buckles on the chest and leg straps. Meets or exceeds all applicable industry standards including OSHA and ANSI fall protection standards. Size: S ~ L.



Webbing Protector



Steel D-Ring & back Adjustment Plate



Quick Connect Mating Buckles



Soft Eva Foam Back & Shoulder Vest & Pouch



Plastic Webbing Keeper



Webbing Adjuster buckle





• Fall Arrest
• Positioning

INDUSTRIAL /
CONSTRUCTION

HARNESSES

3 POINT
HARNESSES

5 POINT
HARNESSES

SPECIALTY
HARNESSES

RIGGING
HARNESSES



The Deluxe [Bosun Chair Harness] TB-208-BOSUN

The Deluxe Bosun chair harness offers the top of the line quality for workers in the oil rigging/ towering/ window cleaning industry. Ergonomically designed, full body harness with 6 point adjustments. Features 3D contour padded back support with an integral waist to carry up to three tool bags and X-Shape EVA foam pad for ventilation and support. Presto™ quick side release buckle style on the front and sub-pelvic straps. Tongue buckle style body belt. Single back D-ring and two side positioning D-rings. Removable Bosun chair with 2 D-rings on each side. This harness provides overall comfort for long hours of wear and use. Meets or exceeds all applicable industry standards including OSHA and ANSI fall protection standards. Size: S ~ L.



Removable
Bosun
Chair



Presto™ Quick
Release Buckles



3D Eva Foam
High waist pad



Webbing
Adjuster buckles



Steel D-Rings &
back plate



Waist Grommet
with Tongue
Buckle



Soft Eva Foam
Vest &
Leg Pads





INDUSTRIAL / CONSTRUCTION

HARNESSES

3 POINT HARNESSES

5 POINT HARNESSES

SPECIALTY HARNESSES

RIGGING HARNESSES

The Construction Pro ^{TB-225AP}

The Construction Pro harness is designed for the worker in trenches/drilling or oil rigging industry. Ergonomically designed fall body harness with 6 point adjustment. Features wide padded back support with an integral waist belt to carry up to three tool bags and removable EVA shoulder pads. Tongue buckle style tool belt and sub-pelvic straps. 18" extended back D-ring and one back positioning D-ring. This harness provides overall comfort for long hours of wear and use. Meets or exceeds all applicable industry standards including OSHA and ANSI fall protection standards. Size: S ~ L.



Extended D-Ring on back



Plastic Webbing Keepers



Convenient Latch Ring



Steel D-Ring & back plate



Quick Connect Steel Mating buckles




Durable & Soft Eva Foam Waist Pad



Waist & leg Grommet with Tongue buckles



SPECIALTY HARNESSSES



- Fall Arrest
- Positioning
- Retrieval
- Suspension

INDUSTRIAL /
CONSTRUCTION

HARNESSES

3 POINT
HARNESSES

5 POINT
HARNESSES

SPECIALTY
HARNESSES

RIGGING
HARNESSES



The RetrieverTM TB-218D-RTX

The advanced harness is designed for the guy in the general construction industry that demands heavy duty usage AND MORE. Ergonomically designed, crossover front style full body harness with 5 point adjustments. Great for ladder system, and features a X-Shape EVA foam pad for added comfort, full back support, and ventilation. Tongue buckle style leg strap. Quick side-release PrestoTM buckle on chest strap and sub-pelvic straps. One front attachment D-ring and one 18" extended D-ring for fall arrest and 2 side D-rings for work positioning. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards. Size: S ~ L. All buckle styles and padding can be changed upon request.



Large
Steel D-Rings



Quick Connect
Mating Buckles



Steel D-Rings



EVA Foam
Leg Pads



EVA foam vest with thick
trim. Back plate with steel
D-Ring on front & back.



Grommet legs &
Tongue buckles





INDUSTRIAL / CONSTRUCTION

HARNESSSES

3 POINT HARNESSSES

5 POINT HARNESSSES

SPECIALTY HARNESSSES

RIGGING HARNESSSES



The RoninTM TB-502

The Ronin harness is specially designed for the guy in the rigging industry that demands heavy duty usage and supreme comfort for long hours of wear. Ergonomically designed, rigger full body harness. 9 point adjustmet with quick side release PrestoTM buckles and adjuster buckles. Attachment points at waist and back (dorsal) for fall arrest. Multiple Gear loops around the waist pad. Featuring high waist EVA 3D couture pad adds comfort and ventilation with full back support and EVA foam lined shoulder pads, Bosun chair style seat pad. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards. All buckle styles and padding can be changed upon request.




PrestoTM Quick Release Buckles



EVA foam lined shoulder piece with plastic webbing adjuster plate.



Steel Adjuster Buckles



Convenient front D-Ring



EVA lined strong harness seat





- Fall Arrest
- Positioning
- Suspension

INDUSTRIAL /
CONSTRUCTION

HARNESSES

3 POINT
HARNESSES

5 POINT
HARNESSES

SPECIALTY
HARNESSES

RIGGING
HARNESSES



Zoom GT^{TB-603}

The Zoom harness is specially designed for the worker in the rigging/rescue/rope access industry that demands heavy duty usage and supreme comfort for long wear. Ergonomically designed rigger full body harness. Vest style prevents fatigue to neck during suspension. 8 point adjustment with quick side release Presto™ buckles. Attachment points at waist, hips, chest, back (lumbar) and back (dorsal) for fall arrest. Great work positioning using light weight durable aluminum D-Rings. Multiple Gear loops around the waist pad. Featuring high waist EVA 3D couture pad for comfort, ventilation, and full back support. EVA foam lined shoulder pads & leg pads. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards, also available with your choice of webbing to meet NFPA 1983 Class III standard. All buckle styles and padding can be changed upon request. Available as chest style, seat style, or full body harness. 2 sizes: S ~ M, L ~ 2XL. Actual D-Ring colors may vary.



3D EVA Foam
Waist Pad



EVA foam lined shoulder
piece. Convenient D-Ring &
steel adjuster buckle.



Front D-Ring
& Carabiner



TCH-603-TOP



TCH-603-BOTTOM

Detachable
into seat or
chest style



Presto™ Quick
Release Buckles



OEM: CREATE YOUR OWN CUSTOM SAFETY GEAR



- Fall Arrest
- Positioning
- Retrieval
- Suspension

MSP (Madaco Safety Products, Inc.) can proudly announce that we are the manufacturers of reliable, high quality and innovative, safety and fall protection products. With over a decade of experience, MSP is a nationwide provider in the fall protection, work safety and rescue, and tactical industries.

We deliver a wide range of personal protective equipment from lanyards to safety harnesses that all meet current industry standards. Every OEM product also custom tailored to meet each of our customers' specific needs along with very competitive pricing in a short lead time.

WE MANUFACTURE THE FOLLOWING:

- Industrial /rescue/tactical/recreational safety harnesses
- Nylon, canvas and leather safety belts
- Safety lanyards
- Webbing fabrics
- Safety products
- Current industry standards including :
OSHA, ANSI, NFPA and UIAA

Safety is the number one concern for all industries, the advantage to use MSP products is to provide safe working environment and to prevent dangerous situation for your workers and customers. Our in-house R&D will be there with you step by step to answer all the questions throughout the design process.

**Contact Madaco Today
For More OEM Information!**




ALL HARNESSSES & LANYARDS
ARE PROUDLY MADE IN THE U.S.A



MADACO SAFETY PRODUCTS
1(877) 9-MADACO
www.madaco.com



FALL PROTECTION – AS SIMPLE AS “A, B, C, D”



A - Anchorage: A secure point of attachment or a fixed structure/structural adaption for lanyards, lifelines or deceleration devices. The anchorage shall be capable of supporting at least 5,000 lbs (22kN) per attached.

OSHA 1926.502(d)(15)(i) : As part of a complete personal fall arrest system which maintains a safety factor of at least two.

OSHA 1926.502(d)(15)(ii): Under the supervision of a qualified person.

B - Body Harness/Wear: A personal protective equipment worn by the worker. Designed to protect a worker from falling while limiting the extent of potential injury resulting from a fall. The harness should be snug but comfortable, the sub-pelvic strap should be positioned correctly and for the harnesses subjected to impact loading must be removed from service.

OSHA 1926.502(d)(16)(ii) : Personal fall arrest systems, when stopping a fall, shall limit maximum arresting force on an employee to 1,800 lbs when used with a body harness.

** Belts are illegal for use as fall protection effective Jan 1, 1998.

C - Connector: A device/subsystem component connecting the harness to the anchorage – such as a buckle or D-Ring sewn into a body belt/harness or a snap hook sewn to a lanyard or self-retractable lanyard. OSHA 1926.502(e)(iii): Connecting assemblies shall have a minimum tensile strength of 5,000 lbs (22kN)

D - Deceleration Device: A subsystem component designed to dissipate the forces associated during a fall arrest. Such as a rope grab, shock pack lanyard (Madaco tuff-shock lanyard series) and automatic self-retractable lifelines/lanyards. User should have clear idea on choosing the appropriate deceleration device based on the clear free fall distance below the user. Self-retractable lanyards are recommended when there's a limited fall clearance to the ground/next level. Traveling more than 15 degrees in any direction from the anchorage point increases possible "pendulum" effect.

OSHA 1926.502(e)(iii)(iv)(v): Personal fall arrest systems, when stopping fall, shall: limit maximum arresting force on a employee to 1,800 lbs (8kN) when used with a body harness; be rigged such that an employee can neither free-fall more than 6 ft (1.8m) nor contact any lower level.

SHOCK ABSORBING LANYARDS

Single Leg Stretch & Built-In Shock Pack Lanyards

INDUSTRIAL /
CONSTRUCTION

LANYARDS

SHOCK
ABSORBING

TUFF-SHOCK

RESTRAINT &
POSITION

SELF
RETRACTABLE



Webbing Available in Flame or Black



**CHOOSE YOUR
CONNECTOR!**



Specifications:

Single Leg Stretch Lanyards:



Featuring Light weight Stretchable woven core design to absorb the shock of a fall and limits arrest forces to 900 lbs. 1 3/4" wide polyester webbing rated over 7,000 lbs. Hooks are ergonomically designed to provide user with easy "latch-on" & "latch-off" operations. All metal parts are made of high density "Drop-forged" metal alloy, surface chrome plated or fog treated for better grip and weather resistance. Double locking hooks at the attachment and anchorage ends. Your choice of hook style listed below, all steel hooks can be replaced by aluminum metal or to meet ANSI Z359.1-2007 with additional cost. Wear pads on metal to ensure long lasting strength. Meets or exceeds all applicable industry standards including: OSHA, ANSI and the stringent ANSI Z359.1.

Model No.

Length:

Specifications:

Includes:

L-613-16	6'	2 Carbon Steel double locking snap hooks with stretch lanyard.
L-613-16-4	4'	2 Carbon Steel double locking snap hooks with 4 feet stretch lanyard.
L-613-16HS	6'	2 Carbon Steel (3,600 lbs.) double locking snap hooks with stretch lanyard.
L-613-16HS-4	4'	2 Carbon Steel (3,600 lbs.) double locking snap hooks with stretch lanyard.
L-613-16AL	6'	2 Aluminum double locking snap hooks with stretch lanyard.
L-613-16AL-4	4'	2 Aluminum double locking snap hooks with 4 feet stretch lanyard.
L-613-18	6'	1 Carbon Steel double locking snap hook + 1 double locking Rebar hook with stretch lanyard.
L-613-18-4	4'	1 Carbon Steel double locking snap hook + 1 double locking Rebar hook with stretch lanyard.
L-613-18HS	6'	1 Carbon Steel (3,600 lbs.) double locking snap hook + 1 double locking Rebar hook (3,600 lbs.) with stretch lanyard.
L-613-18HS-4	4'	1 Carbon Steel (3,600 lbs.) double locking snap hook + 1 double locking Rebar hook (3,600 lbs.) with stretch lanyard.



Single Leg Lanyards with Built-In Shock Packs:



Designed to facilitate anchoring-scaffolding, pipe or angle irons. Equipped with progressive tearing of custom woven 1 3/4" wide polyester webbing and may elongate up to 42" (shock pack). Webbing is rated 7,000 lbs. For usage in systems allowing a maximum free-fall of 6 ft. Limit arrest forces to 900 lbs. hardware parts are made of drop-forged metal alloy, designed to withstand the toughest condition. Either alloy steel D-ring or double locking hooks at the attachment and anchorage ends. Your choice of hook style listed below, all steel hooks can be replaced by aluminum metal or to meet ANSI Z359.1-2007 with additional cost. Wear pads on metal to ensure long lasting strength. Meets or exceeds all applicable industry standards including: OSHA, ANSI and the stringent ANSI Z359.1.


Model No.

Length:

Specifications:

Includes:

L-613-01	shock pack	1 D-ring at the anchorage end + 1 double locking snap at the attachment end.
L-613-01B	shock pack	1 Double locking snap hook at anchorage end + 5" webbing loop at attachment end.
L-613-02B	6'	2 Carbon Steel double locking snap hooks with shock pack lanyard.
L-613-02B-4	4'	2 Carbon Steel double locking snap hooks attached with shock pack lanyard.
L-613-02B-HS	6'	2 Carbon Steel (3,600 lbs.) double locking snap hooks with shock pack lanyard.
L-613-02B-HS-4	4'	2 Carbon Steel (3,600 lbs.) double locking snap hooks with shock pack lanyard.
L-613-02B-AL	6'	2 Aluminum double locking snap hooks with shock pack lanyard.
L-613-02B-AL-4	4'	2 Aluminum double locking snap hooks with shock pack lanyard.
L-613-02D	6'	1 Carbon Steel double locking snap hook with shock pack lanyard & 5" webbing loop at attachment end.
L-613-06	6'	1 Carbon Steel double locking snap hook + 1 double locking Rebar hook with shock pack lanyard.
L-613-06-HS	6'	1 Carbon Steel (3,600 lbs.) double locking snap hook + 1 double locking Rebar hook (3,600 lbs.) with shock pack lanyard.



You can choose & customize your own connector pair with any lanyard of choice.

Twin Leg with Built-in Shock Pack

INDUSTRIAL /
CONSTRUCTION

LANYARDS

SHOCK
ABSORBING

TUFF-SHOCK

RESTRAINT &
POSITION

SELF
RETRACTABLE



A



B



C



D



E



Twin leg designed to facilitate anchoring-scaffolding, pipe or angle irons. Equipped with progressive tearing of custom woven 1 3/4" wide polyester webbing and may elongate up to 42" (shock pack). Webbing is rated 7,000 lbs. For usage in systems allowing a maximum free-fall of 6 ft. Limit arrest forces to 900 lbs. hardware parts are made of drop-forged metal alloy, designed to withstanding the toughest condition. Alloy steel or aluminum double locking hooks at the attachment and anchorage ends. Your choice of hook style listed below, all hooks can be replaced to meet ANSI Z359.1-2007 with additional cost. Wear pads on metal to ensure long lasting strength. Meets or exceeds all applicable industry standards including: OSHA, ANSI and the stringent ANSI Z359.1.

Model No.

- A** L-613-10A
- B** L-613-10B
- C** L-613-10CA
- D** L-613-10C
- E** L-613-10E-8009RDBU


Length:

- 4'~ 6'
- 6'
- 4'~ 6'
- 6'
- 6'

Specifications:

- 3 double locking snap hooks
- 3 double locking snap hooks
- 2 double locking rebar hooks at the anchorage end + 1 double locking snap hook at the attachment end. * Rebar hook offers 2 1/4" gate opening for mobility and dexterity.
- 2 double locking rebar hooks at the anchorage end + 1 double locking snap hook at the attachment end. * Rebar hook offers 2 1/4" gate opening for mobility and dexterity.
- 2 double locking aluminum rebar hooks at the anchorage end + 1 double locking aluminum snap hook at the attachment end. *Elastic lanyard.

Webbing Available in Flame or Black



SHOCK ABSORBING LANYARDS

Restraint & Position Style



INDUSTRIAL /
CONSTRUCTION

LANYARDS

SHOCK
ABSORBING

TUFF-SHOCK

RESTRAINT &
POSITION

SELF
RETRACTABLE



The fall restraint system apparatus for travel restriction and work positioning, designed to be used to restrain a worker from reaching a fall hazard, for example: Platforms, Aerial Lifts and Boom Buckets. Webbing is rated 7,000 lbs in nylon or polyester. Double locking snap hook is ergonomically designed to provide user with easy "latch-on" & "latch-off" operations. All metal parts are made of high density "Drop-forged" metal alloy, surface chrome plated or fog treated for better grip and weather resistance. Double locking snap hooks at the attachment and anchorage ends. Wear pads on metal ensure long lasting strength. Meets or exceeds all applicable industry standards including: OSHA, ANSI and the stringent ANSI Z359.1. Webbing color may vary.


Model No.

Length:

Specifications:

- | | | |
|----------------------|-------|--|
| A L-613-33 | 6' | Double locking snap hooks (Also available in different length |
| B L-613-24-24 | 24" | Sling strap loop with Snap hooks. (Also available in different length) |
| C L-613-43A-6 | 3'~6' | Adjustable beam strap hard to reach places. (Also available in different length) |
| D L-613-43-6 | 6' | Beam strap for hard to reach places. (Also available in different length) |

Webbing Available in Flame or Black



SELF RETRACTABLE LANYARDS (SRL)

INDUSTRIAL / CONSTRUCTION

LANYARDS

SHOCK ABSORBING

TUFF-SHOCK

RESTRAINT & POSITION

SELF RETRACTABLE



Standard Construction Edition



Arborist/Pole Climber Edition



Standard Construction Edition



European Tower Climber Edition



1 3/4" wide 8' long Nylon webbing is rated for 5400 lbs of tensile strength, PVC protective cover/housing. Light weight 2.4 lbs. Double locking snap hook is ergonomically designed to provide user with easy "latch-on" & "latch-off" operations. All metal parts are made of high density "Drop-forged" metal alloy, surface chrome plated or fog treated for better grip and weather resistance. Double locking snap hook that secures the lanyard, double locking steel carabiner for SRL connection with captive-eye to avoid misplacement. Inertia brake mechanism when speed exceeds 0.7G. Cost-effective. Meets or exceeds all applicable industry standards including: OSHA, ANSI and the stringent ANSI Z359.1. Different colors for housing, snaps and carabiners available upon request. Colors are made to order.

Model No.

A SRL-9156

8' 1 Double lock snap hook, 1 Auto-lock carabiner 1-3/4" width webbing 8 feet long, & 1 Shock absorber lanyard attached.

B SRL-9156SW

8' 1-3/4" Swivel Plate, 1-3/4" width webbing 8 feet long, & Alumium snap hook.


C SRL-9157

8' 1 Double lock snap hook, 1 Auto-lock carabiner 1-3/4" width webbing 8 feet long, & 1 Shock absorber lanyard attached.

D SRL-9158

8' 2 Screw gate carabiners, 1-3/4" width webbing 8 feet long & 1 Shock absorber lanyard attached.

Webbing Available in Flame or Black





Custom Roofer's Kits



CUSTOMIZE YOUR ROOF KIT

CHOOSE YOUR ANCHOR &
PICK YOUR ROPE LENGTH

- A** THE CONTRACTOR™ TB-201A: 3 POINT ADJUSTMENT FULL BODY HARNESS. COMES WITH SINGLE BACK D-RING, QUICK CONNECT STEEL MATING BUCKLES ON CHEST AND LEG STRAPS. MEETS ANSI Z359-1992
- B** MULTI USE STORAGE BUCKET BK-102: 2 GALLON ROOFER'S BUCKET
- C** SINGLE-USE ROOF ANCHOR MH-1034-2: FLAT ROOF ANCHOR FOR SINGLE USAGE. 23KN SHEET METAL WITH 8 NAILS. MEETS ANSI Z359-1992
- D** REUSABLE ROOF ANCHOR MH-1036: D-RING INCLUDED. THE ANCHOR LEGS ARE FULLY ADJUSTABLE FOR ROOF OF DIFFERENT PITCH OR ANGLE. AVAILABLE IN GOLD OR RED COLOR. MEETS ANSI Z359-1992
- E** ROPE WITH ROPE GRAB LL-RG505: 3-STRAND POLYESTER ROPE W/2" SHOCK PACK LANYARD AND MANUAL ROPE GRAB AND LOCKING CARABINER.



MODEL NO. KIT INCLUDES:

RK-30	A	B	C OR D	E WITH 30 FT. ROPE.
RK-50	A	B	C OR D	E WITH 50 FT. ROPE.
RK-50WK	A		C OR D	E WITH 50 FT. ROPE.
RK-100	A	B	C OR D	E WITH 100 FT. ROPE.

*OPTION D REQUIRES ADDITIONAL CHARGE.
ALL OTHERS MAY BE CUSTOMIZED FURTHER IF NEEDED.

Combo Kits



A

COMBO KIT A MODEL NO. C-201A-16-NB

- 3 PT. ADJUSTMENT FOR UNIVERSAL SIZING WITH ATTACHABLE 6 FT LANYARD
- CONVENIENT BACK STEEL D-RING
- BACK WEBBING ADJUSTER PLATE
- PLASTIC WEBBING KEEPERS
- STRONG POLYESTER WEBBING
- QUICK CONNECT STEEL MATING BUCKLES
- HANDS FREE LATCH RING
- STEEL SNAP HOOK RATED AT 5,000 LBS.
- FREE STORAGE BAG WITH ZIPPER AND BUCKLE

COMBO KIT B MODEL NO. C-201A+16-NB

- 3 PT. ADJUSTMENT FOR UNIVERSAL SIZING WITH DETACHABLE 6 FT LANYARD
- CONVENIENT STEEL BACK D-RING
- HANDS FREE LATCH RING
- PLASTIC WEBBING KEEPERS
- BACK WEBBING ADJUSTER PLATE
- STRONG POLYESTER WEBBING
- QUICK CONNECT STEEL MATING BUCKLES
- SNAP HOOKS RATED AT 5,000 LBS.
- FREE STORAGE BAG WITH ZIPPER AND BUCKLE



B

COMBO KIT C MODEL NO. C-205K-16-NB

- 5 PT. ADJUSTMENT FOR UNIVERSAL SIZING WITH ATTACHED 6 FT LANYARD
- MULTIPLE STEEL D-RINGS
- HANDS FREE LATCH RING
- PLASTIC WEBBING KEEPERS
- QUICK CONNECT STEEL MATING BUCKLE
- BACK WEBBING ADJUSTER PLATE
- STRONG POLYESTER WEBBING
- GROMMET LEG STRAPS WITH TONGUE BUCKLES
- SOFT WAIST PAD FOR LOWER BACK SUPPORT
- FOAM SHOULDER PADS FOR COMFORT
- STEEL SNAP HOOK RATED AT 5,000 LBS.
- FREE STORAGE BAG WITH ZIPPER AND BUCKLE



C



Combo Kits

**COMBO KIT D** MODEL NO. C-201A-02D-NB

- 3 PT. ADJUSTMENT FOR UNIVERSAL SIZING WITH ATTACHABLE 6 FT LANYARD
- BACK STEEL D-RING
- BACK WEBBING ADJUSTER PLATE
- STRONG POLYESTER WEBBING
- QUICK CONNECT STEEL MATING BUCKLES
- HANDS FREE LATCH RING
- STEEL SNAP HOOK RATED AT 5,000 LBS.

All Combo Kits come with a
FREE STORAGE BAG

Custom logo available on request

Choose from 2 styles & 3 colors!
Pick either clear or solid front
& select a canvas color!

**COMBO KIT E** MODEL NO. C-201A+02B-NB

- 3 PT. ADJUSTMENT FOR UNIVERSAL SIZING WITH DETACHABLE 6 FT LANYARD
- BACK STEEL D-RING
- BACK WEBBING ADJUSTER PLATE
- STRONG POLYESTER WEBBING
- QUICK CONNECT STEEL MATING BUCKLES
- HANDS FREE LATCH RING
- STEEL SNAP HOOK RATED AT 5,000 LBS.
- FREE STORAGE BAG WITH ZIPPER AND BUCKLE





Sweat Guards & Storage Bags

HARD-HAT LINER
MODEL NO. SP-HHL-211

- 100% Cotton,
- Ultra Light-Weight Rib Knit
- Fits Under Hats/Helmets
- No Tying Required
- One Size Fits All
- Machine Washable
- Shields UVA/UVB Rays



DURABLE & LIGHT

PORTABLE BAG
MODEL NO.
AG-1205 (SOLID FRONT)
AG-1206 (CLEAR FRONT)

Durable Poly Canvas bag with thick trim. Choose from either solid or clear front. Comes with zipper for convenient storage options. Features convenient side strap loop with a plastic buckle.



DUFFLE BAG
MODEL NO. AG-DUFFLE

Heavy duty canvas duffle bag. Features 4 zipper pockets and a spacious inside. Comfortable velcro handle loop grip. Weather-proof.



**DURABLE
STORAGE OPTIONS**



MESH BAG
MODEL NO. AG-12015

Ventilated mesh drawstring storage bag. Ideal for light carry, aired bag convenient for all accessories.

ROPES & ROPE GRABS

INDUSTRIAL /
CONSTRUCTION

ACCESSORIES

SWEAT GUARDS
& STORAGE BAGS

ROPES &
ROPE GRABS

RESCUE
LADDERS

FABRICS



Rope Grab & Rope

MODEL NO.	MATERIAL INFORMATION
L-RG-2	Rope grab with 2 ft. shock pack.
L-RG30	30 ft. 3-strand poly rope with shock pack, snap hook at one end and carabiner at the other end. One rope grab attached to the rope for attachment point.
L-RG50S	50 ft. 3-strand poly rope with shock pack, snap hook at one end and carabiner at the other end. One rope grab attached to the rope for attachment point.

Rope

MODEL NO.	MATERIAL INFORMATION
L-030	30 ft. 3-strand poly rope
L-050	50 ft. 3-strand poly rope
L-100	100 ft. 3-strand poly rope



M8-6191-L

Self-tracking and locking steel rope grab. Designed for use with 5/8" ~ 1/2" (12 ~ 16 mm) three strand rope. Built for simple yet reliable operation and positioning. Meets ANSI Z359.1 standards.



M8-6092-S

Manual rope grab with a smaller eye. Easy to press or release to move along. Built for simple yet reliable operation and positioning. Ideal choice for use with roof kit rope in climbing or slope operations. Designed to be used for 5/8" rope. Meets ANSI Z359.1 standards.



M8-6092-L

Manual rope grab with a large, mobile eye. Easy to press or release to move along. Built for simple yet reliable operation and positioning. Ideal choice for use with roof kit rope in climbing or slope operations. Designed to be used for 5/8" rope. Meets ANSI Z359.1 standards.

RESCUE LADDERS



Rescue Ladder

MODEL NO. L-LD-1001



Rescue Ladder with carabiner, Specially designed for users to relieve pressure by placing foot into the step loops and stand up in the harness. Helping users with post fall position to prevent suspension trauma.

6 ft. suspension Rescue Ladder with ladder pouch and velcro side. Can be attached to the harness, easy simple installation. Light weight and portable . Loop design for foot suspension relief.

Trauma Safety Strap helps prevent the effects of suspension trauma after a fall, allows users to stand up in their own harness and relieve the pressure.

Step 1: Relax
Step 2: Pull
Step 3: Step In

Key Features:

- * Tangle Free
- * LightWeight
- * Can be Used on Any Harness



Nylon, PE, PVC, Textilene, UV Fabrics



INDUSTRIAL /
CONSTRUCTION

ACCESSORIES

SWEAT GUARDS
& STORAGE BAGS

ROPES &
ROPE GRABS

RESCUE
LADDERS

FABRICS



2.1 HEAD & EYE PROTECTION

HEAD PROTECTION
EYE PROTECTION



2.2 HEARING & HAND PROTECTION

HEARING PROTECTION
HAND PROTECTION



2.3 SAFETY VESTS & DISPOSABLE WEAR

SAFETY VESTS
DISPOSABLE GLOVES
DISPOSABLE APPAREL



2.4 RESPIRATORS

N95 MASKS
DUST MASKS
RESPIRATORS



2.5 WORK & RESCUE

FIRST AID KITS
EMERGENCY PREPAREDNESS KITS
RESCUE KITS
HOT STICKS
CAUTION TAPE



Head Protection

SAFETY/
RESCUE

HEAD & EYE
PROTECTION

HEAD
PROTECTION

EYE
PROTECTION



2
COLORS



ANSI
**100%
TESTED**

MODEL NO. SP-HHS51R

Meets ANSI Z89.1 - 1997 Standard for Industrial Protective Helmets; Type 1, Class E, G and C.

4-Point ratchet suspension peak hard hats are constructed with a high-density polyethylene (HDPE) shell for outstanding protection and lightweight comfort.

This hard hat has four point ratchet suspension points that distribute the energy of a blow and also distribute the weight more evenly. Lightweight polyethylene with impact absorbing ridges. Four vertical adjustments for proper crown height position. Universal slots accommodate hearing, welding & faceshield accessories. Soft terrycloth brow band is washable and reusable 4-point ratchet nylon suspension is easy to adjust allowing user to modify it while working.

Accessory slots on both sides of the hat allow earmuffs & faceshields to be worn with the hat.



Safety Glasses

SAFETY/
RESCUE

HEAD & EYE
PROTECTION

HEAD
PROTECTION

EYE
PROTECTION



SP-G-HC300SIL




SP-G-HC300GRY



SP-G-HC300GM



SP-G-HC300CLR



SP-G-HC300BM

CASTOR



SP-G-HC110CLR


ANEBA

- ALL GLASSES ARE CE CERTIFIED
- CE EN 166, 170, 172 & ANSI Z87 STANDARD
- 99% UV PROTECTION
- ANTI-SCRATCH LENSES
- ANTI-FOGGING


Eye Protection
You can Count on.



SP-G-HC802CLR




SP-G-HC802GRY




SP-G-HC802SIL


NAOS



SP-G-HC820CLR



SP-G-HC820GRY



SP-G-HC820BM

SAFE
LIGHT


Hearing Protection

SAFETY/
RESCUE

HEARING &
HAND PROTECTION

HEARING
PROTECTION

HAND
PROTECTION



HIGH QUALITY, **DURABLE AND COMFORTABLE** HEARING PROTECTION
IDEAL FOR ALL WORK SITUATIONS



MODEL NO. SP-EP-2002
Reusable Earplugs

- Constructed of flexible rubber wrapped around a pocket of air for superb comfort.
- Three flanges of flexible rubber form a cozy seal for all size ear canals.
- NRR 23db.
- Meets ANSI S3.19 Requirements



MODEL NO. SP-EP-1001D
Corded Disposable Metal
Detectable Disposable Earplugs

- Disposable corded ear plugs provide contoured fit.
- Plug gently expands and self adjusts to all size ear canals.
- The soft foam earplugs provide all day comfort.
- NRR 32db.
- Meets ANSI S3.19-1974



MODEL NO. SP-EP-1001C
Polyurethane Disposable Corded Earplugs

- * Plug gently expands and self adjusts to all size ear canals.
- * NRR 31db.
- * Meets ANSI S3.19 Requirements
- * Meets CE EN 352-2-2002 Certification

MODEL NO. SP-EP-1000UC
Polyurethane Disposable
Uncorded Earplugs



- Plug gently expands and self adjusts to all size ear canals.
- NRR 31db.
- ANSI S3.19 Requirements
- CE EN 352-2-2002 Certification



MODEL NO. SP-EM-6010
Gray Cap Mounted Muff

- NRR 27db
- Fits wide variety of Hard Hats
- Soft foam ear cups
- Easily accessible while working. Flip down over ears to use and flip up when not needed.
- Exceeds ANSI S3.19 Requirements

Hand Protection

HIGH QUALITY, **DURABLE** AND **COMFORTABLE** GLOVES

IDEAL FOR ALL WORK SITUATIONS

CAUTION-WINCH MAY START WITHOUT ...

SAFETY/
RESCUE

HEARING &
HAND PROTECTION

HEARING
PROTECTION

HAND
PROTECTION



- MODEL NO. SP-GL-DG-4001**
Grain cow hide leather driver glove
- Shirred wrist/elastic back
 - Keystone thumb
 - Available in standard & premium grade
 - Size: XS,S,M,L,XL
 - 10 DZ/case



- MODEL NO. SP-GL-DP-1990**
Double palm canvas glove
- Straight thumb
 - 20 oz knit wrist
 - Clute pattern
 - Size: M
 - 10 DZ/case



- MODEL NO. SP-GL-DP-3110**
Green double palm leather gloves
- Gunn pattern
 - Knuckle strap
 - Rubberized safety cuff
 - Size: S,L,XL
 - 6 DZ/case



- MODEL NO. SP-GL-DG-4001HV**
Grain cow hide leather driver glove
- High visibility tips
 - Shirred wrist/elastic back
 - Keystone thumb
 - Available in standard & premium grade
 - Size: XS,S,M,L,XL
 - 10 DZ/case



- MODEL NO. SP-GL-DP-8900**
Double palm leather glove
- Gunn pattern
 - Knuckle strap
 - Rubberized safety cuff
 - Size: S,L,XL
 - 6 DZ/case



- MODEL NO. SP-GL-6120**
Blue nitrile coated glove with knit wrist – smooth finish
- Nitrile palm – fully coated
 - Safety knit wrist cuff
 - Size: L
 - 10 DZ/case

Hand Protection

SAFETY/
RESCUE

HEARING &
HAND PROTECTION

HEARING
PROTECTION

HAND
PROTECTION



- MODEL NO. SP-GL-2600**
Cotton / Polyester Blend – 600 g glove
- Bleached white
 - Elastic knit wrist
 - Seamless knitted
 - Reversible
 - Size: M,L
 - 25 DZ/ case



- MODEL NO. SP-GL-6639**
Nylon shell, polyurethane coated glove
- Available in white or gray nylon shell
 - 13 gauge
 - Packed in single pair
 - Size: S,M,L,XL
 - 12 DZ/case



- MODEL NO. SP-GL-5415**
Natural Latex coated glove
- Yellow crinkle finish
 - Jersey lined
 - 2 ½" rubberized safety cuff
 - Size: Men
 - 10 DZ/case



- MODEL NO. SP-GL-2890**
Cotton / Polyester blend glove
- Double sided PVC dots
 - Available in bleach white or natural white
 - Elastic knit wrist
 - Seamless knitted
 - Reversible
 - Size: Men, Lady
 - 25 DZ/case

Little Facts About Gloves:

Cuff:

- Leather - heavy duty applications
- Denim – economical material
- Duck – cotton material
- Plasticized – water proof polyethylene layer in between 2 layers of fabrics
- Rubberized – water resistance for heavy wear resistance, 2 layers of fabric with a rubber material inbetween.
- Starched – 2 layers of fabric laminated
- Safety cuff: usually 2 ½" long, stiff in nature, offers extra wrist & forearm protection, water resistant.
- Gauntlet cuff: usually 4 ½" long for more arm protection.

Leather Types:

- Cow - most commonly used in the industry, comfort, durable breathable material and abrasion resistance.
- Pig – most breathable material with its natural soft texture.
- Goat – most durable, abrasion resistant material, ideal for tactile sensitivity application.
- Deer – most luxurious material.

Leather Cuts:

- Grain – the smooth exterior side of the hide with durability and dexterity.
- Split – the rougher interior side of the hide

Little Facts About Gloves (Continued)

Construction:

Gunn cut: Seamless back. Usually found on leather gloves, the gunn cut gives added strength to the wear areas. The palm, little finger and index finger are cut from one piece of leather and the rest two fingers are cut from another piece. On the back side, the entire back including all four fingers are cut from one piece of leather.

Gunn
Cut

Clute Cut: Parallel seams located on the back of gloves, keeps the palm free of stitching. All four fingers are cut from one piece of leather and on the back side; each finger is a separate piece of leather. Usually found in cotton gloves, gives comfortable fit.

Clute
Cut**Thumb:**

Keystone: Most comfortable, allows greatest room for movement, ideal for drivers, utility workers, light welding, warehouse, and assembly work.



Straight: Ideal for close fisted work, operating construction machinery, farming equipment, forklifts, and tractor trailers



Wing: Ideal for open handed work, pulling, lifting or pushing.



Safety Vests and Jackets



ANSI Class II

SP-V-C2820 Orange / SP-V-C2821 Lime

100% new lightweight fluorescent polyester fabric. Zipper front closure. 2 chest pockets for pens/pens, & 2 flapped velcro closure pockets. 2" Level II ANSI certified silver reflective stripes. 360° reflectivity provides full body outline. Imprintable quality. ANSI Class II. Sizes M-5XL.



ANSI Class II

SP-V-C2800 Orange / SP-V-C2801 Lime

100% ANSI certified fluorescent polyester fabric front, mesh back. Zipper front closure. 2 chest pockets for pens/ radio & 2 flapped velcro closure pockets. 2" Level II ANSI certified silver reflective stripes. 360° reflectivity provides full body outline. Sizes M-5XL. ANSI Class II.



SP-V-PV1500 Orange / SP-V-PV1601

100% fluorescent polyester fabric & micro mesh. Wear-N-Tear front closure. Drop shoulder & side breakaways. Adjustable waist arms. Contour cut for tactical access. 2" Level II ANSI certified silver reflective stripes. Mic clip and ID panel. Multiple inside & outside pockets. Sizes M-XL & 2XL-5XL. Meets ANSI/ISEA 207-2006 public safety standard.



ANSI Class II

SP-V-C2400 Orange / SP-V-C2401 Lime

100% ANSI certified ultra-lightweight polyester mesh. Non-conductive nylon zipper front closure. One cell phone velcro closure pocket. 2 large inside pockets. 2" Level II ANSI certified silver reflective stripes, 360° reflectivity provides full body outline. Sizes M-7XL. ANSI Class II.

SAFETY / RESCUE

SAFETY VESTS & DISPOSABLE WEAR

SAFETY VESTS

DISPOSABLE WEAR

DISPOSABLE GLOVES



Safety Vests and Jackets

SAFETY/
RESCUESAFETY VESTS &
DISPOSABLE WEARSAFETY
VESTSDISPOSABLE
WEARDISPOSABLE
GLOVES

SP-V-C3BM7000 Orange / SP-V-C3MB7001 Lime

3 Season waterproof thermal jacket. Weatherproof outer shell constructed of 300D, PU coated ANSI certified fluorescent polyester oxford. Waterproof taped seams. Full fleece interliner and insulated collar. 2" Level II ANSI certified silver reflective stripes. Full length storm flap with heavy duty zipper and snaps. Removable hood tucks into the collar with drawstring. Stretch cuff and waistband for added snug comfort and warmth. 1 inside chest pocket / 1 radio pocket / 2 large slash zip pockets and 1-2 division arm pen pocket. Standards: ANSI 107-Class III, EN471-Class III. Sizes S-5XL.

**ANSI Class III**

SP-V-C4000 Orange / SP-V-C4001 Lime

Detachable hooded sweat shirt. 100% ANSI certified fluorescent polyester, fleece. Large hand warmer pockets. Detachable hood with drawstring. Full front zipper closure. 2" level II ANSI certified silver reflective stripes. 360° reflectivity provides full body outline. Sizes S-5XL.

ANSI Class III



SP-V-C2940 Orange / SP-V-C2941 Lime

100% fluorescent polyester fabric. Non-conductive nylon zipper front closure. Cell phone & chest velcro closure pockets. 2 flapped velcro closure pockets. Left chest mic tag. 2" Level II ANSI certified silver reflective stripes. 360° reflectivity provides full body outline. Sizes M-5XL. ANSI Class II.

**ANSI Class II**

Disposable Wear - Coveralls

A revolutionary microporous film over spun-bonded polypropylene material that breathes well to keep the user cool and dry while protecting against non-hazardous applications that include dirt, light liquid splashes, and particles. Three layers of Polypropylene for Outstanding Abrasion Resistant & Protection.



SAFETY/
RESCUE

SAFETY VESTS &
DISPOSABLE WEAR

SAFETY
VESTS

DISPOSABLE
WEAR

DISPOSABLE
GLOVES



MODEL NO.	INFORMATION
A SP-CV-18120	OPEN WRISTS & ANKLES - SIZES: M-5XL
B SP-CV-18122	OPEN STRETCH WRISTS & ANKLES & HOOD - SIZES: M-5XL
C SP-CV-18125	OPEN STRETCH WRISTS & ANKLES - SIZES: M-5XL
D SP-CV-18127	HOODED, OPEN STRETCH WRISTS & ANKLE STRETCH WITH BOOTS - SIZES: M-5XL



Disposable General Purpose Gloves

SAFETY/
RESCUESAFETY VESTS &
DISPOSABLE WEARSAFETY
VESTSDISPOSABLE
WEARDISPOSABLE
GLOVES**LATEX**
MODEL NO. SP-GL-1290

- Powder Free
- Choice of Smooth or Textured
- Industrial Grade, USDA accepted
- 100 pc/box, 10 boxes/case
- 90 pc/box, 10 boxes/case (for XL)
- Sizes S, M, L, XL

NITRILE
MODEL NO. SP-GL-6390/6190

- Comes Powder Free or Powdered
- Industrial Grade
- USDA accepted
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

VINYL
MODEL NO. SP-GL-2150

- Lightly Powdered, Blue color
- Industrial Grade, For food processing
- USDA accepted
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

LATEX
MODEL NO. SP-GL-1190

- Lightly Powdered
- Industrial Grade, USDA accepted
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

VINYL
MODEL NO. SP-GL-2190

- Lightly Powdered
- Industrial Grade
- USDA accepted
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

VINYL
MODEL NO. SP-GL-2180

- Lightly Powdered
- Industrial Grade
- 6.5 mm thick, Heavy Duty
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

Which Gloves are right for you?

Madaco Offers a variety of disposable gloves in various materials for your needs.

**ABOUT
NITRILE GLOVES**

Nitrile exam gloves are the ideal solution for individuals sensitive to rubber latex and/or donning powder. They contain no allergy causing natural rubber proteins. Nitrile material gloves are known for extraordinary strength and amazing puncture resistance while maintaining tactile sensitivity. Nitrile does not tear as easily as vinyl and feels more natural than both latex and vinyl. These gloves are FDA 510k registered and meet or exceed all current FDA regulations.

**ABOUT
LATEX GLOVES**

Madaco offers a large selection of disposable latex gloves that offer protection against contamination from contact with blood, other bodily fluids, and bacteria. We also offer ultra thin powder free vinyl gloves that are easy to put on or take off without talcum powder. Powder free vinyl gloves are available in multiple sizes and fit either hand. Disposable latex gloves also come in powder free styles, providing superior gripping power, even when wet!

**ABOUT
VINYL GLOVES**

Vinyl is ideal for health care personnel with sensitivity to powdered or latex gloves. Each box contains 100 ambidextrous gloves (i.e. 50 pairs) which provide superior comfort, strength and stretch for unmatched quality and sensitivity. Powder-Free and Non-Sterile Vinyl Gloves. FDA 510k registered, meets or exceeds all current FDA regulations.

Disposable Examination Gloves

HIGH QUALITY, **DURABLE** AND **COMFORTABLE** GLOVES
IDEAL FOR ALL WORK SITUATIONS

VINYL
MODEL NO. SP-GL-2100



- Lightly Powdered
- FDA Medical Grade
- 100 pc/box, 10 boxes/case
- Sizes XS, S, M, L, XL

VINYL
MODEL NO. SP-GL-2300



- Powder Free
- Double Dipped
- FDA Medical Grade
- 100 pc/box, 10 boxes/case
- Sizes S, M, L, XL

LATEX
MODEL NO. SP-GL-1240



- Powder Free, Safety Glove Style
- 12" Length, 15 mm thick
- FDA Medical Grade
- 50 pc/box, 10 boxes/case
- Sizes S, M, L, XL

LATEX
MODEL NO. SP-GL-1260



- Powder Free, Textured Surface
- Chlorinated
- FDA Medical Grade
- 100 pc/box, 10 boxes/case
- Sizes XS, S, M, L, XL

LATEX
MODEL NO. SP-GL-1200



- Powder Free, Smooth Surface
- Chlorinated
- FDA Medical Grade
- 100 pc/box, 10 boxes/cs
- Sizes XS, S, M, L, XL

LATEX
MODEL NO. SP-GL-1100



- Lightly Powdered
- FDA Medical Grade
- 100 pc/box, 10 boxes/case
- Sizes XS, S, M, L, XL

NITRILE
MODEL NO. SP-GL-6300/6370



- Powder Free, Blue Color
- 100% Latex Free
- Excellent Chemical & Puncture Resistance
- FDA Medical Grade
- Also available in 8 mil, 12" length
- 50 pc/box, 10 boxes/case
- Sizes XS, S, M, L, XL

SAFETY/
 RESCUE

SAFETY VESTS &
 DISPOSABLE WEAR

SAFETY
 VESTS

DISPOSABLE
 WEAR

DISPOSABLE
 GLOVES



Face Masks & Respirators

SAFETY/
RESCUE

RESPIRATORS

**MODEL NO. SP-R-6100**

Half facepiece respirator, reusable and washable. Low-profile design allows safety glasses to be worn. No retainer or extra parts needed to attach the filters/cartridges. Sizes: S, M, L. Sold per piece.

**MODEL NO. SP-R-8661**

Half facepiece respirator, reusable and washable. Low-profile design allows safety glasses to be worn. No retainer or extra parts needed to attach the filters/cartridges. Sizes: S, M, L. Sold per piece.

**MODEL NO. SP-R-2600N95**

N95 particulate respirator with handstrap®. Allows mask to hang loosely around the user's neck. Dura-Mesh® and nose cushion. Ideal for welding, soldering, brazing, grinding, sweeping, sanding, metal machining, cement, and polishing. Meets ANSI/ISEA 110-2003 section 7.11.1. Sizes: M/L. 20 pcs/ box.

**MODEL NO. SP-R-D-2200**

N95 particulate respirator. Sturdy Dura-Mesh® shell. Long lasting and comfortable to wear. Ideal for dust and non-oil mist applications. Meets ANSI/ISEA 110-2003 section 7.11.1. Size: M/L. 20 pcs/ box.

**MODEL NO. SP-R-6191**

Full facepiece respirator. Assembly with particulate filter 2091, P100. Assembly comes with easy-to-replace, twist-on filters. Filter is fiberglass free and flame resistant. Sizes S, M, L. Sold per piece.

EASY ACCESS
POCKET SYSTEM



FRONT SIDES OF PACKAGES ARE LABELED WITH CONTENTS AND INSTRUCTIONS. BACK SIDES OF POCKETS ARE TRANSPARENT FOR CONVENIENT PACKAGE CONTENT VIEWING.

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



KITS SPECIFICATIONS



10 PERSON FIRST AID KIT
25 PERSON FIRST AID KIT
50 PERSON FIRST AID KIT
42 PIECE FIRST AID KIT
101 PIECE FIRST AID KIT
202 PIECE FIRST AID KIT
AUTOMOBILE FIRST AID KIT

EMERGENCY PREPAREDNESS KIT

Carrying Case	10 PERSON FIRST AID KIT	25 PERSON FIRST AID KIT	50 PERSON FIRST AID KIT	42 PIECE FIRST AID KIT	101 PIECE FIRST AID KIT	202 PIECE FIRST AID KIT	AUTOMOBILE FIRST AID KIT
Hard Plastic Case	1	1	1	1	-	-	1
Soft Cover Bag Case	-	-	-	-	1	1	-
Small Cuts & Burns							
Adhesive Plastic Bandages 1" x 3"	16	50	100	1	1	10	
Adhesive Plastic Bandages 3.4" x 3"				8	25	30	50
Jr. Adhesive Plastic Bandage 3/8" x 1-1/2"				15	25	55	40
Knuckle Fabric Bandage		1	2			2	2
Adhesive Spot Bandages 7/8"x7/8"		25	25	12	1	35	5
Fingertip Fabric Bandages		1	2			2	1
Elbow/Knee Adhesive Bandage		1	2	1	1	1	
Burn Cream	6	6	6		1	1	3
Antiseptic Towelettes	5	10	15		1	5	12
Triple Antibiotic Ointment 0.5g	6	6	6			2	
Cotton Tipped Applicators	10	20	40		20	20	10
Medium Cuts & Scratches							
Antiseptic Towelettes	10	10	15	2	2	5	
Sterile Gauze Pads 2" x 2"					1	4	6
Sterile Gauze Pads 3" x 3"	4	4	4		1		2
Sterile Gauze Pads 4" x 4"		2	4				
Roller Gauze Bandages 2" x 4.1yds.	1	2	2				1
Roller Gauze Bandage 3" x 4.1yds.	1	1	1				
Sterile Eye Pad	1	1	2		1		
Sterile Eye Wash 10ml Twist Top	1	1	2		1		
Butterfly Wound Closure, Medium		1	1		1	3	
Severe Bleeding & Burns							
Pressure Bandage 2"x2"						1	
Pressure Bandage 3"x3"						1	
First Aid Tape Roll 1/2" x 5yds.	1	1	2		1	1	1
Combine Pad 5" x 9"	1	1	2				1
Blood Stopper Dressing						1	
CPR							
CPR Breathing Barrier	1	1	1		1	1	1
Protection							
Medical Grade Vinyl Gloves	4	4	4		2	2	2
Instant Cold Compress		1	1	2			1
Alcohol Cleansing Pads		20	30		1	3	
Hand Sanitizer 0.9g		1	1				
Insect Sting Relief Pad	1	1	2			1	2
Triangular Bandage 42"x42"x59"	1	1	2		1	1	
Ibuprofen 200mg	2	2	2				4
Non Aspirin 325mg	2	2	2				4
Chewable Aspirin Tablets					2	2	
Aspirin 325mg	2	2	4				2
Emergency Blanket 38" x 60"						1	1
Instruments							
Emergency First Aid Guide	1	1	1		1	1	1
Plastic Tweezers	1	1	1		1	1	
Scissors	1	1	1				
Assorted Safety Pins					6	8	2

Carrying Case	1 Hard Case
	1 Easy Access Pocket System
Emergency Preparedness (1)	1 Emergency Poncho 50" x 80"
	1 Emergency Blanket 38" x 60"
Emergency Preparedness (2)	1 Procedural Mask, 3 ply
	1 Whistle
	1 Light Stick
	1 Radio w/ Headphones & Flashlight
	2 Batteries
Small Cuts & Burns	4 Adhesive Plastic Bandages 3/4" x 3"
	100 Jr. Adhesive Bandages 3/8" x 1-1/2"
	2 Adhesive Plastic Bandages 1" x 3"
	1 Knuckle Fabric Bandage
	4 Adhesive Spot Bandages 7/8"x7/8"
	1 Fingertip Fabric Bandage
	1 Elbow/Knee Adhesive Bandage
	2 Antiseptic Towelettes
	10 Cotton Tipped Applicators
Medium Cuts, Burns & Severe Bleeding	1 First Aid Tape Roll 1/2"x2.5yds.
	1 Combine Pad 5"x9"
	1 Roller Gauze Bandage 3"x4.1yds.
	1 Antiseptic Towelette
	1 Triple Antibiotic Ointment 0.9 gr
	1 Sterile Gauze Pad 2"x2"
	1 Sterile Eye Pad
	1 Sterile Eye Wash 10ml
	1 Burn Cream
Protection & CPR	2 Medical Grade Vinyl Gloves
	1 Instant Cold compress
	2 Alcohol Cleansing Pads
	1 Insect Sting Relief Pad
	2 Chewable Aspirin Tablets
	1 Triangular Bandage 42"x42"x59"
	1 CPR Breathing Barrier
	1 Hand Sanitizer 0.9 gr
Instruments	1 Emergency First Aid Guide
	1 Emergency Preparedness Refill Guide
	1 Plastic Tweezers
	1 Thermometer Strip
	1 Scissors
	6 Assorted Safety Pins
	1 Wooden Finger Splint

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE

Emergency Preparedness Kits

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



Deluxe Emergency Backpack Kits

Model No.

SP-EMK-DE1 (1 Person), SP-EMK-DE2 (2 Person)
SP-EMK-DE3 (3 Person), SP-EMK-DE4 (4 Person)

Kit Weight:

1 Person Kit Weight: 8 lbs
2 Person Kit Weight: 11 lbs
3 Person Kit Weight: 18 lbs
4 Person Kit Weight: 20 lbs

**1 Person Kit
(SP-EMK-DE1)**

- 1 - Backpack
- 1 - 2400 Calorie Food Bar
- 1 - Solar Blanket
- 6 - Pouches of Water
- 1 - Dust Mask
- 1 - Poncho

**2 Person Kit
(SP-EMK-DE2)**

- 1 - Backpack
- 2 - 2400 Calorie Food Bar
- 2 - Solar Blankets
- 12 - Pouches of Water
- 2 - Dust Masks
- 2 - Ponchos

**3 Person Kit
(SP-EMK-DE3)**

- 1 - Backpack
- 3 - 2400 Calorie Food Bar
- 3 - Solar Blankets
- 18 - Pouches of Water
- 3 - Dust Masks
- 3 - Ponchos

**4 Person Kit
(SP-EMK-DE4)**

- 1 - Backpack
- 4 - 2400 Calorie Food Bar
- 4 - Solar Blankets
- 24 - Pouches of Water
- 4 - Dust Masks
- 4 - Ponchos



**Each Kit
Also
Includes:**

- 1 - Flashlight
- 2 - Alkaline "D" Batteries
- 1 - 2 Person Tent
- 1 - 50' Nylon Cord
- 1 - 12 Hr. Light Stick
- 1 - 54 Piece First Aid Kit
- 50 - Water Purification Tablets
- 50 - Waterproof Matches
- 1 - Utility Knife
- 1 - 5 N 1 Whistle
- 1 - AM/FM Radio with Batteries
- 1 - Camper's Stove
- 1 - Pair Leather Palm Gloves

Deluxe Emergency Honey Bucket Kits

Model No.

SP-EMHB-DE1 (1 Person), SP-EMHB-DE2 (2 Person)
SP-EMHB-DE3 (3 Person), SP-EMHB-DE4 (4 Person)

Kit Weight:

1 Person Kit Weight: 14 lbs
2 Person Kit Weight: 16 lbs
3 Person Kit Weight: 19 lbs
4 Person Kit Weight: 23 lbs

**1 Person Kit
(SP-EMHB-DE1)**

- 1 - Honey Bucket w/Lid
- 1 - 2400 Calorie Food Bar
- 1 - Solar Blanket
- 6 - Pouches of Water
- 1 - Dust Mask
- 1 - Poncho

**2 Person Kit
(SP-EMHB-DE2)**

- 1 - Honey Bucket w/Lid
- 2 - 2400 Calorie Food Bar
- 2 - Solar Blankets
- 12 - Pouches of Water
- 2 - Dust Masks
- 2 - Ponchos

**3 Person Kit
(SP-EMHB-DE3)**

- 1 - Honey Bucket w/Lid
- 3 - 2400 Calorie Food Bar
- 3 - Solar Blankets
- 18 - Pouches of Water
- 3 - Dust Masks
- 3 - Ponchos

**4 Person Kit
(SP-EMK-DE4)**

- 1 - Honey Bucket w/Lid
- 4 - 2400 Calorie Food Bar
- 4 - Solar Blankets
- 24 - Pouches of Water
- 4 - Dust Masks
- 4 - Ponchos



**Each Kit
Also
Includes:**

- 1 - 12 Pack of Liners
- 6 - Wet Naps
- 1 - 12 Hour Light Stick
- 1 - T-5 Chemical Toilet Disinfectant
- 1 - Roll 10 yards Duct Tape
- 1 - Gas & Water Shut Off Tool
- 1 - 15" Pry Bar
- 1 - 54 Piece First Aid Kit
- 1 - Dynamo flashlight/
Radio w/Cell Phone Charger
- 1 - Pair Leather Palm Gloves
- 1 - Utility Knife
- 1 - 5 N 1 Whistle
- 50 - Water Purification Tablets

Emergency Preparedness Kits

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE

Economy Emergency Backpack Kits

Model No's.

SP-EMK-EC1 (1 Person), SP-EMK-EC2 (2 Person)
SP-EMK-EC3 (3 Person), SP-EMK-EC4 (4 Person)

This handy backpack contains all the survival necessities for 1 to 4 people.

1 Person Kit (SP-EMK-EC1)

- 1 - Backpack
- 1 - Food Bar
- 1 - Solar Blanket
- 6 - Pouches of Water
- 1 - 54 Piece First Aid Kit
- 1 - Dynamo flashlight/Radio with Cell Phone Charger

2 Person Kit (SP-EMK-EC2)

- 1 - Backpack
- 2 - Food Bar
- 2 - Solar Blanket
- 12 - Pouches of Water
- 1 - 54 Piece First Aid Kit
- 1 - Dynamo flashlight/Radio with Cell Phone Charger

Kit Weight:

- 1 Person Kit Weight: 8 lbs
- 2 Person Kit Weight: 11 lbs
- 3 Person Kit Weight: 18 lbs
- 4 Person Kit Weight: 20 lbs



3 Person Kit (SP-EMK-EC3)

- 1 - Backpack
- 3 - Food Bar
- 3 - Solar Blanket
- 18 - Pouches of Water
- 1 - 54 Piece First Aid Kit
- 1 - Dynamo flashlight/Radio with Cell Phone Charger

4 Person Kit (SP-EMK-EC4)

- 1 - Backpack
- 4 - Food Bar
- 4 - Solar Blanket
- 24 - Pouches of Water
- 1 - 54 Piece First Aid Kit
- 1 - Dynamo flashlight/Radio with Cell Phone Charger

Deluxe Office Emergency Kit (5 Person)

Model No.


SP-EMK-05



- 5 - 2400 Cal Food Ration
- 5 - 25 oz. Water Packs
- 5 - Solar Blankets
- 1 - 8 x 10 Blue Tarp
- 1 - Leather Work Gloves (pair)
- 50 - Germicidal Tablets
- 12 - Toilet Liners
- 5 - Wet Naps
- 50 - Waterproof Matches

- 1 - AM/FM Solar Radio
- 4 - 12 Hour Light Sticks
- 1 - 123 Piece First Aid Kit
- 1 - 5 pack of Candles
- 2 - Latex Gloves (pair)
- 1 - Toilet Chemicals
- 5 - Dust Masks
- 1 - Port-a-Pottie

Weight: 26 lbs



Emergency Preparedness Kits

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



Roll and Go Survival Kit (27 piece)

Model No. SP-EMK-WH1(1 Person)
SP-EMK-WH2 (2 Person)

This backpack on wheels makes it easy to take your survival gear anywhere. Available for one or two people.



1 Person Kit (SP-EMK-WH1)

- | | | |
|-----------------------------|--------------------------------------|--------------------------|
| 1 - Spoon/Fork Combo | 1 - Bloodstopper Trauma Dressing | 2 - 12 hour Light sticks |
| 1 - Wag Bag Sanitation Kit | 1 - Box of 50 Waterproof Matches | 2 - Maxi-pads |
| 1 - Backpack | 1 - Slow Burn Emergency Candles | 1 - Blue Tarp |
| 1 - Adult Poncho | 1 - Clear Solution Hygiene Kit | 2 - Pocket Tissue |
| 1 - Vegetable Lasagna | 1 - Mayday large Solar Blanket | 2 - Wet Naps (3 pack) |
| 6 - Pouches of Water | 1 - Pair of Work Gloves | 1 - Yellow Rope |
| 2 - Anti-Bacterial Bar Soap | 1 - 3600 Calorie Mayday Food Bar | |
| 1 - Personal Water Filter | 1 - Dynamo FM Radio w/LED Flashlight | |

Weight: 19 lbs

2 Person Kit (SP-EMK-WH2)

- | | | |
|-----------------------------|--------------------------------------|-------------------|
| 1 - pair of Work Gloves | 1 - Clear Solution Hygiene Kit | 1 - Backpack |
| 2 - 12 hour Light sticks | 2 - Mayday large Solar Blanket | 1 - Blue Tarp |
| 2 - Wet Naps (3 pack) | 1 - Bloodstopper Trauma Dressing | 1 - Yellow Rope |
| 1 - Spoon/Fork Combo | 1 - Slow Burn Emergency Candles | 2 - Maxi-pads |
| 1 - Personal Water Filter | 1 - box of 50 Waterproof Matches | 2 - Pocket Tissue |
| 1 - Wag Bag Sanitation Kit | 2 - 3600 Calorie Mayday Food Bars | 2 - Adult Poncho |
| 2 - Anti-Bacterial Bar Soap | 12 - Pouches of Water | |
| 2 - Vegetable Lasagnas | 1 - Dynamo FM Radio w/LED Flashlight | |

Weight: 22 lbs

The Basic 3-Day Kit w/flashlight & first aid

Model No.
SP-EMK-B3



This compact survival kit contains all the basic survival supplies to get you through those first 72 hours. Great for office or school.

- 6 - 25oz. Pouches of Water
- 1 - 2400 Calorie Food Bar
- 1 - Solar Blanket
- 3 - Wet Naps
- 1 - Emergency Instructions
- 1 - 12 Hour Light Stick

Weight: 3 lbs

Comes in a cardboard box (KKBX) or zip-lock bag (KKG).

Rescue Kits: Confined Space Kit #1

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



PLEASE SEE PAGE 57 FOR ITEM SPECIFICATIONS.

Confined Space Kit # 2



PLEASE SEE PAGE 57 FOR ITEM SPECIFICATIONS.

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



Confined Space Kit #3 & Personal Rescue Kit

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



PLEASE SEE PAGE 57 FOR ITEM SPECIFICATIONS.

RESCUE KIT SPECIFICATIONS

- A** THE PHOENIX, FULL BODY RESCUE HARNESS. MODEL NO. TCH-609FR
- B** HELMET
- C** PRUSIK CORD SET (8 MM)
- D** ROPE PAD, (MEASURES 30" X 34" & LENGTH OF 60" X 34")
- E** FIGURE 8 WITH EARS
- F** HEADLAMP
- G** TOOL BAG
- H** ROPE TECH GLOVES. COWHIDE FINGER WEAR POINTS AND PALM
- I** MESH BAG
- J1** TRIPLE LOCKING CARABINER
- J2** AUTO LOCKING CARABINER
- K** TUBULAR WEBBING, MULTI-LOOP CHAIN
- L** DELTA LINKS
- M** SINGLE PULLEY
- N** ROPE BAG
- O** GEAR BAG
- P** PICK OFF STRAP
- Q** ROPE PROTECTOR
- R** TRIPOD
- S** WEBBING STRAP
- T** DESCENDER
- U** WEBBING
- V** HAUL SAFE
- W** TRIPOD BAG
- X** TUFF-POLE™ HOT STICK
- Y** BIG FOOT™ RIGGING PLATE

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



CONFINED SPACE KIT #1

ON PAGE 54

QUANTITY

- A** 1x **I** 2x **O** 1x
- B** 2x **J1** 4x **P** 2x
- C** 2x **J2** 10x **T** 1x
- F** 2x **L** 2x
- G** 2x **M** 4x
- H** 2x **N** 2x

CONFINED SPACE KIT #2

ON PAGE 55

QUANTITY

- C** 4x **N** 2x **T** 1x
- D** 1x **O** 1x **U** 6x
- G** 1x **P** 2x **V** 1x
- J2** 10x **Q** 2x **W** 1x
- L** 4x **R** 1x **X** 1x
- M** 3x **S** 1x **Y** 1x

CONFINED SPACE KIT #3

ON PAGE 56

QUANTITY

- A** 1x **G** 1x
- B** 1x **H** 1x
- C** 1x **I** 1x
- F** 1x **J1** 2x
- J2** 2x

PERSONAL RESCUE KIT

ON PAGE 56

QUANTITY

- A** 1x **H** 1x
- B** 1x **I** 1x
- C** 1x **J1** 3x
- E** 1x **J2** 2x
- F** 1x **K** 1x
- G** 1x **N** 1x

Hot-Sticks

TUF-POLE™

**3x Strength of Copper
Oxidized for Anti-Rust**

Tuf-Pole™ Double Locking System Specs

Item	Extended (FT)	Retracted (FT)	Sections	Weight (LB.)	Pack Size
TP-2012	12	6' 8"	2	3.2	4
TP-3012	12	4' 10"	3	4.0	4
TP-3015	15	5' 10"	3	4.8	4
TP-3018	18	6' 10"	3	5.6	4


- A** H-48 Universal Disconnect Hook 20/cs
- B** H-21 Handline Hook 20/cs

Anchors



The anchor hooks are used to establish a temporary and relocatable anchor point when climbing structures and ladders. They may also be used to anchor to roof trusses, pipes and other hard to reach elevated work areas. Pole is used to lift the hook to the designated anchor location. The worker may then climb while attached to the lifeline or a retracting lanyard connected to the hook. You may then relocate the hook as required.

Hot sticks feature a double locking system, ergonomically designed with foam grip for operator's convenience. Every TUF-POLE™ hotstick is a workhouse with 3 sections of telescopic fiberglass tubular locking into extended positions with a patented specialty locking mechanism. Comes with water and dirt resistant carrying bag with adjustable shoulder strap for easy carry or storage.



3 Sections

2 Sections

SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE

Caution & Danger Tape Rolls

Clearly mark dangerous areas with our vibrantly colored Caution and Danger marking tapes. Made of high-quality, economically priced PVC, these tapes stand up well to outdoor use without fading or cracking.



SAFETY/
RESCUE

WORK & RESCUE

FIRST AID
KITS

EMERGENCY
PREPAREDNESS KITS

RESCUE KITS

HOT STICKS

CAUTION
TAPE



Yellow "Caution" Barricade Tape

Lengths	Model No.
3" x 300'	SP-BCT-3300YLW
3" x 1000'	SP-BCT-1000YLW

- Meets OSHA standards.
- Plastic remains pliant in cold weather.
- Bright yellow color alerts to danger or off-limits.
- Bold black ink caution stands out from yellow background making message highly visible.
- Designed for general purpose roping off of construction areas, crime scenes and road work.



Red "Danger" Barricade Tape

Lengths	Model No.
3" x 300'	SP-BCT-3300RED
3" x 1000'	SP-BCT-1000RED

- Meets OSHA standards.
- Plastic remains pliant in cold weather.
- Bright red color alerts to danger or off-limits.
- Bold black ink caution stands out from red background making message highly visible.
- Designed for general purpose roping off of construction areas, crime scenes and road work.

3.1 HARNESSSES

FULL BODY HARNESSSES
HALF BODY HARNESSSES



3.2 LANYARDS

RETENTION LANYARDS



3.3 ACCESSORIES

BAGS
RAPPELLING GEAR
INSTRUCTOR BELTS
MARINE PRODUCTS/ SHACKLES & CHAINS



- Fall Arrest
- Positioning
- Suspension



Phoenix TCH-609

The Phoenix harness is specially designed for the guy in the rigging/ rescue/ rope access industry that demands heavy duty usage and supreme comfort for long hours of wear. Ergonomically designed, light weight, rigger full body harness, vest style prevent fatigue to neck during suspension. 8 point adjustment with quick side release Presto buckles. Attachment points at waist, hips, chest, back (lumbar) and back (dorsal) for fall arrest and work positioning using light weight durable aluminum D-rings. Multiple Gear loops around the waist pad. Featuring high waist EVA 3D couture pad adds comfort and ventilation with full back support and EVA foam lined leg pads. Available as a seat only harness or combined with the chest harness. 2 sizes: S ~ M, L ~ 2XL. Meets or exceeds all applicable industry standards including current OSHA and ANSI fall protection standards and NFPA 1983-2006 Class III standard. All buckle styles & padding can be changed upon request, additional fees may apply.



NOTE:
RINGS NOT RATED



Presto™ Quick Release Buckles



Multiple D-Rings & Quick Link



3D EVA Foam Waist Pad



EVA Foam Leg Pads



Convenient D-Ring and webbing back plate. Steel adjuster buckle.



Side & back gear loops



TACTICAL
HARNESSES
FULL BODY HARNESSES
HALF BODY HARNESSES



Tactical Half Body Harnesses

TACTICAL

HARNESSES

FULL BODY HARNESSES

HALF BODY HARNESSES




HALF BODY HARNESSES

MODEL NO. :
TR-300-2106

Light weight harness with reinforced belay loop. Seat strap. 3 point adjustment. Presto™ side release buckles used in waist and legs. Adjustment on the outer body allows for trainer to do adjustment of the wearer. Durable webbing made for outdoor or indoor climbing and rappelling.

Webbing Available in:
Black, Terra, Coyote Brown
& Foliage Green



HALF BODY HARNESSES

MODEL NO. :
TB-108

Light weight harness with hideaway storage bag. 3 point adjustment. Presto™ side release buckles used in waist and legs. Adjustment on the outer body allows for trainer to do adjustment of the wearer. Durable webbing made for special ops. Front attachment point for rappel and extraction application.

Webbing Available in:
Black, Terra, Coyote Brown
& Foliage Green




Tactical Half Body Harnesses

TACTICAL

HARNESSES

FULL BODY HARNESSES

HALF BODY HARNESSES




HALF BODY HARNESSES

MODEL NO. :
HC-500

Comfortable climbing harness with EVA padded waist and legs for back support and long hours of wear. Fully adjustable waist and legs. Gear loops included.

Webbing Available in Flame or Black




HALF BODY HARNESSES

MODEL NO. :
TR-300-2106M

Jumper's harness. Comfortable EVA padded waist and legs for back support and long hours of wear. Fully adjustable waist and legs using Presto™ quick side release buckle. Connecting loops on the side for attachment.

Webbing Available in Flame, Black, & Orange/ Gray.





Personal Retention Lanyards



**CHOOSE YOUR
SNAP HOOK &
WEBBING COLOR**

For use as a personal retention lanyard in a helicopter or extraction lanyards. Different application uses are listed below. Equipped with MIL spec 5625 tubular webbing, aluminum 33kN snap hook and black non reflective oxide plated quick release shackle. Shackle using safety TIG welding split ring. Retracts 22 inches and fully extends to 32 inches.

Model No.

- A** L-613-1.8-8001D
- B** L-613-1.8-8001S
- C** L-613-1.8-8001
- D** L-613-1.8-8001H

Material Information:

- 1 Aluminum snap hook and 1 loop end.
- 1 Black shackle and 1 loop end.
- 1 Aluminum snap hook and 1 black shackle.
- 2 Aluminum snap hooks.

**Webbing Available in:
Black, Coyote Brown,
Foliage Green, & Terra.**



Tactical Bags

**MODEL NO. AG-1207**

Durable duffel bag made from durable vinyl material for durability. Ideal under all kinds of situation, whether it's in-flight or transported up a mountain via yak. Universal size. Available in black, white, & orange color.

**MODEL NO. AG-1208**

Durable fast rope bag made from polyurethane material. Ideal for military storage of fast rope. Available in M and L size.

M: fits 30' ~ 60' fast rope. Dia 15", circumference 50'. Height 22", skirt 17". Volume 6,000 cubic inches.

L: fits 60' ~ 90' fast rope. Dia 18.5", circumference 58". Height 32", skirt 20". Volume 11,000 cubic inches.

**MODEL NO. AG-1209**

Rope bag, durable material, ideal for storage ropes.

**MODEL NO. AG-1210**

Gear bag, durable material, ideal for storage all your climbing/ rappelling gear. Available in red and black color.



Rappelling Gear



A B C D E F G H I J K L M N O P



Static kernmantel ropes made from polyamide nylon yarn with UV stabilisation treatment in the full cross section of the yarn. The yarn is thermostabilised at different stages of production and treated for better handling and performance when wet. These ropes have good resistance to repeated falls and are wear resistant.

Diameter	Letter
7.5 mm	M
8.1 mm	H
8.6 mm	D
9.0 mm	L N O P
9.4 mm	C F
9.9 mm	E G
10.0 mm	K
10.2 mm	A I
10.6 mm	B J
11.0 mm	L M
12.5 mm	K
16.0 mm	K



Compact, lightweight three point suspension helmet that is made specifically for professional use. Fully adjustable and sits comfortably and securely on the head. Ventilated shell helps you to keep cool and strap retainers accommodate headlamp or goggle straps. One size ABS shell fits most.



Multi-impact design built with safety in mind for rapid water rescue. The 4 layer shell design is the first of its kind. Adjusts to fit every team member with adjustable O-Brace tabs. This lightweight and low profile helmet is a value, but most importantly the safest swiftwater helmet out there.



Rope Tech gloves are extremely versatile and lightweight, making rope work a breeze. Hand protection and finger dexterity at it's best. Ultra light design not suitable hand protection for fast rope or other body rappel techniques. Now available in all black in Sizes: XXS, XS, S, L, XL, XXL



TACTICAL

ACCESSORIES

BAGS

RAPPELLING GEAR

INSTRUCTOR BELTS

MARINE PRODUCTS/ SHACKLES/ CHAINS

Instructor Belts

TACTICAL

ACCESSORIES

BAGS

RAPPPELLING GEAR

INSTRUCTOR BELTS

MARINE PRODUCTS/ SHACKLES/ CHAINS



Model No.

- A** RB-203-9005
- B** RB-203-9320
- C** RB-201
- D** RB-202

Material Information:


Instructor's belt with modified-D steel carabiner. 1 3/4" Webbing rated 7,000 lbs, available in MIL spec webbing with additional charge.

Instructor's belt with aluminum carabiner. 1 3/4" Webbing rated 7,000 lbs, available in MIL spec webbing with additional charge.

Instructor's belt with steel V-ring. 1 3/4" Webbing rated 7,000 lbs, available in MIL spec webbing with additional charge.

Instructor's belt with steel D-ring. 1 3/4" Webbing rated 7,000 lbs, available in MIL spec webbing with additional charge.

**Webbing Available in:
Black, Terra, Coyote Brown
& Foliage Green**




Marine Products/ Shackles & Chains

HIGH QUALITY, **DURABLE** AND **LASTING** MATERIALS
IDEAL FOR ALL WORK SITUATIONS

MODEL NO.**MATERIAL INFORMATION**

- | | |
|------------------|---|
| A M8-5001 | STEEL WIRE LOOP WITH SMALL ALUMINUM CARABINER |
| B M8-5002 | STEEL 3 HEAD SNAP HOOK WITH STEEL CHAIN AND 3 SCREW GATE STEEL CARABINERS |
| C M8-5003 | STEEL CHAIN WITH STEEL RINGS |

**A****B****C**

TACTICAL

ACCESSORIES

BAGS

RAPPELLING
GEARINSTRUCTOR
BELTSMARINE PRODUCTS/
SHACKLES/ CHAINS

Marine Products/ Shackles & Chains

TACTICAL

ACCESSORIES

BAGS

RAPPELLING GEAR

INSTRUCTOR BELTS

MARINE PRODUCTS/ SHACKLES/ CHAINS



HIGH QUALITY, **DURABLE** AND **LASTING** MATERIALS
IDEAL FOR ALL WORK SITUATIONS

MODEL NO. M8-3611S



SCREW PIN CHAIN SHACKLE
 S.S. T316, WITH OVERSIZE PIN
 CAST FED. SPEC.: RR-C-271D,
 TYPE IV B, CLASS 2

MODEL NO. M8-3611B



BOLT PIN CHAIN SHACKLE
 S.S. T316, WITH OVERSIZE
 BLOT PIN AND NUT
 CAST FED. SPEC.: RR-C-271D,
 TYPE IV B, CLASS 3

MODEL NO. M8-2711S



SCREW PIN ANCHOR SHACKLE
 S.S. T316, PRECISION CAST LOAD
 RATED, DIMENSIONS MEET FED.
 SPEC.: RR-C-271D, TYPE IV A, CLASS 2

MODEL NO. M8-2711R



ROUND PIN ANCHOR SHACKLE
 S.S. T316, PRECISION CAST LOAD
 RATED DIMENSIONS MEET FED.
 SPEC.: RR-C-271D, TYPE IV A, CLASS 1

MODEL NO. M8-660S



S.S. CHAIN (PROOF COIL)
 S.S. T316 AND T304

MODEL NO. M8-330S



CLEVIS GRAB HOOK
 S.S. T316, PRECISION CAST
 LOAD RATED

Constructor Plus+

MODEL NO.: TB-215K+

15% lighter than
our competitors
harnesses

high end harness
universal sizing



PRESTO™ QUICK
RELEASE BUCKLES



PASS THROUGH BUCKLE



STEEL D-RINGS



DURABLE WEBBING



WEBBING ADJUSTERS



STRETCHABLE WEBBING



FEATURES:

- 3 STEEL D-RINGS RATED AT 5,000 LBS, MEETS & EXCEEDS ANSI Z359.1-2007 & OSHA REQUIREMENTS.
- ERGONOMIC 3D EVA FOAM HIGH WAIST BELT FOR EXTENSIVE SUPPORT & VENTILATION DURING LONG WEAR
- FULLY ADJUSTABLE 5 POINT HARNESS
- ADJUSTABLE UPPER BODY WITH WAIST LEVEL D-RING ACCESS
- **MINIMIZE SNAG HAZARDS.** UPPER HARNESS IS **STRETCHABLE** & ALLOWS FOR MAXIMUM COMFORT DURING USE.
- PATENTED PRESTO™ QUICK RELEASE BUCKLES ON CHEST & LEG STRAPS
- UNIVERSAL SIZING



MADACO SAFETY PRODUCTS, INC

www.madaco.com
PH.909.614.1756
FAX.909.628.5363
info@madaco.com

ROOFER'S SPECIAL



ITEM # RK-50-WK

INCLUDES:

3 POINT HARNESS

50 FT. ROPE W/ ROPE GRAB AND CARABINER

SINGLE USE ROOF ANCHOR WITH 8 NAILS

**OPTIONAL CHOICE OF REUSABLE ROOF ANCHOR (additional charges apply)

PACKAGE 1



ITEM # RK-50

INCLUDES:

3 POINT HARNESS

50 FT. ROPE W/ ROPE GRAB AND CARABINER

2 GALLON BUCKET

SINGLE USE ROOF ANCHOR WITH 8 NAILS

**OPTIONAL CHOICE OF REUSABLE ROOF ANCHOR (additional charges apply)

PACKAGE 2

CREDIT APPLICATION

GENERAL INFORMATION

COMPANY NAME:							
BILLING ADDRESS:							
CITY:		STATE:		ZIP CODE:			
SHIPPING ADDRESS:							
CITY:		STATE:		ZIP CODE:			
PHONE:		FAX:		EMAIL:			
<input type="checkbox"/>	CORPORATION	<input type="checkbox"/>	PARTNERSHIP	<input type="checkbox"/>	DIVISION/SUBSIDIARY		
<input type="checkbox"/>	PROPRIETORSHIP	<input type="checkbox"/>	PARENT COMPANY				
FEDERAL TAX ID#		RESELLER'S PERMIT#					
HOW MANY YEARS IN BUSINESS?			YEARS				
ANNUAL SALES \$ FISCAL YEAR ENDS:							
PRESIDENT/OWNER:				CFO:			
ACCT. REP:		ACCT. MANAGER:					
A/P PHONE:		A/P FAX:		A/P EMAIL:			

BANK INFORMATION

BANK NAME:							
BANK ADDRESS:							
CITY:		STATE:		ZIP CODE:			
PHONE:		FAX:		EMAIL:			
TYPE OF ACCOUNT:			ACCOUNT NUMBER:				
<input type="checkbox"/>	CHECKING	<input type="checkbox"/>	SAVING	<input type="checkbox"/>	OTHER		
BANK REPRESENTATIVE:							
TITLE:		NAME OF REP:					
PHONE:		FAX:		EMAIL:			

BUSINESS/TRADE REFERENCES

Reference #1

COMPANY NAME:							
ADDRESS:							
CITY:		STATE:		ZIP CODE:			
PHONE:		FAX:		EMAIL:			
CONTACT NAME:			ACCOUNT SINCE:				

Reference #2

COMPANY NAME:							
ADDRESS:							
CITY:		STATE:		ZIP CODE:			
PHONE:		FAX:		EMAIL:			
CONTACT NAME:			ACCOUNT SINCE:				

Reference #3

COMPANY NAME:							
ADDRESS:							
CITY:		STATE:		ZIP CODE:			
PHONE:		FAX:		EMAIL:			
CONTACT NAME:			ACCOUNT SINCE:				

AGREEMENT

1. All invoices are to be paid 30 days from the date of the invoice unless otherwise stated in your contract.
2. Claims arising from invoices must be made within seven working days.
4. There will be a 2% charge to past due invoices per day.
5. I/we certify that the information on this application is true and correct.

The Undersigned authorizes and releases all banks, persons and companies listed on this application to furnish information and authorize the credit check. The undersigned agrees to pay all collection cost, court cost, and legal fees incurred to collect delinquent balances. Any and all legal filings are agreed to take place in the jurisdiction of the supplier superseding in laws in current affect.

AUTHORIZED SIGNATURE

TITLE

DATE

**** IF YOUR BUSINESS IS A RESELLER TO STATE OF CALIFORNIA, ATTACH YOUR CA STATE RESELLER'S PERMIT W/APPLICATION ****

TERMS & CONDITIONS

Returns, Changes, & Cancellations:

Items must be returned within 30 days of receipt. Please contact us for a Return Merchandise Authorization (RMA) number and shipping instructions prior to return. Special order items or custom made products are non-returnable except for defective quality or workmanship. Shipping charges should be prepaid unless otherwise arranged in advance. ALL returns and exchanges MUST be in brand new condition and in its original packaging to be accepted. All merchandise must be carefully packed and will be subject to charge if not in resalable condition. To obtain the RMA number, contact our Sales Representatives at (909) 514-1756. Buyer is responsible for shipping and insurance to our warehouse. We are not responsible for any damages or loss of item(s) during shipping back to us. Refunds will be given in original form of payments only. (This does not include the cost of shipping insurance). Allow 7-14 business days for exchanges and credits. A 20% restocking fee will be charged for all cancelled or returned items.

Returned Merchandise Authorization (RMA) Instructions:

- Include a copy of your RMA Number inside and outside of the package.
- Returned products will not be processed without a copy of your RMA number, or package may be refused.
- Return Address: Madaco Safety Products Inc., ATTN: Return/Exchange Dept. RMA# XXX, 1313 N. Grand Ave. #249, Walnut, CA 91789

Madaco Safety Products Inc. reserves the right to modify its return, change, and cancellation policies and fees at any time and without notice to Buyer. Buyer agrees to pay all charges resulting from such returns, changes, cancellations and including, without limitation, storage and shipment costs, costs of producing non-standard materials, costs of purchasing non-returnable materials, and any other cost resulting from cancellations, changes or returns. Buyer will be responsible for all shipping and insurance charges, and will reimburse Madaco Safety Products Inc. for all shipping and insurance costs Madaco Safety Products Inc., incurs. In the event of any default by Buyer, Madaco Safety Products Inc., may decline to make further shipments without in any way affecting its rights. Madaco Safety Products Inc. will not be liable for delay or non-delivery of the products, resulting or arising from any cause beyond the reasonable control of Madaco Safety Products Inc.

Damaged/ Defective Merchandise:

If you are in receipt of damaged or defective merchandise, you must contact us within 3-5 business days. We will reship the replacement merchandise when we are in receipt of your damaged/ defective merchandise. We will waive the reshipment freight to you. If immediate replacement is needed, you must purchase the replacement as a new sale, and we will issue a refund on your damaged or defective items.

Indemnity:

Buyer shall indemnify, defend, and hold harmless Madaco Safety Products Inc., and its employees, agents, successors, officers, and assigns, from any suits, losses, claims, demands, liabilities, costs and expenses (including attorney and accounting fees) that Madaco Safety Products Inc. may sustain or incur arising from (a) Buyer's use of the products, and (b) use of product by a third party.

Warranty and Disclaimers:

We do not offer a warranty on any products, except on products that we manufacture. For products not directly manufactured by Madaco Safety Products Inc., Buyer receives a warranty on such products, if any, directly from the manufacturer of those products.

Copyright: This catalog contains many Madaco Safety Products Inc. and third-party trademarks and service marks. All marks are the property of their respective companies. All rights in the intellectual property contained in this catalog including copyright, trademarks, trade secret and patent rights are reserved. Access to this catalog does not constitute a right to copy or use any of the third parties' intellectual property of Madaco Safety Products Inc. or its suppliers. Statutory notice contained herein represents trademark status in the United States. All materials contained in this catalog are subject to the ownership rights of Madaco Safety Products Inc., and its suppliers. Madaco Safety Products Inc. hereby authorizes you to make a single copy of the content herein for your use in learning about, evaluating, or acquiring Madaco Safety Products Inc.'s services or products. You agree that any copy made must include Madaco Safety Products Inc.'s copyright notice. No other permission is granted to you to print, copy, reproduce, distribute, transmit, upload, download, store, display in public, alter, or modify the content contained herein.

Submissions: All remarks, suggestions, ideas, graphics, or other information communicated to Madaco Safety Products Inc. through this catalog will forever be the property of Madaco Safety Products Inc. Unless otherwise specified in writing, all material submitted to Madaco Safety Products Inc. will be presumed to be public and Madaco Safety Products Inc. will not be required to treat the information as confidential. Madaco Safety Products Inc. shall have exclusive ownership of all present and future existing rights in the information, without compensation to the person sending the information.

Complete Agreement: The terms and conditions of use contained in the Madaco Safety Products catalog Terms and Conditions of Use contained herein, forms, acknowledgments, quotations, invoices, and sales terms and conditions, are incorporated herein by reference and constitutes the entire and exclusive agreement between the BUYER and Madaco Safety Products.



MADACO SAFETY PRODUCTS
1313 N. GRAND AVE #249
WALNUT, CA 91789-1317
1 (877) 9-MADACO
PH.: (909) 614-1756
FAX: (909) 628-5363
WWW.MADACO.COM

MADACO SAFETY PRODUCTS
STOCKED AND DISTRIBUTED BY: