




FASHION FORWARD







TECHNICAL INFORMATION

Width - Pattern	Fiber Content & Backing	Finish	Abrasion (D.R.)	Light- fastness	Approx. Repeats	CI, Code
54" FUSE # 日 ** 日 **	65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester Latex Backing		100,000	40 Hrs. Class 4.5		WS
56" GRAPH	75% Repreve® Post Consumer Recycled Polyester, 25% Polyester Acrylic Backing		170,000	40 Hrs. Class 5	3 1/2" W	W
54" GUILD ₩ ₩ ₩ ★*	71% Post Consumer Recycled Polyester, 29% Polyester Latex Backing		90,000	40 Hrs. Class 4.5	; 	WS
54" HUE # A * * * * *	65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester Latex Backing		1,000,000	60 Hrs. Class 4.5		WS
57" INFINITY # ▲ * * * *	74% Post Consumer Recycled Polyester, 26% Polyester Acrylic Backing	C-Zero [®]	200,000	40 Hrs. Class 4	1/e ^{ss} L _s 5/e ^{ss} W	WS
56" ODYSSEY	67% Post Consumer Recycled Polyester, 33% Polyester Acrylic Backing	C-Zero®	200,000	40 Hrs. Class 4	1/8" L, 1/8" W	WS
54" POINT # A * * * *	85% Post Consumer Recycled Polyester, 15% Recycled Polyester		100,000	40 Hrs. Class 4.5	1/2" L _i 1/2" W	WS
54" TOGGLE # ■ * * * *	100% Post Consumer Recycled Polyester Acrylic Backing		70,000	40 Hrs. Class 5	3 1/2" L, 1 3/4" W	WS

^{*}ACT® Registered Certification Marks

All Patterns in this Collection-

Meet California Bulletin 117, 2013 Primary Application: Upholstery Seating Recommended for Multipurpose & Task Series



Please contact our customer service team for approval on Lounge & Executive seating #1-800-433-6614

GREENGUARD Certified. CA Section 01350 compliant. Eligible for CHPS Low-Emitting Material Credits.

Cleaning Code Definitions-

- W: Water-based foam may be used, vacuum and brushii.
- WS: Clean with water-based cleaning agents, foam or pure, water-free solvents (Energine, Carbona, Renuzit or other similar products), Vacuuming or light brushing is recommended to prevent dust and soil buildup.



800.366.6839 • memosamples.com

