

SERENITY SURFACE CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SERENITY SURFACE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Company: SERENITY HYGIENE LTD
6-12 Royal Cres Rd, Southampton SO14 3FS
Telephone: +44 (0) 330 043 1029
Email: info@serenityhygiene.com

1.4. Emergency telephone number

Emergency contact number: 02380 986238 ask for technical, quoting the product name.
(9am to 5pm Monday to Friday
excluding bank holidays):

Emergency Action: In the event of a medical enquiry involving this product outside of these hours, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) again quoting product name and where applicable present this SDS to the medical professional.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC) No 1272/2008

Physical hazards: Not Classified
Health hazards: Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Environmental hazards: Aquatic Chronic 3 - H412
Classification (67/548/EEC
or 1999/45/EC) Xi;R36/38.

2.2. Label elements

Pictogram:



Signal word: Danger

SAFETY DATA SHEET

SERENITY SURFACE CLEANER

Hazard statements:	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements:	P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains:	BENZALKONIUM CHLORIDE, FATTY ALCOHOL ETHOXYLATE
Supplementary precautionary statements:	P264 Wash contaminated skin thoroughly after handling.

2.3. Other hazards

Other Hazards: None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Component	Classification	Classification (67/548/EEC or 1999/45/EC)	Concentration
FATTY ALCOHOL ETHOXYLATE CAS number: 160901-19-9	Acute Tox. 4 - H302 Eye Dam. 1 - H318	Xn;R22. Xi;R41.	5-10%
Component	Classification	Classification (67/548/EEC or 1999/45/EC)	Concentration
BENZALKONIUM CHLORIDE CAS number: 68424-85-1 M factor (Acute) = 10 M factor (Chronic) = 1	Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Xn;R21/22. C;R34. N;R50.	1-5%

SERENITY SURFACE CLEANER

Component	Classification	Classification (67/548/EEC or 1999/45/EC)	Concentration
POTASSIUM HYDROXIDE CAS number: 1310-58-3 EC number: 215-181-3 REACH registration number: 01-2119487136-33-XXXX	Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318	C;R35 Xn;R22	<1%

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion:	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact:	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact:	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation:	Gas or vapour in high concentrations may irritate the respiratory system.
Ingestion:	May cause discomfort if swallowed.
Skin contact:	The liquid may be irritating to skin.
Eye contact:	May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments:	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
----------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards:	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
-------------------	--

SERENITY SURFACE CLEANER

5.3. Advice for firefighters

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections: See section 3, 8 & 13 for further information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions: Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions: Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class: Chemical storage.

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits:
POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL
Short-term exposure limit (15-minute): WEL 2 mg/m³

Ingredient comments: WEL = Workplace Exposure Limit

SERENITY SURFACE CLEANER

8.2. Exposure controls

Protective equipment:



Appropriate engineering controls:

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection:

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection:

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures:

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection:

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance:	Liquid.
Colour:	Green.
Odour:	Mild.
pH:	12-14
Initial boiling point and range:	100°C @ 760 mm Hg
Relative density:	1.064 @ 20°C

9.2. Other information

Other information:	None.
--------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity:	No test data specifically related to reactivity available for this product or its ingredients.
-------------	--

10.2. Chemical stability

Stability:	Stable at normal ambient temperatures.
------------	--

SERENITY SURFACE CLEANER

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None known.

10.4. Conditions to avoid

Conditions to avoid; Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid: None known.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg): 8,333.33333333

Acute toxicity - dermal

ATE dermal (mg/kg): 110,000.0

Inhalation: Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion: May cause discomfort if swallowed.

Skin contact: May cause sensitisation by skin contact.

Eye contact: Irritating to eyes.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity: The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability: The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Not known.

SERENITY SURFACE CLEANER

12.4. Mobility in soil

Mobility: The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects: Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods: Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General: The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant: No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

SERENITY SURFACE CLEANER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance:	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date:	05/05/2017
Revision:	9
Supersedes date:	21/06/2016
SDS number:	BN127
Risk phrases in full:	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R36/38 Irritating to eyes and skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full:	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.